

(12)

United States Design Patent

Bolzoni et al.

(10)

Patent No.:

US D1,066,229 S

(45)

Date of Patent:

** Mar. 11, 2025

(54) HIGH PERFORMANCE TIRE

(71) Applicant: **Pirelli Tyre S.p.A.**, Milan (IT)

(72) Inventors: **Roberto Bolzoni**, Milan (IT); **Diego Ettore Speziari**, Milan (IT)

(73) Assignee: **PIRELLI TYRE S.P.A.**, Milan (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/939,255**

(22) Filed: **Apr. 25, 2024**

Related U.S. Application Data

(62) Division of application No. 29/867,768, filed on Nov. 7, 2022, now Pat. No. Des. 1,035,560.

Foreign Application Priority Data

(30)

May 9, 2022

(EM)

009018872-0001

May 9, 2022

(EM)

009018872-0002

May 9, 2022

(EM)

009018872-0003

May 9, 2022

(EM)

009018872-0004

May 9, 2022

(EM)

009018872-0005

May 9, 2022

(EM)

009018872-0006

May 9, 2022

(EM)

009018872-0007

May 9, 2022

(EM)

009018872-0008

(51)

LOC (15) Cl.

12-15

(52)

U.S. Cl.

USPC D12/604

(58)

Field of Classification Search

USPC D12/500–532, 604

CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

D647,456	S	*	10/2011	Behr	D12/519
D665,336	S	*	8/2012	Skurich	D12/523
D710,291	S	*	8/2014	Mosko	D12/519
D716,217	S	*	10/2014	Rittweger	D12/523
D753,049	S	*	4/2016	Koishikawa	D12/523
D758,954	S	*	6/2016	Albouy	D12/519
D761,716	S	*	7/2016	Albouy	D12/519
D784,911	S	*	4/2017	Hayashi	D12/604
D828,280	S	*	9/2018	Tae Min	D12/519
D882,494	S	*	4/2020	Philipot	D12/523
D887,342	S	*	6/2020	Moia	D12/521
D998,542	S	*	9/2023	Qin	D12/519
D998,551	S	*	9/2023	Qin	D12/532
D1,020,611	S	*	4/2024	Debordeaux	D12/523
D1,030,617	S	*	6/2024	Afkhamifar	D12/523
D1,035,560	S	*	7/2024	Bolzoni	D12/523
D1,037,998	S	*	8/2024	Meguro	D12/517
2024/0198730	A1	*	6/2024	Bolzoni	B60C 11/033

* cited by examiner

Primary Examiner — John A Voytek

(74) Attorney, Agent, or Firm — Finnegan, Henderson, Farabow, Garrett & Dunner, LLP

(57)CLAIM

The ornamental design for a high performance tire, as shown and described.

DESCRIPTION

FIG. 1 is a front, right perspective view of a high performance tire, showing our new design;


FIG. 2 is a front elevation view thereof;

FIG. 3 is a left view thereof; and,

FIG. 4 is a right view thereof.

The portions of the tire depicted in broken dashed lines of uneven length illustrate the boundaries of the claimed design. The portions of the tire depicted in long broken dashed lines of even length form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4