



US0D1066588S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,066,588 S**
Hartis (45) **Date of Patent:** **** Mar. 11, 2025**

(54) **FAUCET**

(71) Applicant: **DELTA FAUCET COMPANY,**
Indianapolis, IN (US)

(72) Inventor: **Peyton Michele Hartis,** Sachse, TX
(US)

(73) Assignee: **DELTA FAUCET COMPANY,**
Indianapolis, IN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/903,627**

(22) Filed: **Sep. 26, 2023**

(51) **LOC (15) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/242**

(58) **Field of Classification Search**
USPC D23/238, 239, 240, 241, 242, 243, 245,
D23/248, 249, 250, 251, 252, 253, 254,
D23/255, 256, 257, 258
CPC E03C 1/00; E03C 1/01; E03C 1/02; E03C
1/023; E03C 1/04; E03C 1/0401; E03C
1/0403; E03C 1/0404; E03C 1/0405;
E03C 1/0412; E03C 1/042

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D357,730 S * 4/1995 Saperstein D23/252
D364,220 S * 11/1995 Hill D23/255
D367,920 S * 3/1996 Hill D23/255
D440,638 S * 4/2001 Lefroy-Brooks D23/262
D510,612 S * 10/2005 Lammel D23/242
D524,426 S * 7/2006 Sallick D23/255
D535,358 S * 1/2007 Demmer D23/238
D547,831 S * 7/2007 Williams D23/255
D569,948 S * 5/2008 Noth D23/235
D573,232 S * 7/2008 Dolan D23/252

D573,233 S * 7/2008 Dolan D23/252
D581,492 S * 11/2008 Schonherr D23/255
D629,071 S * 12/2010 Matsuura D23/255
D652,899 S * 1/2012 Citterio D23/255
D738,468 S * 9/2015 Bahler D23/242
D741,453 S * 10/2015 Bahler D23/242
D755,932 S * 5/2016 Fritz D23/242
D832,405 S * 10/2018 Zeisel D23/257
D883,441 S * 5/2020 Carr D23/242
D885,525 S * 5/2020 Hsu D23/255
D890,306 S * 7/2020 Potter D23/242
D919,054 S * 5/2021 Stoler D23/242
D941,960 S * 1/2022 Zeff D23/242
D945,568 S * 3/2022 Park D23/242
D963,804 S * 9/2022 Shell D23/242
D969,977 S * 11/2022 Garland D23/255
D973,846 S * 12/2022 Pan D23/241

(Continued)

FOREIGN PATENT DOCUMENTS

CN 200730332076 * 11/2007
CN 201830376927.4 * 7/2018

Primary Examiner — Samantha Wood

(74) *Attorney, Agent, or Firm* — Jeffrey L. Doyle

(57) **CLAIM**

The ornamental design for a faucet as shown and described.

DESCRIPTION

FIGS. 1 and 2 are front perspective views of a faucet showing my new design;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a right side view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom view thereof.

The broken lines in the drawings denote the boundaries of the claim and form no part thereof.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D982,724	S	*	4/2023	Stoler	D23/255
D993,364	S	*	7/2023	Stoler	D23/255
D1,006,197	S	*	11/2023	Qiu	D23/242
D1,022,139	S	*	4/2024	Chen	D23/241
D1,026,174	S	*	5/2024	Wang	D23/238
D1,040,299	S	*	8/2024	Oesterle	D23/239
D1,049,319	S	*	10/2024	Valco	D23/255

* cited by examiner




Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7

Fig. 8