

(10) **Patent No.:** US D1,067,187 S
(45) **Date of Patent:** ** Mar. 18, 2025

This technical drawing shows a side view of a mechanical component, possibly a bracket or a support arm. It features a curved upper section that transitions into a vertical lower section. A hinge mechanism is visible at the junction, consisting of a circular pivot point and a curved arm. The component has a rectangular base and a small rectangular cutout near the top. The drawing is a line drawing with dashed lines indicating hidden internal features.

US D1,067,187 S

Page 2

D454,542 S	3/2002	Nakashima et al.	8,376,775 B2	2/2013	Rinehardt	
6,362,599 B1	3/2002	Turner et al.	D678,202 S	3/2013	Corona	
6,386,907 B1	5/2002	Ruffa	D678,838 S	3/2013	Henrink et al.	
D465,205 S	11/2002	Orpilla et al.	D681,550 S	5/2013	Corbin	
D466,636 S	12/2002	Chun	D684,537 S	6/2013	Herink et al.	
D473,194 S	4/2003	Lee	D686,155 S	7/2013	Nguyen	
D475,014 S	5/2003	Kano	8,491,341 B2	7/2013	Bower et al.	
6,632,103 B1	10/2003	Liu	8,493,021 B2	7/2013	Richardson et al.	
6,648,701 B2	11/2003	Mouissie	D687,583 S	8/2013	Von Waldthausen	
D484,395 S	12/2003	Felsenthal	D687,768 S	8/2013	Minamikawa	
D485,810 S	1/2004	Fiocchi	D689,020 S *	9/2013	Demirjian	D13/120
D485,925 S	1/2004	Oas	D694,176 S	11/2013	Buetow et al.	
6,756,764 B2	6/2004	Smith et al.	D694,180 S	11/2013	Inskeep	
D496,480 S	9/2004	Slattery	D699,378 S	2/2014	DiLuciano	
6,803,743 B2	10/2004	George et al.	D701,490 S	3/2014	Inskeep	
6,822,425 B2	11/2004	Krieger et al.	D708,140 S	7/2014	Nook et al.	
6,871,387 B2	3/2005	Cheng	D713,342 S	9/2014	Jacobs et al.	
6,896,544 B1	5/2005	Kuelbs	8,888,535 B2	11/2014	Knight	
D506,380 S	6/2005	Chu	D718,999 S	12/2014	Robinson et al.	
D512,374 S	12/2005	Kuelbs	D725,598 S	3/2015	Nook et al.	
D524,736 S	7/2006	Morita et al.	D726,109 S *	4/2015	Nook	D13/149
D525,210 S	7/2006	Disbennett	D726,114 S	4/2015	Nook et al.	
7,148,580 B2	12/2006	Sodemmann et al.	D726,121 S	4/2015	Nook et al.	
D539,456 S	3/2007	Sassoon	D730,282 S	5/2015	Miller	
D542,224 S	5/2007	Victor	D734,726 S	7/2015	Nook et al.	
D543,154 S	5/2007	Suckle et al.	D735,665 S	8/2015	Nook et al.	
D551,368 S	9/2007	Shiu	D737,216 S	8/2015	Nook et al.	
D552,560 S	10/2007	Victor	D737,782 S	9/2015	Nook et al.	
D553,089 S	10/2007	Victor	D738,307 S	9/2015	Nook et al.	
D555,594 S	11/2007	So	D738,825 S	9/2015	Nook et al.	
D555,820 S	11/2007	Lam	D739,354 S	9/2015	Nook et al.	
7,301,303 B1	11/2007	Hulden	D741,264 S	10/2015	Vanbecelaere	
D561,112 S	2/2008	Victor	D744,316 S	12/2015	Nook et al.	
D562,480 S	2/2008	Spartano	D745,455 S	12/2015	Nook et al.	
D567,184 S	4/2008	Victor	D746,770 S	1/2016	Nook et al.	
D571,179 S	6/2008	Ahlgren	D746,774 S *	1/2016	Nook	D13/120
D573,536 S	7/2008	Hariharesan et al.	D754,377 S	4/2016	Nook et al.	
D581,566 S	11/2008	Slawson	D754,606 S	4/2016	Nook et al.	
D586,750 S	2/2009	Li	9,407,037 B2	8/2016	Kim	
D586,758 S	2/2009	Victor	9,461,376 B1	10/2016	Bakhoun	
D586,759 S	2/2009	Victor	D775,752 S	1/2017	Nook et al.	
D588,995 S	3/2009	Wu et al.	D800,666 S	10/2017	Nook et al.	
D593,959 S	6/2009	Victor	D801,272 S	10/2017	Nook et al.	
D596,125 S	7/2009	Norin et al.	9,923,289 B2	3/2018	Bertness	
D596,771 S	7/2009	Lee	D815,863 S	4/2018	Wheeler	
D597,029 S *	7/2009	Li	D817,280 S	5/2018	Nook et al.	
D597,946 S	8/2009	Li	D832,781 S	11/2018	Nook et al.	
7,568,816 B2	8/2009	Brass	D836,064 S	12/2018	Liu	
D602,615 S	10/2009	Liu	D845,229 S	4/2019	Chen	
7,598,699 B2	10/2009	Restaino et al.	D845,230 S	4/2019	Nook et al.	
D604,251 S	11/2009	Hwang	D853,330 S *	7/2019	Dai	D13/120
D608,624 S	1/2010	Adams	D867,985 S	11/2019	Nook et al.	
7,749,031 B2	7/2010	Detter	D889,411 S *	7/2020	Wang	D13/120
D623,322 S	9/2010	Wallach	D900,039 S	10/2020	Yoshida	
D625,265 S	10/2010	DuMelle et al.	D911,286 S	2/2021	Esses	
D625,580 S	10/2010	Giordano	D913,932 S	3/2021	Nook et al.	
D625,653 S	10/2010	De Felice	D913,933 S	3/2021	Nook et al.	
D627,730 S	11/2010	Huang et al.	D913,934 S	3/2021	Nook et al.	
D628,650 S	12/2010	Lake	D913,935 S	3/2021	Nook et al.	
D631,586 S	1/2011	Li	D913,936 S	3/2021	Nook et al.	
7,872,361 B2	1/2011	McFadden	D913,937 S	3/2021	Nook et al.	
D634,313 S	3/2011	Fitzpatrick et al.	D913,938 S	3/2021	Nook et al.	
7,959,476 B2	6/2011	Smith	D931,811 S	9/2021	Bone	
D642,301 S	7/2011	Rothman	D931,813 S	9/2021	Nook et al.	
D643,815 S	8/2011	Mark et al.	11,114,777 B2	9/2021	Nook et al.	
D645,817 S	9/2011	Sasada	D933,605 S	10/2021	Nook et al.	
D649,116 S	11/2011	Nakatsuka	D934,174 S	10/2021	Protti	
D649,866 S	12/2011	Roehrig et al.	D934,804 S	11/2021	Nook et al.	
8,076,900 B1	12/2011	Brown	D934,805 S	11/2021	Nook et al.	
D653,615 S	2/2012	Au	D946,526 S	3/2022	Wang	
D654,246 S	2/2012	Bengyak	D958,075 S	7/2022	Nook et al.	
D654,854 S	2/2012	Inskeep	D967,025 S	10/2022	Nook et al.	
D656,259 S	3/2012	Ku	D985,496 S *	5/2023	Wang	D13/120
8,172,603 B1	5/2012	Richard, Jr.	D995,436 S *	8/2023	Lei	D13/120
8,199,024 B2	6/2012	Baxter et al.	D997,102 S *	8/2023	Nook	D13/120
D664,207 S	7/2012	Bengyak	D1,005,954 S *	11/2023	Shu	D13/120
D664,501 S	7/2012	Inskeep	2002/0041174 A1	4/2002	Purkey	
D671,250 S	11/2012	Schrinner	2003/0179070 A1	9/2003	Izumi	
8,342,892 B2	1/2013	Fan et al.	2004/0130298 A1	7/2004	Krieger et al.	

2004/0172795	A1	9/2004	Cheng	
2005/0040788	A1	2/2005	Tseng	
2005/0110467	A1	5/2005	Thomason	
2005/0252573	A1	11/2005	Montani	
2006/0201558	A1	9/2006	Marty et al.	
2006/0286868	A1	12/2006	Pentell	
2007/0285049	A1	12/2007	Krieger et al.	
2008/0213653	A1	9/2008	Marukawa et al.	
2010/0033293	A1	2/2010	Cheng	
2010/0301800	A1	12/2010	Inskeep	
2011/0068734	A1	3/2011	Waldron	
2011/0116861	A1	5/2011	Zhang et al.	
2012/0091944	A1	4/2012	Rogers	
2013/0042440	A1	2/2013	Davies	
2013/0154543	A1	6/2013	Richardson et al.	
2013/0164600	A1	6/2013	Rosskamp et al.	
2013/0314041	A1	11/2013	Proebstle	
2014/0159509	A1	6/2014	Inskeep	
2014/0199876	A1	7/2014	Kato	
2015/0200470	A1 *	7/2015	Bertness	H01R 11/24 324/754.05
2020/0335887	A1 *	10/2020	Nook	H01R 11/24
2021/0094428	A1	4/2021	Nook et al.	
2022/0102878	A1	3/2022	Zhang	
2022/0181806	A1	6/2022	Nook	

FOREIGN PATENT DOCUMENTS

DE	29507501	6/1995
DE	202009016260	3/2010
DE	202013102599	8/2013
EP	2472698	A2 7/2012
WO	WO 2004/036714	4/2004
WO	WO 2013/137873	9/2013

OTHER PUBLICATIONS

Blue Sea Systems Waterproof In-Line ATO/ATC Fuse Holder, posted at Amazon.com on Jun. 9, 2014 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/Blue-Sea-Systems-Waterproof-Holder/dp/B004ZIU62>.

Internet Archive Organization, The Wayback Machine: GC001 X-Connect Battery Clamps, Archive of <https://no.co/gc001> webpage: <https://web.archive.org/web/20161226092635/https://no.co/gc001> Date accessed: Jun. 2022. First Date available: Dec. 2016 (Year: 2016).

Iztoss Waterproof Car Auto 10/15/20/30A Amp In Line Blade Fuse Holder Fuses, posted at Amazon.com on Sep. 8, 2015 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/Iztoss-Waterproof-Blade-Holder-Fuses/dp/B01531YFYW>.

Noco.com: GB20 Boost Sport 500A UltraSafe Lithium Jump Starter, Online: <https://no.co/go20> (Dec. 2016).

Noco.com: GBC003 HD Precision Boost Battery Clamps, Online: <https://no.co/gbc003> (Jan. 2021).

NOCO GC001 X-Connect Battery Clamp Accessory, Date: Jul. 7, 2004, [online], [site visited Dec. 14, 2021]. Available from internet, URL: <https://www.amazon.com/GC001-X-Connect-Accessory-Genius-packaging/dp/B004LWWVODY>.

NOCO GC002 X-Connect Eyelet Terminal Connector, Date: Jun. 9, 2015, [online], [site visited Mar. 8, 2022]. Available from internet, URL: <https://www.amazon.co.jp/-/en/GC002-X-Connect-Terminal-Connector-Compliant/dp/B004LWQ35Y>.

NOCO GPA002 HD X-Connect Battery Clamp Accessory with Integrated M10 Eyelets, Date: Sep. 14, 2021, [online], [site visited Apr. 14, 2022]. Available from internet, URL: <https://www.amazon.com/NOCO-GPA002-X-Connect-Integrated-GENIUSPRO25/dp/B09G77FSL2>.

NOCO GPA004 Pro X-Connect Battery Clamp Accessory with Integrated M10 Eyelets, Date: Sep. 14, 2021, [online], [site visited Apr. 14, 2022]. Available from internet, URL: <https://www.amazon.com/NOCO-GPA004-X-Connect-Integrated-GENIUSPRO50/dp/B09G7WYC8Z>.

NOCO GC009 X-Connect SAE Adapter Accessory, Date: Aug. 16, 2011 [online], [site visited Dec. 14, 2021]. Available from internet,

URL: <https://www.amazon.com/GC009-X-Connect-Accessory-Genius-Chargers/dp/B005DUMADC>.

NOCO GC009 SAE Adapter, Date: Feb. 3, 2017, [online], [site visited Mar. 10, 2022]. Available from internet, URL: <https://www.amazon.co.jp/GC009-X-Connect-Accessory-Genius-Chargers/dp/B005DUMADC>.

NOCO GC009 X-Connect, Date: Dec. 4, 2013, [online], [site visited Mar. 10, 2022]. Available from internet, URL: <https://www.amazon.co.uk/GC009-X-Connect-Accessory-Genius-Chargers/dp/B005DUMADC>.

NOCO Genius GC002 Eyelet Terminal Connector, posted at Amazon.com on Jul. 7, 2004 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/NOCO-Genius-GC004-Extension-Cable/dp/B004LWQ35Y>.

NOCO Genius GC004 10' Extension Cable, posted at Amazon.com on Jul. 7, 2004 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/NOCO-Genius-GC004-Extension-Cable/dp/B004LWVOGO>.

Nilight 50035R 2ft Ring Wire 2 Pin Lug Cable, Date: Apr. 22, 2019, [online], [site visited Jul. 15, 2022]. Available from internet, URL: <https://www.amazon.com.au/Nilight-50035R-Disconnect-Connection-Motorcycle/dp/B07R2L827M>.

Motopower 0609A 3.1 Amp Waterproof Motorcycle USB Charger Kit SAE to USB Adapter, posted at Amazon.com on May 26, 2016 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/Motopower-0609A-Waterproof-Motorcycle-Charger/product-reviews/B01DYE54LI>.

Schumacher WM-12 Cable Connector, posted at Amazon.com on Jul. 19, 2010 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/Schumacher-WM-12-Connector-Battery-Maintainer/dp/B003WDDLTO>.

Sparking 2ft Motorcycle Battery Charger Cord, Date: Nov. 22, 2018, [online], [site visited Jul. 15, 2022]. Available from internet, URL: <https://www.amazon.com.au/SPARKING-Motorcycle-Disconnect-Extension-Accessory/dp/B07KS2GCXJ>.

Tineye.com—Hand Display Black [published Mar. 19, 2010; retrieved Jun. 12, 2019] Online: [url:https://tineye.com/search/4e8edb8d9936d7b87591eaabc6e18be520b559a4?page=1](https://tineye.com/search/4e8edb8d9936d7b87591eaabc6e18be520b559a4?page=1).

Tineye.com—Hand Display Chrome [published Nov. 22, 2013; retrieved Jun. 12, 2019] Online: [url:https://tineye.com/search/04c0aff891da06df214d842ef8cc3b47e7049ae?page=1](https://tineye.com/search/04c0aff891da06df214d842ef8cc3b47e7049ae?page=1).

Battery Tender 081-0069-6 Ring Terminal Harness with Black Fused 2-Pin Quick Disconnect Plug, posted at Amazon.com on Jan. 19, 2011 [online] (site visited Jun. 7, 2017). Available from Internet, URL: <https://www.amazon.com/Battery-Tender-081-0069-6-TerminalDisconnect/dp/B004JV6OMO>.

U.S. Trademark Application No. 86/030,590, filed Aug. 6, 2013, including drawing and sample.

Vemote SAE Battery Connector 10AWG SAE to Ring Terminal Harness, Date: Dec. 2, 2020, [online], [site visited Jul. 15, 2022]. Available from internet, URL: <https://www.amazon.com.au/Vemote-Connector-Disconnect-Extension-Motorcycle-RVs/dp/B08PFGHKSB>.

Yetor Battery Alligator Clips, SAE Quick Release Adapter to Alligator Clips, Date: Oct. 25, 2019, [online], [site visited Jul. 15, 2022]. Available from internet, URL: <https://www.amazon.com.au/YETOR-Alligator-Connectors-Extension-Motorcycles/dp/B07ZCZVS1G>.

* cited by examiner

Primary Examiner — Jennifer O King
(74) Attorney, Agent, or Firm — Jones Day

(57) CLAIM

The ornamental design for a battery clamp, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an inner part of a new design for a battery clamp;

FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a front perspective view of the inner part of FIG. 1, fitted with an exterior part of the assembled battery clamp;
FIG. 9 is a left side elevational view thereof;
FIG. 10 is a right side elevational view thereof;
FIG. 11 is a front elevational view thereof;
FIG. 12 is a rear elevational view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a bottom plan view thereof;
FIG. 15 is an perspective view of the inner part of the battery clamp shown in FIG. 1, a cable, and a nut for connecting the battery clamp and cable together;
FIG. 16 is another perspective view of the inner part of the battery clamp shown in FIG. 1, a cable, and a nut for connecting the battery clamp and cable together; and,
FIG. 17 is a perspective view of the inner part of the battery clamp shown in FIG. 1, a cable, and a nut for connecting the battery clamp and cable together.
The broken lines shown represent portions of the battery clamp that form no part of the claimed design.

1 Claim, 17 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17