



US0D1068060S

(12)

United States Design Patent

Schuessler et al.

(10) Patent No.:

US D1,068,060 S

(45) Date of Patent:

** Mar. 25, 2025

(54) OSCILLOMETRY DEVICE

(71) Applicant: THORASYS THORACIC MEDICAL SYSTEMS INC., Montréal (CA)

(72) Inventors: Thomas Florian Schuessler, Montréal (CA); Luc Blanchette, Montréal (CA); Eric Geoffroy, Montréal (CA); Guy Drapeau, Montreal (CA); Lennart K. A. Lundblad, Montréal (CA)

(73) Assignee: THORASYS THORACIC MEDICAL SYSTEMS INC., Montreal (CA)

(**) Term: 15 Years

(21) Appl. No.: 29/849,374

(22) Filed: Aug. 10, 2022

(51) LOC (15) Cl. 29-02

(52) U.S. Cl. D24/110

(58) Field of Classification Search

USPC D24/110, 110.1–110.6, 127, 164, 186

CPC .. A61B 5/00; A61B 5/08; A61B 5/085; A61B 5/087; A61B 5/091; A61B 5/0935; A61B 5/097; A61M 2210/1025; A61M 16/06; A61M 16/0616; A61M 16/0622; A61M 16/0666; A61M 16/0684

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

7,172,557 B1 * 2/2007 Parker A61B 5/087 600/533

D557,406 S * 12/2007 Lithgow D24/110

D659,835 S * 5/2012 Benson D24/164

D693,468 S * 11/2013 Meng D24/164

D757,242 S * 5/2016 Maksym D24/110

D812,192 S * 3/2018 Lamiable D24/110.6

D819,193 S * 5/2018 Bertinetti D24/110

D827,829 S * 9/2018 Meng D24/164

D827,830 S * 9/2018 Aidehag D24/164

10,349,883 B2 * 7/2019 Fazzi A61M 16/205

D893,704 S * 8/2020 Pratt D24/110

D894,369 S * 8/2020 Salmon D24/110

D1,010,130 S * 1/2024 Bath D24/164

(Continued)

FOREIGN PATENT DOCUMENTS

EM 015011111 * 2/2023

IN 402183-001 * 2/2024

Primary Examiner — Omeed Agilee

Assistant Examiner — Michael Hoffman

(74) Attorney, Agent, or Firm — NORTON ROSE FULBRIGHT CANADA LLP

(57) CLAIM

The ornamental design for an oscillometry device, as shown and described.

DESCRIPTION

FIG. 1 is a first isometric view of an oscillometry device showing our new design;

FIG. 2 is a second isometric view of the an oscillometry device of FIG. 1;

FIG. 3 is a first side view of the an oscillometry device of FIG. 1;

FIG. 4 is a second side view of the an oscillometry device of FIG. 1;

FIG. 5 is a first end view of the an oscillometry device of FIG. 1;

FIG. 6 is a second end view of the an oscillometry device of FIG. 1;

FIG. 7 is a top view of the an oscillometry device of FIG. 1;


and,

FIG. 8 is a bottom view of the an oscillometry device of FIG. 1.

The dash lines in the drawings depict portions of the oscillometry device that form no part of the claimed design.

The dash-dot broken lines depict boundaries

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D1,011,532	S *	1/2024	Lv	D24/164
D1,021,096	S *	4/2024	Mueller-Geywitz	D24/164
2002/0026937	A1 *	3/2002	Mault	A61B 5/1112
				128/200.24
2012/0029376	A1 *	2/2012	Meng	A61B 5/7475
				600/538
2015/0277733	A1 *	10/2015	Schwaibold	G06F 3/04847
				715/771
2020/0214593	A1 *	7/2020	Kulkarni	A61B 5/087
2021/0007628	A1 *	1/2021	Hansen	A61B 5/097
2021/0169433	A1 *	6/2021	Sabczynski	A61B 6/4291
2021/0393161	A1 *	12/2021	Schuessler	A61B 5/085
2024/0023826	A1 *	1/2024	McCawley	A61M 11/02

* cited by examiner




FIG. 1




Fig. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8