



US0D1069732S

(12)

United States Design Patent

Merrick et al.

(10)

Patent No.:

US D1,069,732 S

(45)

Date of Patent:

** Apr. 8, 2025

(54) CABLE CHASE

(71) Applicant: TOSHIBA GLOBAL COMMERCE SOLUTIONS, INC., Durham, NC (US)

(72) Inventors: Dora Merrick, Flower Mound, TX (US); Brad M. Johnson, Raleigh, NC (US)

(73) Assignee: Toshiba Global Commerce Solutions, Inc., Durham, NC (US)

(**) Term: 15 Years

(21) Appl. No.: 29/876,770

(22) Filed: May 26, 2023

(51) LOC (15) Cl. 13-03

(52) U.S. Cl. USPC D13/156

(58) Field of Classification Search
USPC D13/155, 156; D12/266; D8/356
CPC H01R 13/5213; H02G 7/12
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D180,354 S	*	5/1957	Benson	174/76
5,024,614 A		6/1991	Dola et al.	
D375,600 S	*	11/1996	Hirano	D34/27
D443,041 S	*	5/2001	Uhlenkott	D23/266
D577,990 S	*	10/2008	Andre	D8/395
D612,916 S	*	3/2010	Hartman	D23/266
D648,685 S	*	11/2011	Symons	D13/155
D720,438 S	*	12/2014	Totten	D23/266
D775,937 S	*	1/2017	Davis	D8/356

(Continued)

OTHER PUBLICATIONS

“Work Smarter: Optimize Your Efficiency,” Mockett: Doug Mockett & Company, INC, Year: 2018, pp. 1-55.

(Continued)

Primary Examiner — Jennifer O King

(74) Attorney, Agent, or Firm — Patterson + Sheridan, LLP

(57) CLAIM

The ornamental design for a cable chase as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a cable chase, according to a first embodiment, showing our new design.

FIG. 2 is a bottom, rear, left side perspective view thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is right side view thereof, the left side being identical.

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a front view thereof, the rear view being identical.

FIG. 7 is a top, front, right side perspective view of a cable chase, according to a second embodiment.

FIG. 8 is a bottom, rear, left side perspective view thereof.

FIG. 9 is a top plan view thereof.

FIG. 10 is right side view thereof, the left side being a mirror image thereof.

FIG. 11 is a bottom plan view thereof.

FIG. 12 is a front view thereof.


FIG. 13 is a rear view thereof.

FIG. 14 is a top, front, right side perspective view of thereof when in use; and,

FIG. 15 is a bottom, rear, left side perspective view thereof when in use.

The pair of broken lines shown in FIGS. 1-5 and 7-11 indicate an indeterminate length of the cable chase. The cables and the portion of the cable chase shown in broken lines in FIGS. 14 and 15 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



References Cited

D776,774	S	*	1/2017	Galimard	D21/814
D819,186	S	*	5/2018	Huh	F28F 9/0253
					D23/262
D952,445	S	*	5/2022	Cope	D8/356

“Kassinakis Catalog 2014-2015,” P. E. Kassinakis S.A. Electrical Materials Industry, Year: 2014-2015, pp. 1-68.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15