



US0D1070021S

(12)

United States Design Patent

Goldsberry

(10)

Patent No.:

US D1,070,021 S

(45)

Date of Patent:

** Apr. 8, 2025

(54) UNDERGROUND IRRIGATION EQUIPMENT PROTECTIVE DEVICE

(71) Applicant: Stuart G. Goldsberry, Milwaukie, OR (US)

(72) Inventor: Stuart G. Goldsberry, Milwaukie, OR (US)

(**) Term: 15 Years

(21) Appl. No.: 29/921,344

(22) Filed: Dec. 15, 2023

(51) LOC (15) Cl. 23-07

(52) U.S. Cl. USPC D23/259; D23/266; D23/214

(58) Field of Classification Search
USPC D23/205–206, 214, 223–226, 229, 232, 223/255, 259, 262, 266; D25/107, 122, D25/117, 124
CPC E03C 1/182; F16L 35/00; F16L 1/11; F16L 1/123; F16L 3/08; F16L 57/00
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,818,084	A *	12/1957	Tennison, Jr.	F16L 17/035
				D23/266
3,279,500	A *	10/1966	Feder	F16L 9/04
				138/172
4,219,051	A *	8/1980	D’Haeyer	B29C 61/10
				156/218
D264,116	S *	4/1982	Soderstrom	D23/266
D345,197	S *	3/1994	Potter	D23/266
D375,600	S *	11/1996	Hirano	D34/27
5,772,118	A	6/1998	Fabiano	
5,899,888	A *	5/1999	Jepson	A61J 1/2089
				604/905
D445,170	S *	7/2001	Speicher	D23/266

D454,178	S *	3/2002	Speicher	D23/266
D454,386	S *	3/2002	Speicher	D23/266
6,401,646	B1 *	6/2002	Masters	F15D 1/10
				114/243
6,543,704	B2	4/2003	Stephens	
D612,917	S *	3/2010	Eilertson	D23/266
D623,278	S *	9/2010	Eilertson	D23/266
8,936,206	B1	1/2015	Wright	
9,068,681	B1 *	6/2015	Lyman	F16L 1/11
10,220,403	B2	3/2019	Orth	
D900,286	S *	10/2020	Daughters	D23/262
D1,013,126	S *	1/2024	Hendricks	D8/382
D1,031,948	S *	6/2024	Clevenger	D23/266
D1,037,417	S *	7/2024	Yang	D3/10
12,031,649	B2 *	7/2024	Mori	F16L 27/12
D1,043,910	S *	9/2024	Haas	D23/214

(Continued)

Primary Examiner — Jennifer Rivard
Assistant Examiner — Jonathan E Fiencke


(57) CLAIM

The ornamental design for an underground irrigation equipment protective device, as shown and described.

DESCRIPTION

FIG. 1 is a top-front-left perspective view of an underground irrigation equipment protective device showing my new design;
FIG. 2 is a detailed view of section 2 of FIG. 1;
FIG. 3 is bottom-rear-right view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left-side elevational view thereof;
FIG. 7 is a right-side elevational view thereof;
FIG. 8 is top plan view thereof;
FIG. 9 is a detailed view of section 9 of FIG. 8; and,
FIG. 10 is a bottom plan view thereof.
The dot-dash-dot broken lines denote the boundaries of the detail areas and detail views and forms no part of the claim.

1 Claim, 10 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

12,146,601	B2 *	11/2024	Green	F16L 57/00
2010/0037971	A1 *	2/2010	Scherer	F16L 57/00
				138/104
2010/0127099	A1	5/2010	Memole	
2013/0061972	A1 *	3/2013	Katona	F16L 57/02
				138/114
2014/0345738	A1 *	11/2014	Hill	F16L 11/10
				138/118.1
2016/0363248	A1 *	12/2016	Daughters	E03C 1/182
2020/0096144	A1 *	3/2020	Simon	F16L 57/06
2021/0212274	A1 *	7/2021	Warke	F16L 53/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10