



US0D1070729S

(12)

United States Design Patent

ten Dam et al.

(10)

Patent No.:

US D1,070,729 S

(45)

Date of Patent:

** Apr. 15, 2025

(54) TIRE

(71) Applicant: Apollo Tyres Global R&D B.V.,
Enschede (NL)

(72) Inventors: Marc ten Dam, Tilligte (NL); Dally
Gopinath, Alappuzha (IN)

(73) Assignee: Apollo Tyres Global R&D B.V.,
Enschede (NL)

(**) Term: 15 Years

(21) Appl. No.: 29/722,662

(22) Filed: Jan. 31, 2020

(30) Foreign Application Priority Data

Dec. 13, 2019 (EM) 007391842

(51) LOC (15) Cl. 12-15

(52) U.S. Cl.
USPC D12/544

(58) Field of Classification Search
USPC D12/500, 533, 534, 536, 537, 538, 544
CPC B60C 11/0302; B60C 11/0306; B60C
11/0311; B60C 11/0313
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D360,862 S *	8/1995	Bonko		D12/544
D383,427 S *	9/1997	Bonko		D12/544
D425,832 S *	5/2000	Umstot		D12/544
D444,110 S *	6/2001	Umstot		D12/544
D595,218 S *	6/2009	Rodicq		D12/544
D759,576 S *	6/2016	Wang		D12/544
D759,577 S *	6/2016	Wang		D12/544
D769,180 S *	10/2016	Wang		D12/544

(Continued)

OTHER PUBLICATIONS

Farmking, Apollo Tyres, retrieved from the internet Sep. 4, 2024
<URL: <https://www.apollotyres.com/en-za/agricultural-tyres/products/1299-FARMKING/>> (Year: 2024).*

Primary Examiner — Joseph Kukella
(74) Attorney, Agent, or Firm — Renner, Otto, Boisselle
& Sklar, LLP


(57) CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a first embodiment of a tire showing our new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a front, right perspective view thereof;
FIG. 8 is a right side elevation view of a second embodiment of a tire showing our new design;
FIG. 9 is a left side elevation view thereof;
FIG. 10 is an enlarged front elevation view of a third embodiment of a tire showing our new design; and,
FIG. 11 is an enlarged rear elevation view thereof.
The long-dash thin broken line showing in FIGS. 1-11 is for the purpose of illustrating contour lines on unclaimed surfaces and forms no part of the claimed design.
The short-dash broken line showing in FIGS. 5-9 is for the purpose of illustrating unclaimed portions of the tire and forms no part of the claimed design.
The dot-dash broken line showing at the top and bottom of the design in FIGS. 10 and 11 defines one repeat unit of the claimed design and indicates that a specific number of repeat units forms no part of the claimed design and that the design as shown can repeat uniformly as shown over the surface of the tire.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D807,281	S	*	1/2018	Irwin		D12/544
D807,811	S	*	1/2018	Wang		D12/544
D810,664	S	*	2/2018	Sgreccia		D12/544
D810,665	S	*	2/2018	Sgreccia		D12/544
D908,597	S	*	1/2021	Meng		D12/544
D908,598	S	*	1/2021	Meng		D12/544
2021/0138839	A1	*	5/2021	Ten Dam		B60C 11/0311

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11