



US0D1070980S

(12)

United States Design Patent

Hagiwara et al.

(10)

Patent No.:

US D1,070,980 S

(45)

Date of Patent:

** Apr. 15, 2025

(54) TRAY FOR PAPER OUTPUT

(71) Applicant: FUJIFILM Corporation, Tokyo (JP)

(72) Inventors: Miki Hagiwara, Tokyo (JP); Megumi Okubo, Tokyo (JP)

(73) Assignee: FUJIFILM CORPORATION, Tokyo (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/801,313

(22) Filed: Jul. 28, 2021

(30) Foreign Application Priority Data

Feb. 1, 2021 (JP) 2021-002121

(51) LOC (15) Cl. 18-02

(52) U.S. Cl. D18/56

USPC

(58) Field of Classification Search

USPC D18/14, 16, 19, 36, 40, 50, 53, 54, 55, D18/56, 59, 39, 43, 47, 78, 92, 41, 12; D15/7, 122, 135, 138, 144, 145, 146, D15/199; D14/300, 301, 302, 303, 307, D14/308, 314, 321, 365, 424, 445, 446, D14/421, 435, 425; D19/66, 67, 68, 69, D19/113; D8/59, 354, 380; D21/469

CPC B41M 5/03; B41M 2205/04; B05C 5/02; B05B 1/306; B29C 70/388; B41J 13/0072; B41F 17/001; H04N 1/00795

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D263,828 S	*	4/1982	Pemberton		D18/54
D283,823 S	*	5/1986	Mitsubishi		D18/54
D330,729 S	*	11/1992	Cornell		D19/86
D343,415 S	*	1/1994	Nakazato		D18/55
D348,904 S	*	7/1994	Linder		D19/86

D350,151 S	*	8/1994	Sugawara		D18/55
D350,152 S	*	8/1994	Tsuchida		D18/56
D358,837 S	*	5/1995	De Iuliis		D18/55
D361,781 S	*	8/1995	Tsuchida		D18/55
D394,450 S	*	5/1998	Katoh		D18/43
D412,933 S	*	8/1999	Laidlaw		D18/56
D422,624 S	*	4/2000	Brown		D18/40
D458,631 S	*	6/2002	Pangburn		D18/56
D468,773 S	*	1/2003	Bodum		D19/86

(Continued)

OTHER PUBLICATIONS

Oklili Paper Input Tray, Amazon.com, dated published Apr. 12, 2017, retrieved Nov. 8, 2024,U.S. Appl. No. 29/801,313—<https://www.amazon.com/OKLILI-RM1-0659-000CN-RM1-2055-000CN-Assembly-Delivery/dp/B07F8716JV> (Year: 2017).*

(Continued)

Primary Examiner — L. A. Grabenstetter
Assistant Examiner — Danielle Nichole Bowly
(74) Attorney, Agent, or Firm — McGinn IP Law Group, PLLC


(57) CLAIM

The ornamental design for a tray for paper output, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a tray for paper output showing our new design;
FIG. 2 is a rear view of the tray for paper output;
FIG. 3 is a top view of the tray for paper output;
FIG. 4 is a bottom view of the tray for paper output;
FIG. 5 is a right view of the tray for paper output;
FIG. 6 is a left view of the tray for paper output; and,
FIG. 7 is a perspective view of the tray for paper output.
The broken lines shown in the drawings represent portions of the digital multifunction device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D529,546	S	*	10/2006	Kamiya		D18/56
D544,529	S	*	6/2007	Takahashi		D18/47
D741,331	S	*	10/2015	Ishibashi		D14/421
D800,122	S	*	10/2017	Tashima		D14/421
D800,123	S	*	10/2017	Tashima		D14/421
D868,886	S	*	12/2019	Mita		D18/56
D923,704	S	*	6/2021	Asano		D18/50
D1,027,026	S	*	5/2024	Hagiwara		D18/56

OTHER PUBLICATIONS

Oklili Paper Output Tray, Amazon.com, date published Apr. 12, 2017, retrieved Nov. 8, 2024,U.S. Appl. No. 29/801,313—<https://www.amazon.com/OKLILI-RM1-0629-000CN-RM1-0629-Compatible-Laserjet/dp/B07SKPF7MK/> (Year: 2017).*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

