



US0D1072575S

(12)

United States Design Patent

Kane

(10)

Patent No.:

US D1,072,575 S

(45)

Date of Patent:

** Apr. 29, 2025

(54) TRAY

(71) Applicant: The Ridge Wallet LLC, Santa Monica, CA (US)

(72) Inventor: Daniel Kane, Agoura Hills, CA (US)

(73) Assignee: The Ridge Wallet LLC, Santa Monica, CA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/861,390

(22) Filed: Nov. 29, 2022

(51) LOC (15) Cl. 07-01

(52) U.S. Cl. D7/554.3

(58) Field of Classification Search

USPC D7/500, 505, 541–542, 545, 546, 550.1, D7/552.1, 553.1, 553.5, 554.3; D3/304–315

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D255,310 S * 6/1980 Spencer D9/761
RE30,962 E * 6/1982 Bridges B65D 81/3823
206/217

(Continued)

Primary Examiner — Kelley A Donnelly
(74) Attorney, Agent, or Firm — K&L Gates LLP; Brian J. Novak; Giorgios N. Kefallinos

(57) CLAIM

The ornamental design for a tray as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a tray of my design.

FIG. 2 is a bottom, rear, left perspective view of the tray of FIG. 1.
FIG. 3 is a front view of the tray of FIG. 1.
FIG. 4 is a back view of the tray of FIG. 1.
FIG. 5 is a first side view of the tray of FIG. 1.
FIG. 6 is a second side view of the tray of FIG. 1.
FIG. 7 is a top view of the tray of FIG. 1.
FIG. 8 is a bottom view of the tray of FIG. 1.
FIG. 9 is a top, front, right perspective view of a tray of my design.
FIG. 10 is a bottom, rear, left perspective view of the tray of FIG. 9.
FIG. 11 is a front view of the tray of FIG. 9.
FIG. 12 is a back view of the tray of FIG. 9.
FIG. 13 is a first side view of the tray of FIG. 9.
FIG. 14 is a second side view of the tray of FIG. 9.
FIG. 15 is a top view of the tray of FIG. 9.
FIG. 16 is a bottom view of the tray of FIG. 9.
FIG. 17 is a top, front, right perspective view of a tray of my design.
FIG. 18 is a bottom, rear, left perspective view of the tray of FIG. 17.
FIG. 19 is a front view of the tray of FIG. 17.
FIG. 20 is a back view of the tray of FIG. 17.
FIG. 21 is a first side view of the tray of FIG. 17.
FIG. 22 is a second side view of the tray of FIG. 17.
FIG. 23 is a top view of the tray of FIG. 17.
FIG. 24 is a bottom view of the tray of FIG. 17.
FIG. 25 is a top, front, right perspective view of a tray of my design.
FIG. 26 is a bottom, rear, left perspective view of the tray of FIG. 25.
FIG. 27 is a front view of the tray of FIG. 25.
FIG. 28 is a back view of the tray of FIG. 25.
FIG. 29 is a first side view of the tray of FIG. 25.
FIG. 30 is a second side view of the tray of FIG. 25.
FIG. 31 is a top view of the tray of FIG. 25.
FIG. 32 is a bottom view of the tray of FIG. 25.
FIG. 33 is a top, front, right perspective view of a tray of my design.
FIG. 34 is a bottom, rear, left perspective view of the tray of FIG. 33.
FIG. 35 is a front view of the tray of FIG. 33.

(Continued)




FIG. 36 is a back view of the tray of FIG. 33.
 FIG. 37 is a first side view of the tray of FIG. 33.
 FIG. 38 is a second side view of the tray of FIG. 33.
 FIG. 39 is a top view of the tray of FIG. 33.
 FIG. 40 is a bottom view of the tray of FIG. 33.
 FIG. 41 is a top, front, right perspective view of a tray of my design.
 FIG. 42 is a bottom, rear, left perspective view of the tray of FIG. 41.
 FIG. 43 is a front view of the tray of FIG. 41.
 FIG. 44 is a back view of the tray of FIG. 41.
 FIG. 45 is a first side view of the tray of FIG. 41.
 FIG. 46 is a second side view of the tray of FIG. 41.
 FIG. 47 is a top view of the tray of FIG. 41.
 FIG. 48 is a bottom view of the tray of FIG. 41.
 FIG. 49 is a top, front, right perspective view of a tray of my design.
 FIG. 50 is a bottom, rear, left perspective view of the tray of FIG. 49.
 FIG. 51 is a front view of the tray of FIG. 49.
 FIG. 52 is a back view of the tray of FIG. 49.
 FIG. 53 is a first side view of the tray of FIG. 49.
 FIG. 54 is a second side view of the tray of FIG. 49.
 FIG. 55 is a top view of the tray of FIG. 49; and,
 FIG. 56 is a bottom view of the tray of FIG. 49.
 The dash-dash-dash-dash type broken lines shown in the drawings are included for the purposes of illustrating environmental structure and form no part of the claimed design.
 The dot-dash-dot-dash type broken lines shown in the drawings define the boundaries of the claimed design. The appearance of any portion of the tray between the dot-dash-

dot-dash type broken lines forms no part of the claimed design.

Randomly dashed lines represent surface shading.

1 Claim, 42 Drawing Sheets

(58) Field of Classification Search

CPC ... B65D 1/34; B65D 1/36; B65D 1/00; B65D 5/00; B65D 21/00; B65D 2501/24554
 See application file for complete search history.


(56) References Cited

U.S. PATENT DOCUMENTS

D271,932	S	*	12/1983	Mosley		D7/553.5
D280,060	S	*	8/1985	Holz Kopf		D7/553.2
D280,669	S	*	9/1985	Hammeke		D3/308
D292,768	S	*	11/1987	Kearney		D7/553.5
D316,359	S	*	4/1991	Anderson		D7/549
D338,135	S	*	8/1993	Anderson		D7/553.5
D355,333	S	*	2/1995	Campbell		D7/553.2
D440,118	S	*	4/2001	Claffy		D7/553.1
D568,687	S	*	5/2008	Lovett		D7/553.3
D600,504	S	*	9/2009	Clark		D7/553.5
D634,541	S	*	3/2011	Gutierrez		D3/313
D651,047	S	*	12/2011	Johnson		D7/553.1
9,215,949	B1	*	12/2015	Cloutier		A47J 37/0694
D770,856	S	*	11/2016	Li		D7/553.2
D785,406	S	*	5/2017	Wansink		D7/553.2
9,986,862	B2	*	6/2018	Hyman		A47G 19/06
D829,052	S	*	9/2018	Gamble		D7/354
D836,991	S	*	1/2019	Wansink		D7/553.5
D845,077	S	*	4/2019	Hla		D7/553.1
D846,281	S	*	4/2019	Greenwood		D3/313
D850,108	S	*	6/2019	Hsu		D3/313
D876,836	S	*	3/2020	Stevens		D3/313
D879,543	S	*	3/2020	Makabi		D7/357
D917,949	S	*	5/2021	Place		D7/357
D1,057,465	S	*	1/2025	Ji		D6/406.3

* cited by examiner

FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16






FIG. 18



FIG. 19




FIG. 20



FIG. 21



FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26



FIG. 27



FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34



FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39





FIG. 40






FIG. 42



FIG. 43



FIG. 44



FIG. 45




FIG. 46




FIG. 47





FIG. 48

FIG. 49






FIG. 50



FIG. 51



FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56