



US0D1073626S

(12)

United States Design Patent

Spaulding et al.

(10)

Patent No.:

US D1,073,626 S

(45)

Date of Patent:

** May 6, 2025

(54) RECESSED POWER CABLE TRANSITION
PANEL

6,974,348 B2 12/2005 Bentley
D542,240 S * 5/2007 Laursen D13/184
7,488,205 B2 2/2009 Spisany et al.
(Continued)

(71) Applicant: CommScope Technologies LLC,
Hickory, NC (US)

FOREIGN PATENT DOCUMENTS

(72) Inventors: Mark G. Spaulding, Wylie, TX (US);
John P. Higgins, Dallas, TX (US);
Wayne C. Hopkinson, Hickory, NC
(US)

CN 306460075 * 4/2021
CN 306581612 * 6/2021
(Continued)

OTHER PUBLICATIONS

(73) Assignee: CommScope Technologies LLC,
Hickory, NC (US)

2U horizontal lacer panel, posted Sep. 13, 2014 [online], [retrieved
Nov. 27, 2024]. Retrieved from internet,https://www.penn-elcom.
com/us/2u-horizontal-lacer-panel-with-a-matrix-of-holes-r1317?utm_
campaign=UnitedStates&utm_medium=cpc&utm_source=google
&gad_source=1&gclid=
Cj0KCQiAo5u6BhDJARIsAAVoDWtOvzDUyjTda (Year: 2014).*
(Continued)

(**) Term: 15 Years

(21) Appl. No.: 29/858,441

(22) Filed: Oct. 31, 2022

(51) LOC (15) Cl. 13-03

(52) U.S. Cl.
USPC D13/155

(58) Field of Classification Search
USPC D13/152, 154, 155, 158, 160, 162, 173,
D13/177, 184, 199
CPC .. H02G 3/14; H01R 13/62933; H01R 12/716;
H01R 13/4538; H01R 12/57; H01R
13/24; H01R 13/506; H01R 13/20; H05K
7/1069

See application file for complete search history.

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Denis Houyoux
(74) Attorney, Agent, or Firm — Muncy, Geissler, Olds &
Lowe, P.C.

(57) CLAIM

The ornamental design for a recessed power cable transition
panel as shown and described.

DESCRIPTION


(56) References Cited

U.S. PATENT DOCUMENTS

2,535,031 A * 12/1950 Beatty H01R 13/62933
439/144
2,638,574 A * 5/1953 Duncan H01R 13/20
439/347
4,934,480 A * 6/1990 Gate H04R 1/023
381/189
D359,475 S * 6/1995 Coffey D13/154
6,347,715 B1 2/2002 Drozdenko et al.
6,537,106 B1 3/2003 Follingstad

FIG. 1 is a front, right, top perspective view of a recessed
power cable transition panel showing our new design;
FIG. 2 is a rear, left, top perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a right side view thereof, which is the same as a left
side view thereof.

(Continued)



The broken lines depict portions of the recessed power cable transition panel that form no part of the claimed design.

1 Claim, 7 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D591,698	S	*	5/2009	Assaraf		D13/184
D622,225	S	*	8/2010	McNutt		D13/164
D635,921	S	*	4/2011	Sato		D13/139.4
10,763,560	B2	*	9/2020	Ding		H01P 1/184
2006/0121751	A1	*	6/2006	Liao		H01R 12/716 439/66
2009/0179116	A1		7/2009	St-Louis et al.		
2010/0068923	A1		3/2010	Tabet		
2022/0271514	A1	*	8/2022	Isbill		H02B 1/40

FOREIGN PATENT DOCUMENTS

CN	306581613	*	6/2021
IN	242947	*	6/2012

OTHER PUBLICATIONS

Circuit breaker filler plate, posted Nov. 12, 2021 [online], [retrieved Nov. 27, 2024]. Retrieved from internet, https://www.superiorlighting.com/circuit-breakers-filler-plate/?gad_source=1&gclid=Cj0KCQiAo5u6BhDJARIsAAVoDWtaDK312zNApZMYaqaAiwiAdE3B1Un7_4s5p0xuae0V7IAgRRqPEOgaAi4wEALw_wcB (Year: 2021).*

FSP sub panel blank, posted Oct. 24, 2011 [online], [retrieved Nov. 27, 2024]. Retrieved from internet, https://www.1-com.com/patch-panel-server-rack-fsp-sub-panel-blank-sub-panel-with-3-ecf-style-openingsblack?gad_source=1&gclid=Cj0KCQiAo5u6BhDJARIsAAVoDWvdxL4oQXsi6u5XLbyALRdU_0Oo99ExuYIxrN6zGTFYPDcrlel9agaA (Year: 2011).*

Specified technologies series 33 wall plate, posted Jan. 6, 2016 [online], [retrieved Nov. 27, 2024]. Retrieved from internet, https://www.discount-low-voltage.com/EZP433W-foug-gang-plates?gad_source=1&gclid=Cj0KCQiAo5u6BhDJARIsAAVoDWsR1OCVx0ClapG3nSsYwOYrilhfWOpOGUjDV_rf5oYYZeycLgYpulaAjDaEALw_wcB (Year: 2016).*

* cited by examiner




FIG.1




FIG. 2




FIG.3




FIG.4



FIG.5



FIG.6




FIG.7