



US0D1074621S

(12) **United States Design Patent**
Devarde et al.

(10) Patent No.: **US D1,074,621 S**

(45) Date of Patent: **** May 13, 2025**

(54) **SWITCHING DEVICE**

(71) Applicant: **Eaton Intelligent Power Limited**,
Dublin (IE)

(72) Inventors: **Somnath J. Devarde**, Ichalkaranji (IN);
Brian R. Green, Georgetown, TN
(US); **Kenneth J. Swanson**, Lynbrook,
NY (US)

(73) Assignee: **EATON INTELLIGENT POWER
LIMITED**, Dublin (IE)

(**) Term: **15 Years**

(21) Appl. No.: **29/818,629**

(22) Filed: **Dec. 9, 2021**

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/158**

(58) **Field of Classification Search**
USPC ... D13/133, 101, 123, 146, 147, 153, 137.1,
D13/149, 139.8, 137.2, 155, 158, 159,
D13/160, 161, 162; D14/433
CPC .. H01H 3/06; H01H 3/24; H01H 3/26; H01H
3/3005; H01H 3/34; H01H 3/38; H01H
3/42; H01H 3/54; H01H 9/26; H01H
21/22; H01H 21/42; H01H 19/20; H01H
19/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D298,485 S	*	11/1988	Bauer		D13/159
D321,169 S	*	10/1991	Bouteiller		D13/159
D325,566 S	*	4/1992	Bouteiller		D13/159
D480,364 S	*	10/2003	Bluemel		D13/159
D519,086 S	*	4/2006	Bluemel		D13/159

D520,958 S	*	5/2006	Yoneyama		D13/158
D642,991 S	*	8/2011	Mattlar		D13/158
D655,250 S	*	3/2012	Jokiniemi		D13/158
D656,905 S	*	4/2012	Okubo		D13/159
D692,396 S	*	10/2013	Hashimoto		D13/158
D695,229 S	*	12/2013	Ran		D13/158
D726,127 S	*	4/2015	Gole		D13/158
D755,731 S	*	5/2016	Valivainio		D13/158
D777,116 S	*	1/2017	Boffelli		D13/158
D780,698 S	*	3/2017	Karlen		D13/158
D791,085 S	*	7/2017	Rosenberg		D13/158
D810,033 S	*	2/2018	Otsuka		D13/173
D812,018 S	*	3/2018	Boffelli		D13/158
D947,136 S	*	3/2022	Välvainio		D13/158
D949,802 S	*	4/2022	Välvainio		D13/158
D1,012,043 S	*	1/2024	Guan		D13/162.1
2023/0268139 A1	*	8/2023	Devarde		H01H 3/06 200/419

* cited by examiner

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Leah E Hoferkamp
(74) *Attorney, Agent, or Firm* — Stinson LLP

(57) **CLAIM**

The ornamental design for a switching device as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a switching device;
FIG. 2 is a front view of the switching device, the rear view forming no part of the claimed design;
FIG. 3 is a right side view of the switching device;
FIG. 4 is a top plan view of the switching device;
FIG. 5 is a left side view of the switching device; and,
FIG. 6 is a bottom plan view of the switching device.
The broken lines in the drawings are for purposes of illustrating portions of the article that form no part of the claimed design.

1 Claim, 6 Drawing Sheets





FIG. 1






FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6

