

US0D1074686S

(12) **United States Design Patent**
Cane et al.

(10) **Patent No.:** **US D1,074,686 S**

(45) **Date of Patent:** ** May 13, 2025

(54) **CABLE DISPLAY MOUNT**

(71) Applicant: **Glass-Media, Inc.**, Farmers Branch, TX
(US)

(72) Inventors: **Ilan Craig Cane**, Richardson, TX (US);
Daniel Corey Black, Dallas, TX (US)

(73) Assignee: **GLASS-MEDIA, INC.**, Farmers
Branch, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: 29/909,615

(22) Filed: **Aug. 8, 2023**

(51) **LOC (15) Cl.** **14-01**

(52) U.S. Cl.

USPC **D14/224**

(58) **Field of Classification Search**

USPC D14/371–382, 125–129, 224, 239,
D14/335–337, 447–452, 492, 376–382,
D14/457, 439–441, 432, 251–253;
D8/349, 354, 363, 367, 372, 373, 376,
D8/380, 382; D21/333; D12/415;
D3/10, 218; 348/180, 184, 325, 739,
348/825; 248/323, 278.1, 286.1
CPC G06F 3/0412; G06F 3/016; G06F 3/0488;
G06F 3/011; G06F 3/038; G06F 3/03543;
G06F 3/0338; G06F 3/0202; G06F
3/0219; G06F 3/0213; G06F 1/1616;
G06F 3/023; G06F 3/04883; G02F
1/13338; G02F 1/1313; G02F 1/1333;
G02F 1/135; G02F 1/132; G02F
1/133308; G02F 1/134309; G02F
1/13718; G09G 3/3648; G06K 15/1252;
B41J 2/465; G03F 7/70291; G02B
27/0172; G02B 5/30; G02B 2027/0118;
G02B 27/0101; F16M 13/02; F16M
13/00; F16M 11/10; F16M 11/04; F16M
2200/08; F16M 11/2021; A47B 21/0314;

A47B 88/044; A47B 2021/0335; H02G
3/126; F16B 47/00; F16B 47/006; A47G
1/17; A47K 2201/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,593,408	A	*	7/1926	Honigbaum	E04D 1/34 411/461
D227,235	S	*	6/1973	Miller	D11/1
D495,223	S	*	8/2004	Altman	D8/19
D535,985	S	*	1/2007	Sergi	D8/354
D562,115	S	*	2/2008	Michaud	D8/364

(Continued)

Primary Examiner — Katie Jane Stofko

(74) *Attorney, Agent, or Firm* — Schultz & Associates,
P.C.

(57) **CLAIM**


The ornamental design for a cable display mount as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cable display mount showing my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a second perspective view thereof; and,
FIG. 9 is another perspective view thereof, shown in an environment of use.

The broken lines shown in FIGS. 1-3, 6 and 8 illustrate portions of the cable display mount that form no part of the claimed design. The broken lines illustrating the monitor and assembly parts in FIG. 9 are environment, while the remaining broken lines in FIG. 9 illustrate portions of the cable display mount that form no part of the claimed design.

1 Claim, 7 Drawing Sheets




(56) **References Cited**

U.S. PATENT DOCUMENTS

D573,873	S	*	7/2008	Wall	D8/354
D575,648	S	*	8/2008	Haas	D10/64
D651,593	S	*	1/2012	Hunter	D14/238
D667,288	S	*	9/2012	Preda	D8/354
D811,199	S	*	2/2018	Bacallao	D8/349
D893,463	S	*	8/2020	Laine	D14/224
D956,532	S	*	7/2022	Kapraun	D8/371
D983,781	S	*	4/2023	Huang	D12/415

* cited by examiner






FIG. 2




FIG. 3



FIG. 5



FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9