



US0D1081668S

(12)

United States Design Patent

Nishizawa

(10)

Patent No.:

US D1,081,668 S

(45)

Date of Patent:

** Jul. 1, 2025

(54) **COORDINATE INPUT INSTRUMENT**
(71) Applicant: **Wacom Co., Ltd.**, Kazo (JP)
(72) Inventor: **Naoya Nishizawa**, Tokyo (JP)
(73) Assignee: **Wacom Co., Ltd.**, Kazo (JP)

(**) Term: **15 Years**
(21) Appl. No.: **29/935,098**
(22) Filed: **Mar. 29, 2024**

Related U.S. Application Data

(62) Division of application No. 29/866,992, filed on Oct. 4, 2022, now Pat. No. Des. 1,034,603.

Foreign Application Priority Data

Apr. 8, 2022 (JP) 2022-007734 D
(51) **LOC (15) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/411**
(58) **Field of Classification Search**
USPC D14/411, 480.3, 264; D19/115, 117,
D19/156, 163, 164, 168, 170, 173, 174;
178/18.01–18.7, 19.04; 345/156, 157,
345/158, 173, 179
CPC B43K 21/08; B43K 29/02; B43K 29/0875;
B43K 7/005; F16B 11/006; F16B 2/22;
F16B 9/023
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D781,859 S * 3/2017 Magi D14/411
D812,059 S 3/2018 Lehman et al.
D825,566 S 8/2018 Peterson et al.
D826,940 S 8/2018 Nishizawa
D845,949 S * 4/2019 Huebner D19/934

D848,425 S * 5/2019 Lam D14/411
D848,426 S * 5/2019 Nishizawa D14/411
D851,643 S 6/2019 Nishizawa
D856,335 S * 8/2019 Lam D14/411
D887,412 S 6/2020 Nishizawa
D892,118 S * 8/2020 Yeo D14/411
D896,811 S 9/2020 Nishizawa

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1573502 S 3/2018
JP D1604514 S 5/2018

(Continued)

Primary Examiner — Austin Murphy
(74) *Attorney, Agent, or Firm* — CHRISTENSEN
O’CONNOR JOHNSON KINDNESS PLLC


(57) **CLAIM**

The ornamental design for a coordinate input instrument as shown and described.

DESCRIPTION

FIG. 1 is a top-front-right perspective view of a coordinate input instrument according to my new design;
FIG. 2 is a bottom-rear-right perspective view thereof;
FIG. 3 is a right side elevational view thereof, wherein the left side elevational view is a mirror image thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a partial top-front-right perspective view as indicated in FIG. 1; and,
FIG. 9 is a partial top plan view thereof as indicated in FIG. 6.
The broken lines depict the boundaries of the enlarged portions of the coordinate input instrument and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**


U.S. PATENT DOCUMENTS

D896,812	S	9/2020	Nishizawa	
D901,491	S	11/2020	Lee	
D909,378	S	2/2021	Huang	
D911,341	S *	2/2021	Nishizawa	 D14/411
D911,342	S	2/2021	Menendez et al.	
D912,146	S	3/2021	Zhang	
D920,979	S *	6/2021	Lam	 D14/411
D933,659	S	10/2021	Hashimoto et al.	
D936,654	S	11/2021	Wu	
D938,424	S *	12/2021	Kanno	 D14/411
D940,142	S	1/2022	Kanno	
D1,003,896	S *	11/2023	Nishizawa	 D14/411
D1,003,897	S	11/2023	Guack et al.	
D1,009,038	S *	12/2023	Nishizawa	 D14/411
D1,009,039	S	12/2023	Nishizawa	
D1,063,940	S *	2/2025	Nishizawa	 D14/411
D1,072,818	S *	4/2025	Nishizawa	 D14/411

FOREIGN PATENT DOCUMENTS

JP	D1625707	S	2/2020	
JP	D1659581	S	5/2020	

* cited by examiner






FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9