



US0D1081970S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,081,970 S**
Yew et al. (45) **Date of Patent:** **** Jul. 1, 2025**

(54) **PATIENT INTERFACE CUSHION MODULE**

(71) Applicant: **ResMed Asia Pte. Ltd.**, Singapore (SG)

(72) Inventors: **Robin Yew**, Singapore (SG); **Lik Tze Seet**, Singapore (SG); **Andrew James Bate**, Sydney (AU); **Kam Man Law**, Sydney (AU)

(73) Assignee: **ResMed Asia Pte. Ltd.**, Singapore (SG)

(**) Term: **15 Years**

(21) Appl. No.: **29/888,716**

(22) Filed: **Apr. 4, 2023**

Related U.S. Application Data

(62) Division of application No. 29/718,006, filed on Dec. 20, 2019, now Pat. No. Des. 987,809.

(51) **LOC (15) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D24/110.1**

(58) **Field of Classification Search**
USPC D24/110.1–110.6, 127, 129; D29/110
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,243,971 A 9/1993 Sullivan
D419,670 S * 1/2000 Pollard D24/110.4
(Continued)

FOREIGN PATENT DOCUMENTS

JP D1684547 * 4/2021
WO WO 2017/049356 A1 3/2017
(Continued)

OTHER PUBLICATIONS

Eves et al., Design U.S. Appl. No. 29/581,907, filed Oct. 24, 2016, for “Patient Interface and/or Components Thereof”.

(Continued)

Primary Examiner — Sheryl Lane

Assistant Examiner — Aula Soroush

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57) **CLAIM**

The ornamental design for a patient interface cushion module, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a patient interface cushion module showing a first embodiment of our new design;

FIG. 2 is another perspective and with the cushion module shown in isolation,

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a left side view thereof;

FIG. 9 is a reverse perspective view thereof;

FIG. 10 is a front perspective view of a patient interface cushion module showing a second embodiment of our new design;

FIG. 11 is another perspective and with the cushion module shown in isolation,

FIG. 12 is a front view thereof;

FIG. 13 is a rear view thereof;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;



FIG. 16 is a right side view thereof;

FIG. 17 is a left side view thereof; and,

FIG. 18 is a reverse perspective view thereof.

The broken lines represent portions of the patient interface cushion module and do not form a part of the claimed design.

(Continued)



In FIGS. 1-9, the combination of line shading and stippling is to convey a contrast in appearance.

1 Claim, 12 Drawing Sheets

(58) Field of Classification Search

CPC A61M 16/0616; A61M 16/0633; A61M 16/06; A61M 16/0666; A61M 16/0683; A61M 16/0605; A61M 16/0622; A61M 16/0644; A61M 16/0875; A61M 16/0816; A61M 16/08; B63C 11/205; B63C 11/16; B63C 11/186; B63C 11/12

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D428,988 S * 8/2000 Smart D24/110.4
6,119,694 A 9/2000 Correa
D439,326 S 3/2001 Hecker
D464,426 S * 10/2002 Palkon D24/110.4
D493,521 S * 7/2004 Guney D24/110.4
D494,675 S * 8/2004 Guney D24/110.1
D498,529 S * 11/2004 Kwok D24/110.5
D537,523 S * 2/2007 Dantanarayana D24/110.4
D555,785 S * 11/2007 McAuley D24/110.4
D556,901 S * 12/2007 Davidson D24/110.4
D557,408 S * 12/2007 Amarasinghe D24/110.4
D558,331 S * 12/2007 Davidson D24/110.4
D578,207 S * 10/2008 D'Souza D24/110.4
D586,907 S 2/2009 Judson
D591,420 S * 4/2009 Selvarajan D24/110.4
D591,857 S * 5/2009 Peake D24/110.4
D591,858 S * 5/2009 Peake D24/110.4
D594,111 S * 6/2009 Reid D24/110.4
D597,201 S * 7/2009 Brambilla D24/110.5
D613,852 S * 4/2010 Dantanarayana D24/110.4
D614,761 S * 4/2010 Brambilla D24/110.5
D623,288 S 9/2010 Lubke
D639,419 S * 6/2011 Eves D24/110.4
D653,328 S * 1/2012 Eves D24/110.5
D656,231 S 3/2012 Henry
D659,237 S 5/2012 Lubke

D664,250 S 7/2012 Scheiner
D679,377 S * 4/2013 von Hollen D24/110.4
D679,378 S * 4/2013 von Hollen D24/110.4
D691,712 S 10/2013 Judson
D692,554 S 10/2013 Siew
D704,329 S 5/2014 Collazo
D708,736 S 7/2014 Judson
D737,953 S 9/2015 Wells
D740,935 S 10/2015 Cullen
D743,535 S 11/2015 Wells
D751,687 S 3/2016 Daly
D757,252 S 5/2016 Von Moger
D760,379 S * 6/2016 Smith D24/127
D764,049 S 8/2016 Cullen
D770,036 S 10/2016 Walls
D771,238 S 11/2016 Scheiner
D787,661 S 5/2017 Edwards
D787,662 S 5/2017 Guney
D794,772 S 8/2017 Cullen
D797,921 S 9/2017 Huang
D805,630 S 12/2017 Formica
D808,516 S 1/2018 Edwards
D815,728 S 4/2018 Walls
D884,152 S 5/2020 Law
D952,133 S * 5/2022 Cohen D24/110.5
D1,007,669 S * 12/2023 Li D24/110.1
2012/0090622 A1 4/2012 Chang
2014/0000614 A1 1/2014 Chang
2014/0216462 A1 8/2014 Law
2017/0000964 A1 1/2017 Shafer
2017/0368285 A1 12/2017 Wood
2018/0001044 A1 1/2018 Stephens
2018/0250486 A1 9/2018 Amarasinghe
2021/0252241 A1 8/2021 Davidson

FOREIGN PATENT DOCUMENTS

WO WO 2017/049361 A1 3/2017
WO WO-D203125-002 * 8/2019

OTHER PUBLICATIONS

Yew et al., Design U.S. Appl. No. 29/718,006, filed Dec. 20, 2019, for "Patient Interface and/or Components Thereof," (parent application).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18