

US0D1083356S

(12)

United States Design Patent

Somarriba

(10)

Patent No.:

US D1,083,356 S

(45)

Date of Patent:

** Jul. 15, 2025

(54) HYDRATION RESERVOIR

FOREIGN PATENT DOCUMENTS

(71) Applicant: HydraPak LLC, Oakland, CA (US)

AU 2001280512 B2 11/2004
CA 2412020 C 1/2007

(72) Inventor: Kevin Somarriba, Hayward, CA (US)

(Continued)

(73) Assignee: HydraPak LLC, Oakland, CA (US)

OTHER PUBLICATIONS

(**) Term: 15 Years

Hydrapak Water Reservoir, first available Jan. 11, 2023, amaon.com [online], [site visited Feb. 13, 2025], Available at URL: <https://www.amazon.com/HydraPak-Contour-Hydration-Reservoir-Low-Profile/dp/B0BRBSGLHQ/?th=1> (Year: 2023).*

(21) Appl. No.: 29/840,908

(Continued)

(22) Filed: Jun. 1, 2022

(51) LOC (15) Cl. 07-01

(52) U.S. Cl.

USPC D7/509

(58) Field of Classification Search

USPC D3/202, 215, 226, 229, 303, 315, 328;
D7/509, 512, 601-602, 605, 607, 619.1,
D7/622, 624.1-624.2

CPC A45F 3/20; A45F 2003/166; A45F 5/00;
B65D 33/16; B65D 33/25; B65D 33/06;
B65D 33/1675; B65D 33/24; B65D
55/165

See application file for complete search history.

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Caitlin A Lavery

(74) Attorney, Agent, or Firm — KOLITCH ROMANO
DASCENZO GATES LLC

(57)

CLAIM

The ornamental design for a hydration reservoir, as shown and described.

(56) References Cited

U.S. PATENT DOCUMENTS


2,013,358 A	9/1935	Osborne	
3,231,901 A	2/1966	Kennedy	
3,437,117 A	4/1969	Vitello et al.	
4,541,117 A	9/1985	Ashbeck	
4,911,562 A	3/1990	Mazzeschi	
5,115,947 A	5/1992	McDonnell et al.	
5,282,557 A	2/1994	McCook	
5,316,387 A	5/1994	Polett et al.	
5,361,955 A	11/1994	Gregory	
5,427,290 A	6/1995	Thatcher	
D366,142 S *	1/1996	Becker	D3/221
5,816,457 A	10/1998	Croft	
5,864,880 A	2/1999	Adam	
5,884,372 A	3/1999	Anscher et al.	
5,913,456 A	6/1999	Dikeman	

(Continued)

DESCRIPTION

FIG. 1 is a top front isometric view of a hydration reservoir showing the new design;
FIG. 2 is a bottom rear isometric view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The dashed lines shown in the drawings illustrate portions of the hydration reservoir that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,951,076 A 9/1999 Marco
6,039,305 A 3/2000 Hoskins et al.
6,076,967 A 6/2000 Beaudette
6,076,968 A 6/2000 Smith et al.
6,176,394 B1 1/2001 Shimko et al.
6,247,619 B1 6/2001 Gill et al.
6,557,721 B2 5/2003 Yang
6,644,854 B2 11/2003 Lien
6,666,360 B1 12/2003 Swank
6,675,998 B2 1/2004 Forsman et al.
6,695,269 B1 2/2004 Anscher
6,820,780 B2 11/2004 Forsman et al.
6,994,269 B2 2/2006 Lien
7,014,077 B2 3/2006 Brown
7,063,243 B2 6/2006 Forsman et al.
7,070,075 B2 7/2006 Forsman et al.
7,083,063 B2 8/2006 Lien
7,334,707 B2 2/2008 Hoskins
7,448,509 B2 11/2008 Yang
7,464,837 B2 12/2008 Hoskins
7,490,740 B2 2/2009 Robins et al.
7,600,656 B2 10/2009 Karl et al.
7,621,294 B2 11/2009 Wang
7,648,276 B2 1/2010 Gill
7,703,633 B2 4/2010 Chen
7,762,432 B2 7/2010 Fidrych et al.
7,806,300 B1 10/2010 Noell et al.
D640,466 S 6/2011 Staton
7,954,338 B2 6/2011 Lien
8,177,097 B2 5/2012 Duran
8,182,151 B2 5/2012 Dodgen
8,267,283 B2 9/2012 Staton
8,887,962 B2 11/2014 Herivel et al.
9,210,990 B2 12/2015 Hoskins
9,302,822 B2 4/2016 Hoskins
9,470,335 B2 10/2016 Hoskins
9,480,323 B2 11/2016 Lyon et al.
9,534,695 B2 1/2017 Hoskins
9,833,057 B2 12/2017 Lyon et al.
D811,823 S * 3/2018 Kandel D7/607
D817,632 S 5/2018 Lyon et al.
9,994,362 B2 6/2018 Hoskins
10,315,816 B2 6/2019 Ehyai et al.
10,390,604 B2 8/2019 Lyon et al.
10,517,377 B2 12/2019 Lyon et al.
10,617,196 B2 4/2020 Hoskins
10,624,438 B2 4/2020 Hoskins
D903,298 S 12/2020 Favela et al.
10,897,980 B2 1/2021 Lyon et al.
11,058,211 B2 7/2021 Willows et al.
11,134,768 B2 10/2021 Hoskins
D1,010,752 S * 1/2024 Coughlan D21/680
D1,035,823 S * 7/2024 Sears D23/213
2002/0011583 A1 1/2002 Getzewich et al.
2002/0094140 A1 7/2002 Gill
2002/0190080 A1 12/2002 Credle, Jr.
2003/0184103 A1 10/2003 Cauchy
2003/0189062 A1 10/2003 Credle, Jr.
2003/0222238 A1 12/2003 Getzewich et al.
2007/0034634 A1 2/2007 Brown
2007/0152007 A1 7/2007 Kauss et al.
2007/0181616 A9 8/2007 Horito et al.
2008/0226200 A1 9/2008 Murray
2008/0277433 A1 11/2008 Karl et al.
2009/0206107 A1 8/2009 Raz et al.
2010/0040307 A1 2/2010 Lien
2010/0278455 A1 11/2010 Lyden et al.
2012/0111876 A1 5/2012 Pfotenhauer
2012/0175473 A1 7/2012 Frazee
2016/0000600 A1 3/2016 Wood
2016/0113379 A1 4/2016 Marui
2016/0236826 A1 8/2016 Hoskins
2016/0258542 A1 9/2016 Hoskins
2017/0127806 A1 5/2017 Smith et al.
2019/0090617 A1 3/2019 Karl, IV et al.

2019/0098989 A1 4/2019 Hoskins
2019/0270562 A1 9/2019 Ehyai et al.
2019/0320781 A1 10/2019 Hoskins
2020/0229578 A1 7/2020 Hoskins
2020/0237082 A1 7/2020 Willows et al.
2020/0352311 A1 11/2020 Garvey et al.
2021/0161279 A1 6/2021 Omizo et al.
2021/0300632 A1 9/2021 Yang et al.
2022/0015529 A1 1/2022 Hoskins et al.
2023/0389681 A1 * 12/2023 Somarriba A45F 3/20

FOREIGN PATENT DOCUMENTS

CA 3031739 A1 12/2017
CN 2676714 Y 2/2005
CN 2790257 Y 6/2006
CN 2865402 Y 2/2007
CN 201064265 Y 5/2008
CN 201064267 Y 5/2008
CN 201108147 Y 9/2008
CN 102090778 A 6/2011
CN 201879037 U 6/2011
CN 202035656 U 11/2011
CN 202445413 U 9/2012
CN 203087991 U 7/2013
CN 102724895 B 1/2015
CN 204908398 U 12/2015
CN 205306253 U 6/2016
CN 104853647 B 8/2016
CN 206634425 U 11/2017
CN 206777019 U 12/2017
CN 207202448 U 4/2018
CN 208354901 U 1/2019
CN 106945925 B 7/2020
CN 212345713 U 1/2021
DE 19835264 A1 2/1999
DE 19654723 B4 10/2004
DE 60130220 T2 5/2008
EP 1010380 A1 6/2000
EP 1305226 B1 8/2007
EP 2474248 B1 3/2014
EP 3462981 A1 4/2019
GB 2430135 3/2007
JP 2002-112810 4/2002
JP 2010-533630 A 10/2010
JP 2014-111481 A 6/2014
TW M437102 U 9/2012
TW I511909 B 12/2015
WO WO 00/75030 A1 12/2000
WO WO06/020765 A2 2/2006
WO WO07/079387 A3 7/2007
WO WO09/011914 1/2009
WO WO18/208538 A1 11/2018
WO WO19/005702 A1 1/2019

OTHER PUBLICATIONS

Gregory 3D Hydro Reservoir, first available Jan. 18, 2023, amazon.com [online], [site visited Feb. 13, 2025], Available at URL: <https://www.amazon.com/Gregory-3D-Hydro-3L-Reservoir/dp/B0BSLWZ9F7/?th=1> (Year: 2023).*

Source Tactical Advance Mobility 3-Liter Hydration Pack, first available Oct. 17, 2011, amazon.sg [online], [site visited Feb. 13, 2025], Available at URL: <https://www.amazon.sg/Source-Tactical-Advance-Mobility-Hydration/dp/B008S9DLNS> (Year: 2011).*

English-language machine translation of German Patent Publication No. DE19835264A1, Feb. 11, 1999.

English-language machine translation of Japanese Patent Publication No. JP2002-112810, Apr. 16, 2002.

English-language machine translation of German Patent No. DE19654723B4, Oct. 24, 2004.

English-language machine translation of Chinese Patent No. CN2676714Y, Feb. 9, 2005.

English-language machine translation of Chinese Patent No. CN2790257Y, Jun. 28, 2006.

(56)

References Cited

OTHER PUBLICATIONS

English-language machine translation of Chinese Patent No. CN2865402Y, Feb. 7, 2007.
 English-language machine translation of Chinese Patent No. CN201064265Y, May 28, 2008.
 English-language machine translation of Chinese Patent No. CN201064267Y, May 28, 2008.
 English-language machine translation of German Patent No. DE60130220T2, May 29, 2008.
 English-language machine translation of Chinese Patent No. CN201108147Y, Sep. 3, 2008.
 English-language machine translation of Japanese Patent No. JP2010-533630A, Oct. 28, 2010.
 English-language machine translation of Chinese Patent Application No. CN102090778A, Jun. 15, 2011.
 English-language machine translation of Chinese Patent No. CN201879037U, Jun. 29, 2011.
 English-language machine translation of Chinese Patent No. CN202035656U, Nov. 16, 2011.
 English-language machine translation of Taiwan Patent Application No. TWM437102U, Sep. 11, 2012.
 English-language machine translation of Chinese Patent No. CN202445413U, Sep. 26, 2012.
 English-language machine translation of Chinese Patent No. CN203087991U, Jul. 31, 2013.
 English-language machine translation of Japanese Patent No. JP2014-111481A, Jun. 19, 2014.
 English-language machine translation of Chinese Patent No. CN102724895B, Jan. 21, 2015.
 English-language machine translation of Taiwan Patent No. TWI511909B, Dec. 11, 2015.
 English-language machine translation of Chinese Patent No. CN204908398U, Dec. 30, 2015.

English-language machine translation of Chinese Patent No. CN205306253U, Jun. 15, 2016.
 English-language machine translation of Chinese Patent No. CN104853647B, Aug. 31, 2016.
 English-language machine translation of Chinese Patent No. CN206634425U, Nov. 14, 2017.
 English-language machine translation of Chinese Patent No. CN206777019U, Dec. 22, 2017.
 English-language machine translation of Chinese Patent No. CN207202448U, Apr. 10, 2018.
 English-language machine translation of Chinese Patent No. CN208354901U, Jan. 11, 2019.
 English-language machine translation of Chinese Patent No. CN106945925B, Jul. 31, 2020.
 English-language machine translation of Chinese Patent No. CN212345713U, Jan. 15, 2021.
 “The Best Collapsible Water Bottles for Runners,” Web page <<https://www.runnersworld.com/gear/a26414940/collapsible-water-bottles/>>, 1 page, Mar. 7, 2022.
 “CamelBak Ultra Handheld Chill Review,” <<http://trailandultrarunning.com/camelbak-ultra-handheld-chill-review/>>, 1 page, Mar. 7, 2022.
 “Aonijie E908 Nylon Marathon Kettle Pack Outdoor Sports Wrist Storage Bag . . . ,” Web page <<https://www.aonijie.com/index.php/product/index/g/e/id/82.html>> 1 page, Mar. 7, 2022.
 “Platypus Big Zip EVO Reservoir Hanger,” Web page <<https://www.platypus.com/platypus-accessories/big-zip-evo-reservoir-hanger/11006.html>> 1 page, Mar. 7, 2022.
 “Gregory Endo 15 3D-Hydro,” Web page <<https://www.gregorypacks.com/packs-bags/hydration-packs/endo-15-3d-hydro-91650XXXX.html>> 1 page, Mar. 7, 2022.
 HydraPak Catalog, “Hydration Gear Spring 2018,” published Jan. 2018.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8