

US0D1086063S

(12)

United States Design Patent

Naito et al.

(10)

Patent No.:

US D1,086,063 S

(45)

Date of Patent:

** Jul. 29, 2025

(54) CONNECTOR

(71) Applicant: Japan Aviation Electronics Industry, Limited, Tokyo (JP)

(72) Inventors: Takeharu Naito, Tokyo (JP); Junji Oosaka, Tokyo (JP); Kazuki Ishii, Tokyo (JP); Ryou Katou, Tokyo (JP)

(73) Assignee: Japan Aviation Electronics Industry, Limited, Tokyo (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/929,464

(22) Filed: Feb. 22, 2024

(30) Foreign Application Priority Data

Sep. 11, 2023 (JP) 2023-018553 D

(51) LOC (15) Cl. 13-03

(52) U.S. Cl. D13/133

(58) Field of Classification Search

USPC ... D13/133, 101, 123, 146, 147, 153, 137.1, D13/149, 139.8, 182; D14/435.1, 433

CPC G02B 6/38; G02B 6/38875; G02B 6/4284; H01R 13/40; H01R 13/58; H01R 13/627; H01R 13/66; H01R 13/6335; H01R 13/6272; H01R 13/6397; H01R 13/639; H01R 13/6275; H01R 31/06; H01R 24/00; H01R 24/46; H01R 43/26

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D407,370 S * 3/1999 Wang D13/133

D454,545 S * 3/2002 Hayashi D13/133

D475,022 S * 5/2003 Kihira D13/133

D621,368 S * 8/2010 Lee D13/154

D645,409 S * 9/2011 Lam D13/154

D665,360 S * 8/2012 Gieski D13/154

D668,621 S * 10/2012 Gieski D13/154

D670,650 S * 11/2012 Ebihara D13/133

D783,618 S * 4/2017 Wu D13/133

D841,588 S * 2/2019 Endo D13/133

D842,811 S * 3/2019 Iwasawa D13/133

D852,137 S * 6/2019 Sasaki D13/133

D867,292 S * 11/2019 Fukuyama D13/133

D867,293 S * 11/2019 Fukuyama D13/133

D870,051 S * 12/2019 Endo D13/154

(Continued)

Primary Examiner — Amber R Stiles

Assistant Examiner — Leah E Hoferkamp

(74) Attorney, Agent, or Firm — Kreative IP Management LLC; Fuiyeong Kim

(57) CLAIM

The ornamental design for a connector as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a connector showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front, top, and right side perspective view thereof;


FIG. 8 is a rear, bottom, and left side perspective view thereof;

FIG. 9 is a front, right, and bottom side perspective view thereof; and,

FIG. 10 is a rear, left, and top side perspective view thereof.

The broken line showing of the connector is for the purpose of illustrating portions of the article and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D880,424	S	*	4/2020	Fukuyama		D13/133
D882,518	S	*	4/2020	Otsu		D13/133
D883,931	S	*	5/2020	Otsu		D13/133
D911,962	S	*	3/2021	Obata		D13/133
D913,241	S	*	3/2021	Gregori		D13/133
D1,035,588	S	*	7/2024	Williams		D13/146
2011/0223799	A1	*	9/2011	Hasebe		H01R 13/465 439/488

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10