



US0D1086072S

(12)

United States Design Patent

Jaeger et al.

(10)

Patent No.:

US D1,086,072 S

(45)

Date of Patent:

** Jul. 29, 2025

(54) JUNCTION FOR A HARNESS

FOREIGN PATENT DOCUMENTS

(71) Applicant: HarcoSemco, LLC, Branford, CT (US)

EP 3729565 B1 7/2022
GB 1382981 A 2/1975

(72) Inventors: Mark Jaeger, North Branford, CT (US); William Hinman, Meriden, CT (US)

(Continued)

(73) Assignee: HarcoSemco, LLC, Branford, CT (US)

(**) Term: 15 Years

(21) Appl. No.: 29/869,975

(22) Filed: Jan. 13, 2023

(51) LOC (15) Cl. 13-03

(52) U.S. Cl. USPC D13/154

(58) Field of Classification Search
USPC ... D13/133, 101, 123, 146, 147, 153, 137.1, D13/149, 154; D14/435.1, 433
CPC G02B 6/38; G02B 6/38875; G02B 6/4284; H01R 13/40; H01R 13/58; H01R 13/627; H01R 13/66; H01R 13/6335; H01R 13/6272; H01R 13/6397; H01R 13/639; H01R 13/6275; H01R 31/06; H01R 24/00; H01R 24/46; H01R 43/26
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,886,660 A 11/1932 Esping
2,813,692 A 11/1957 Bremer et al.
D566,653 S * 4/2008 Sakamoto D13/133
D658,481 S * 5/2012 Pratt D8/349
D754,776 S * 4/2016 Bellows D16/242
D775,591 S * 1/2017 Davidson, Jr. D13/153
D860,139 S * 9/2019 Torres D13/151
D944,863 S * 3/2022 Jacob D15/5
D948,441 S * 4/2022 Takano D13/133
D1,002,540 S * 10/2023 Rosson D13/133
D1,013,638 S * 2/2024 Choi D13/133
D1,035,588 S * 7/2024 Williams D13/146
D1,050,188 S * 11/2024 Fleece D15/7

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion of International Application No. PCT/US2024/011140, dated May 15, 2024, 13 pages.

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Leah E Hoeferkamp
(74) Attorney, Agent, or Firm — Tucker Ellis LLP


(57) CLAIM

The ornamental design for a junction for a harness as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a junction for a harness showing our new design.
FIG. 2 is a front view thereof.
FIG. 3 is a rear view thereof.
FIG. 4 is a right side view thereof.
FIG. 5 is a left side view thereof.
FIG. 6 is a top view thereof.
FIG. 7 is a bottom view thereof.
FIG. 8 is a perspective view of another junction for a harness.
FIG. 9 is a front view thereof.
FIG. 10 is a right side view thereof.
FIG. 11 is a left side view thereof.
FIG. 12 is a top view thereof; and,
FIG. 13 is a bottom view thereof.
The broken lines show portions of the junction for a harness that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



References Cited

2012/0149252	A1 *	6/2012	Kondo	F02M 51/005 439/668
2019/0344732	A1 *	11/2019	Toyoshima	H02G 3/22
2024/0127986	A1 *	4/2024	Kiyota	H01B 17/583
2024/0266087	A1 *	8/2024	Eshima	H01B 7/40
2024/0297486	A1 *	9/2024	Ueta	H01R 13/52

GB	2219697	A	12/1989
JP	5092062	B1	12/2012

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13