



US0D1086080S

(12)

United States Design Patent

Yang

(10) Patent No.:

US D1,086,080 S

(45) Date of Patent:

** Jul. 29, 2025

(54) T-TYPE CONDUIT BODY

(71) Applicant: IPEX TECHNOLOGIES INC.,
Oakville (CA)

(72) Inventor: Tianyuan Yang, Kingston (CA)

(73) Assignee: IPEX TECHNOLOGIES INC.,
Mississauga (CA)

(**) Term: 15 Years

(21) Appl. No.: 29/888,349

(22) Filed: Mar. 30, 2023

(30) Foreign Application Priority Data

Feb. 28, 2023 (CA) CA 219677

(51) LOC (15) Cl. 13-03

(52) U.S. Cl.
USPC D13/155

(58) Field of Classification Search
USPC D13/155, 110, 120, 133, 146, 152, 156,
D13/184, 199
CPC G02B 6/38; G02B 6/38875; G02B 6/4284;
H01R 13/40; H01R 13/58; H01R 13/627;
H01R 13/66; H01R 13/6335; H01R
13/6272; H01R 13/6397; H01R 13/639;
H01R 13/6275; H01R 31/06; H01R
24/00; H01R 24/46; H01R 43/26
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D39,763 S * 1/1909 Havens, Jr. D13/152
D39,764 S * 1/1909 Havens, Jr. D13/152
D47,986 S * 10/1915 Bissell D13/152
D51,960 S * 4/1918 Hastings D13/152
(Continued)

OTHER PUBLICATIONS

TayMac RLC100 Threaded C Type Conduit Body, available in Amazon.com, date first available Aug. 24, 2015 [online], [site visited Aug. 1, 2024], Available from the internet URL: <https://www.amazon.com/TayMac-RLC100-Threaded-Conduit-Aluminum/dp/B015EELK32/> (Year: 2015).*

(Continued)

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Leah E Hoeferkamp


(57) CLAIM

The ornamental design for a T-type conduit body as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a T-type conduit body with the lid in a closed position;
FIG. 2 is a bottom perspective view of the design shown in FIG. 1;
FIG. 3 is a first side view of the design shown in FIG. 1;
FIG. 4 is a second side view of the design shown in FIG. 1;
FIG. 5 is a top view of the design shown in FIG. 1;
FIG. 6 is a bottom view of the design shown in FIG. 1;
FIG. 7 is a front view of the design shown in FIG. 1;
FIG. 8 is a rear view of the design shown in FIG. 1;
FIG. 9 is a top perspective view of the T-type conduit body shown in FIG. 1 with the lid in a partially open position; and, FIG. 10 is a top perspective view of the T-type conduit body shown in FIG. 1 with the lid in the fully open position.
The references to “top”, “front”, “rear”, “first side”, “second side” and “bottom” in the figure descriptions are not meant to require certain in-use orientation.
The broken lines in the drawing are for the purpose of illustrating portions of the article that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,430,799 A * 3/1969 Maier H02G 15/10
220/327
D236,481 S * 8/1975 Johnston D13/152
3,910,448 A * 10/1975 Evans B29C 66/1142
D13/152
4,896,784 A * 1/1990 Heath H02G 3/14
174/53
5,360,130 A * 11/1994 Lehmann H02G 3/14
220/792
5,621,189 A * 4/1997 Dodds H02G 3/0418
D13/152
D401,226 S * 11/1998 Inoko D13/184
D435,019 S * 12/2000 Lewis D13/160
7,109,416 B1 * 9/2006 Reed H02G 15/113
174/53
7,427,714 B1 * 9/2008 Lammens, Jr. H02G 9/02
174/67
D591,587 S * 5/2009 Mason D8/396
7,893,363 B2 * 2/2011 Pyron H02G 3/06
248/300
7,902,466 B2 * 3/2011 Pyron H02G 3/0608
248/300
8,129,631 B1 * 3/2012 Shemtov H02G 3/14
248/300
D686,995 S * 7/2013 Nikayin D13/152
D688,212 S * 8/2013 Scheucher D13/173
8,586,877 B1 * 11/2013 Shemtov H02G 3/14
248/300
D727,854 S * 4/2015 Chance D8/356
D737,219 S * 8/2015 Mangold D13/158
D796,064 S * 8/2017 Siegel D25/68
9,948,078 B2 * 4/2018 Grant H02G 3/081

D821,550 S * 6/2018 Ohkoshi D23/262
D852,152 S * 6/2019 Lawrence D13/184
D872,700 S * 1/2020 Karlsson D13/155
D913,960 S * 3/2021 Voelzke D13/155
2006/0207783 A1 * 9/2006 Lammens, Jr. H02G 15/08
174/58
2011/0120582 A1 * 5/2011 Veillette H02G 3/086
138/109
2013/0031958 A1 * 2/2013 Scheucher G01M 3/26
73/31.05

OTHER PUBLICATIONS

Sigma Electric 02-55641C ProConnex ½ in. Dia. Die-Cast Aluminum Conduit Body, available in Amazon.com, date first available Sep. 10, 2006 [online], [site visited Aug. 1, 2024], Available from the internet URL: <https://www.amazon.com/Sigma-Electric-ProConnex-02-55641C-Conduit/dp/B000GAX6W8/?th=1> (Year: 2006).*

TayMac RLT200 Threaded T Type Conduit Body, available in Amazon.com, date first available Aug. 24, 2015 [online], [site visited Aug. 1, 2024], Available from the internet URL: <https://www.amazon.com/dp/B015EELYA6/?th=1> (Year: 2015).*

Aexit LB-100 LB Transmission Conduit Body, available in Amazon.com, date first available Jan. 4, 2019 [online], [site visited Aug. 1, 2024], Available from the internet URL: <https://www.amazon.com/Aexit-Transmission-Conduit-Aluminum-Stamped/dp/B07MHVM1XV> (Year: 2019).*

TayMac RLL100 Threaded LL Type Conduit Body, available in Amazon.com, date first available Aug. 24, 2015 [online], [site visited Aug. 1, 2024], Available from the internet URL: <https://www.amazon.com/TayMac-RLL100-Threaded-Conduit-Aluminum/dp/B015EELNG6/> (Year: 2015).*

* cited by examiner




Fig. 1




Fig. 2

Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 8





Fig. 7






Fig. 9




Fig. 10