

US0D1090908S

(12)

United States Design Patent

Walsh

(10)

Patent No.:

US D1,090,908 S

(45)

Date of Patent:

\*\* \*Aug. 26, 2025

(54) DOOR LITE

(71) Applicant: Masonite Corporation, Tampa, FL (US)

(72) Inventor: Jason M. Walsh, Batavia, IL (US)

(73) Assignee: Masonite Corporation, Tampa, FL (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: 15 Years

(21) Appl. No.: 29/965,158

(22) Filed: Sep. 26, 2024

Related U.S. Application Data

(62) Division of application No. 29/761,760, filed on Dec. 11, 2020, now Pat. No. Des. 1,048,469.

(51) LOC (15) Cl. 25-01

(52) U.S. Cl. USPC D25/103

(58) Field of Classification Search USPC D6/306; D21/108, 114, 494, 737; D25/48.3, 48.7, 60, 102–110, 113–118, D25/145, 147–149, 152, 153, 155, 156; D26/127; 52/604–606, 592.1–592.6, 52/311.1, 456; 446/110, 111, 119–122, 446/124, 125, 128 CPC .... B44C 1/14; B44C 1/18; B44C 1/20; B44C 5/08; B44F 1/063 See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D388,885 S 1/1998 Lint et al.

5,840,391 A 11/1998 Eichhorn et al.

5,853,835 A 12/1998 Leniton

D590,069 S 4/2009 Hu

D598,571 S 8/2009 Walsh et al.

D611,618 S 3/2010 Walsh et al.

D631,173 S 1/2011 Hu

D652,530 S 1/2012 Walsh et al.

D664,676 S 7/2012 Walsh

D668,791 S 10/2012 Walsh

D669,196 S 10/2012 Walsh

D670,005 S 10/2012 Walsh et al.

D687,974 S 8/2013 Walsh

D692,164 S 10/2013 Walsh et al.

D692,584 S 10/2013 Walsh et al.

D692,585 S 10/2013 Walsh et al.

D694,430 S 11/2013 Walsh

D705,950 S 5/2014 Walsh

D735,886 S 8/2015 Walsh

D751,220 S 3/2016 Walsh

D768,875 S 10/2016 Ege et al.

D785,817 S 5/2017 Walsh

D870,921 S 12/2019 Walsh

D892,993 S 8/2020 Shtraks et al.

D940,902 S 1/2022 Walsh

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Sydney Margaret Parsley

(74) Attorney, Agent, or Firm — IceMiller LLP

(57)


CLAIM

The ornamental design for a door lite, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a door lite according to my design;  
FIG. 2 is a front elevational view thereof, with the rear being a mirror image;  
FIG. 3 is a front perspective view of a second embodiment of a door lite according to my design; and,  
FIG. 4 is a front elevational view thereof, with the rear being a mirror image.

1 Claim, 4 Drawing Sheets





(56)                      **References Cited**

U.S. PATENT DOCUMENTS

|              |     |         |             |          |
|--------------|-----|---------|-------------|----------|
| D940,903     | S   | 1/2022  | Walsh       |          |
| D940,905     | S   | 1/2022  | Walsh       |          |
| D942,045     | S   | 1/2022  | Ege         |          |
| D945,021     | S   | 3/2022  | Walsh       |          |
| D948,079     | S   | 4/2022  | Walsh       |          |
| D959,023     | S   | 7/2022  | Ege         |          |
| D972,606     | S   | 12/2022 | Ctvrtnik    |          |
| D1,048,469   | S * | 10/2024 | Walsh ..... | D25/103  |
| D1,065,596   | S * | 3/2025  | Walsh ..... | D25/48.3 |
| 2001/0018133 | A1  | 8/2001  | Eichhorn    |          |

\* cited by examiner






FIG. 1






FIG. 2






FIG. 3






FIG. 4