

US0D1091024S

(12)

United States Design Patent

Wen

(10)

Patent No.:

US D1,091,024 S

(45)

Date of Patent:

** Aug. 26, 2025

(54) ANTI-BARK COLLAR DEVICE

(71) Applicant: Shenzhen TIZE Technology Co., Ltd.,
Shenzhen (CN)

(72) Inventor: Jian Wen, Shenzhen (CN)

(73) Assignee: Shenzhen TIZE Technology Co., Ltd.,
Shenzhen (CN)

(**) Term: 15 Years

(21) Appl. No.: 29/939,048

(22) Filed: Apr. 24, 2024

(30) Foreign Application Priority Data

Jan. 11, 2024 (CN) 202430017543.9

(51) LOC (15) Cl. 30-99

(52) U.S. Cl.
USPC D30/199; D10/104.1

(58) Field of Classification Search
USPC D30/151–155, 144, 199, 160;
119/792–798, 850, 855–859, 863–865,
119/654, 905, 907, 815, 712, 802, 784,
119/769, 760, 776, 862, 908, 860,
119/719–721; 242/381.1–381.2, 385.4,
242/378.3, 376.1, 385.1, 916, 601, 570,
242/405, 404, 371, 223, 170, 388.1,
242/405.2, 377, 381.3, 381.6, 405.3, 388,
242/6, 384.7, 382, 396.1, 404.1, 380;
362/108; 33/767, 769, 414; D12/400;
D3/229, 230, 207, 208, 215; 40/1.5, 455,
40/640, 303; 206/63.3, 459.5, 702, 408;
D6/515; D8/358, 360, 347, 360.1, 359,
D8/356, DIG. 1; D24/145, 167, 186, 146,
D24/169; D10/57, 72, 106.1, 104.1,
D10/104.2, 109.2, 70, 97, 98, 78, 65;
D20/28; 224/666, 678; 16/445; 283/74,
283/70; D11/232, 200, 216, 1, 2, 86, 87,
D11/201, 206–210, 212–215, 218;

24/163 K, 122.3, 323, 702, 600.4–600.7,
24/163 R, 169–171, 173, 177–179, 191,
24/194, 195, 197, 200, 303, 616, 635,
24/313, 615, 3, 6, 3 K, 599.2, 96, 221,
24/237, 311, 312, 314, 321, 338, 339,
24/309; 428/3, 4; 54/76, 1, 71; 63/29.1,
63/3; 191/12.2 R, 12.4; D13/154, 153,
D13/137.4, 155, 103, 168; D19/69, 67;
379/438; 446/26; 473/576; D22/140;
174/135; 439/504, 13, 501; D34/33;
188/83, 82.1, 65.1; 254/134.3 FT;
(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D944,470 S * 2/2022 Li D10/104.1

D970,827 S * 11/2022 Zhuang D30/152

(Continued)

Primary Examiner — Susan Moon Lee

(74) Attorney, Agent, or Firm — ScienBiziP, P.C.

(57) CLAIM

The ornamental design for an anti-bark collar device as shown and described.

DESCRIPTION

FIG. 1 is a front, right and top perspective view of an anti-bark collar device, showing my design.

FIG. 2 is a rear, left and bottom perspective view thereof.

FIG. 3 is a front elevation view thereof.

FIG. 4 is a rear elevation view thereof.

FIG. 5 is a left side elevation view thereof.


FIG. 6 is a right side elevation view thereof.

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The dashed broken lines depict portions of the anti-bark collar device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(58) Field of Classification Search

USPC D29/124; D2/627, 624, 633, 625;
132/145, 146, 148; 2/314; 59/79.1;
340/573.3, 573.1, 573, 573.4,
340/539.13–539.19; 343/895;
278/8 AES; 231/7; 361/232; D14/344,
D14/341, 137, 155, 496, 203.5, 203.3,
D14/144, 218, 188, 216, 192;
342/357.51, 357.57, 357.52, 357.55;
455/100, 352, 456.1, 550.1; 315/291
CPC A01K 15/021; A01K 15/02; A01K 15/022;
A01K 15/023; A01K 15/029; A01K
15/04; A01K 15/00; A01K 15/006; A01K
12/022; A01K 27/009; A01K 27/00;
A01K 27/001; A01K 27/006–008; A01K
29/005; A01K 29/00; A61B 5/0002–0028;

A61B 5/681; A61B 5/6822; A61B
5/6824; A61B 5/6829; G01S 5/0294
See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D985,864	S	*	5/2023	Liu		D10/104.1
D1,001,399	S	*	10/2023	Pan		D10/104.1
D1,002,972	S	*	10/2023	Yu		D10/104.1
D1,006,354	S	*	11/2023	Yuan		D10/104.1
D1,010,250	S	*	1/2024	Mo		D10/104.1
D1,027,340	S	*	5/2024	Tang		D10/104.1
D1,041,098	S	*	9/2024	Wen		D30/199
D1,054,130	S	*	12/2024	Ye		D10/104.1
D1,063,260	S	*	2/2025	Zhou		D30/199
D1,075,191	S	*	5/2025	Li		D30/199
D1,079,154	S	*	6/2025	Wen		D10/104.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8