

US0D1091685S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,091,685 S**
Umeda (45) **Date of Patent:** **** Sep. 2, 2025**

(54) **APPARATUS FOR DEPOSITING AND DISPENSING COIN**

(71) Applicant: **ASAHI SEIKO CO., LTD.**, Tokyo (JP)

(72) Inventor: **Masayoshi Umeda**, Saitama (JP)

(73) Assignee: **ASAHI SEIKO CO., LTD.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/852,975**

(22) Filed: **Sep. 12, 2022**

(30) **Foreign Application Priority Data**

Apr. 21, 2022 (JP) 2022-008698 D

(51) **LOC (15) Cl.** **18-01**

(52) **U.S. Cl.**
USPC **D18/3.1**

(58) **Field of Classification Search**

USPC D18/3.1–3.3, 4.1, 4.4, 12–12.3, 46, 47,
D18/56, 59; D14/300–303, 307–308,
D14/348–349, 432, 439, 441, 448–449,
D14/462, 469, 471; D10/96–97; D99/28,
D99/34, 35, 43, 99; D19/65, 86, 95, 99,
D19/100; D20/1, 8, 9; D15/122
CPC G07D 1/00; G07D 9/008; G07D 3/00;
G07D 3/04; G07D 3/10; G07D 3/14;
G07D 11/14; G07D 2201/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,008 S * 1/1977 Patla D18/38
D255,577 S * 6/1980 Dahlqvist D15/138
D329,256 S * 9/1992 Nakajima D20/9
D331,781 S * 12/1992 Nishiumi D20/9
D432,159 S * 10/2000 Mallory D18/3.1
D514,557 S * 2/2006 Crisp D14/301

D523,468 S * 6/2006 Umeda D18/3.1
D626,171 S * 10/2010 Von Heifner D18/3.1
D724,813 S * 3/2015 Umeda D99/34
D736,857 S * 8/2015 Kodama D20/9
D767,239 S * 9/2016 Umeda D99/34
D810,189 S * 2/2018 Enomoto D18/3.1
D844,045 S * 3/2019 Umeda D18/3.1
D844,048 S * 3/2019 Abe D18/3.1
D871,498 S * 12/2019 Kim D18/3.1
D871,499 S * 12/2019 Kuroda D18/12.1

(Continued)

OTHER PUBLICATIONS

Asahi Seiko, (date retrieved Mar. 25, 2025), CR-8500V, Asahiseiko.com, URL: (<https://www.asahiseiko.com/english/product/476/>), (Year: 2025).*

Primary Examiner — Richard Edgar

Assistant Examiner — Cheng Chen

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**


The ornamental design for a apparatus for depositing and dispensing coin as shown and described.

DESCRIPTION

FIG. 1. is a front, top, left perspective view of a apparatus for depositing and dispensing coin showing my new design;
FIG. 2. is a front, top, right perspective view;
FIG. 3. is a front view thereof;
FIG. 4. is a rear view thereof;
FIG. 5. is a left side view thereof;
FIG. 6. is a right side view thereof;
FIG. 7. is a top plan view thereof; and,
FIG. 8. is a bottom plan view thereof.

The broken lines shown represent portions of the apparatus for depositing and dispensing coin and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D878,456	S	*	3/2020	Frank		G07D 3/00
						D18/3.1
D879,873	S	*	3/2020	Takahashi		D18/3.1
D915,503	S		4/2021	Umeda		
D941,909	S	*	1/2022	Ramazzotti		D18/3.1
D942,533	S	*	2/2022	Ramazzotti		D18/3.1
D986,193	S	*	5/2023	Enomoto		D18/3.1
2014/0030972	A1	*	1/2014	Bengtsson		G07D 9/02
						141/358
2020/0035055	A1	*	1/2020	Razzaboni		G07D 3/00
2020/0372745	A1	*	11/2020	Onishi		G07D 9/008
2022/0005305	A1	*	1/2022	Umeda		G07D 9/008
2023/0147666	A1	*	5/2023	Umeda		G07D 1/00
						453/39

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8

