



US0D1091745S

(12)

United States Design Patent

Johnson et al.

(10)

Patent No.:

US D1,091,745 S

(45)

Date of Patent:

** Sep. 2, 2025

(54) FIREARM RECEIVER

(71) Applicant: O.F. Mossberg & Sons, Inc., North Haven, CT (US)

(72) Inventors: David Johnson, Hamden, CT (US); John Raciti, New Milford, CT (US)

(73) Assignee: O.F. MOSSBERG & SONS, INC., North Haven, CT (US)

(**) Term: 15 Years

(21) Appl. No.: 29/863,719

(22) Filed: Dec. 21, 2022

(51) LOC (15) Cl. 22-01

(52) U.S. Cl. USPC D22/108; D22/103

(58) Field of Classification Search USPC D22/100, 103, 108; D21/570, 571, 572, D21/573

(56) References Cited

U.S. PATENT DOCUMENTS

1,763,714 A * 6/1930 Loomis F41C 7/02 42/17

1,790,320 A * 1/1931 Reising F41C 7/02 89/197

(Continued)

FOREIGN PATENT DOCUMENTS

BR 302022003624-2 1/2023

CN 308698642 6/2024

(Continued)

OTHER PUBLICATIONS

"[Shot 2023] Mossberg Adds Optic Ready Models to the 590S Line" [online]. Rusty S. [Published Jan. 25, 2023]. Retrieved from

the Internet: <<https://www.thefirearmblog.com/blog/2023/01/25/shot-2023-mossberg-adds-optic-ready-models-590s-line/>>.*

(Continued)

Primary Examiner — Mojtaba Tehrani

(74) Attorney, Agent, or Firm — Kutak Rock LLP

(57) CLAIM

The ornamental design for a firearm receiver as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the first embodiment of a firearm receiver, showing our new design;

FIG. 2 is a right-side elevation view of the firearm receiver of FIG. 1;

FIG. 3 is a left-side elevation view of the firearm receiver of FIG. 1;

FIG. 4 is a front elevation view of the firearm receiver of FIG. 1;

FIG. 5 is a rear elevation view of the firearm receiver of FIG. 1;

FIG. 6 is a top plan view of the firearm receiver of FIG. 1;

FIG. 7 is a bottom plan view of the firearm receiver of FIG. 1;

FIG. 8 is a perspective view of the second embodiment of a firearm receiver, showing our new design;

FIG. 9 is a right-side elevation view the firearm receiver of FIG. 8;

FIG. 10 is a left-side elevation view of the firearm receiver of FIG. 8;

FIG. 11 is a front elevation view of the firearm receiver of FIG. 8;

FIG. 12 is a rear elevation view of the firearm receiver of FIG. 8;

FIG. 13 is a top plan view of the firearm receiver of FIG. 8;

FIG. 14 is a bottom plan view of the firearm receiver of FIG. 8;

FIG. 15 is a perspective view of the third embodiment of a firearm receiver, showing our new design;

FIG. 16 is a right-side elevation view the firearm receiver of FIG. 15;

(Continued)




FIG. 17 is a left-side elevation view of the firearm receiver of FIG. 15;
FIG. 18 is a front elevation view of the firearm receiver of FIG. 15;
FIG. 19 is a rear elevation view of the firearm receiver of FIG. 15;
FIG. 20 is a top plan view of the firearm receiver of FIG. 15;
and,
FIG. 21 is a bottom plan view of the firearm receiver of FIG. 15.
Each figure demonstrates a firearm receiver and various features, surfaces, openings, mounts, contours, and the like as depicted in solid lines. The broken lines in the drawings depict unclaimed portions of the firearm receiver only and form no part of the claimed design.

1 Claim, 21 Drawing Sheets

(58) **Field of Classification Search**
CPC F41C 7/00; F41C 7/02; F41C 7/025
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,817,454	A *	8/1931	Loomis		F41C 7/02
					42/75.01
2,006,642	A *	7/1935	Johnson		F41C 7/02
					42/2
D117,638	S *	11/1939	Pugsley		D22/103
4,837,961	A *	6/1989	Keenan		F41C 7/025
					42/72
5,027,542	A *	7/1991	Simonetti		F41C 7/02
					42/72
D363,334	S	10/1995	De Oliveira Masina		
5,605,002	A *	2/1997	Carey		F41C 7/00
					89/181
D661,766	S	6/2012	Siddle et al.		
D708,288	S *	7/2014	Bero		D22/103
D822,142	S *	7/2018	Moretti		D22/103
RE47,335	E	4/2019	Wolf		
10,260,829	B1 *	4/2019	Wright		F41A 9/37
D865,106	S	10/2019	Oglesby		
D899,548	S	10/2020	Hu		
D970,676	S	11/2022	Gerlings		
D1,027,093	S	5/2024	Winenger		
D1,066,547	S *	3/2025	Johnson		D22/108

2016/0187087	A1 *	6/2016	Olsen		F41A 3/66
					42/75.03
2020/0025499	A1 *	1/2020	Berean		F41C 7/02
2022/0276014	A1 *	9/2022	Volk		F41C 7/02

FOREIGN PATENT DOCUMENTS

EM	002065797-0001	7/2012
FR	20224025-005	12/2022
GB	9002065797-0002	6/2012
JP	D1753475	9/2023
JP	D1756596	10/2023
KR	300728436.0000	2/2014
TR	201406406-0001	11/2014
WO	D233363-011	6/2023
WO	D233363-012	6/2023
WO	D222243-001	7/2023
WO	D222243-002	7/2023
WO	D233363-001	6/2024
WO	D233363-002	6/2024
WO	D233363-003	6/2024
WO	D233363-004	6/2024
WO	D233363-005	6/2024
WO	D233363-006	6/2024
WO	D233363-007	6/2024
WO	D233363-008	6/2024
WO	D233363-009	6/2024
WO	D233363-010	6/2024

OTHER PUBLICATIONS

“The New PSA 570 Modular Shotgun Concept” [online]. TFBTV Show Time. [Published Jan. 26, 2024]. Retrieved from the Internet: <<https://www.youtube.com/watch?v=qc3X0wkjs3o>>.*
“Beretta A300 Ultima Technical Features” [online]. Beretta. [Published Jul. 31, 2021]. Retrieved from the Internet: <<https://www.youtube.com/watch?v=Fs5uMIGyUhQ>>.*
[APS] 3 Gun Competition Receiver[For CAM 870 Shotgun]; <https://www.sixmm.com/products/aps-gun-competition-receiver-for-cam-shotgun>; last accessed on Oct. 15, 2024.
CYMA Original Replacement Receiver for Shotgun (CY-0078); <https://www.18airsoft.com/products/cyma-original-replacement-receiver-for-shotgun-cyma-f041>; last accessed Oct. 15, 2024.
Shotgun Receiver Custom Coating by Joint Force Enterprises; <https://jfeusa.com/shotgun-receiver-custom-coating-by-joint-force-enterprises/>; last accessed Oct. 15, 2024.
Response to Demand Letter Re: Mossberg’s Patented Optics-Cut Receiver; Mailed Apr. 17, 2024.
“Office Action Received for Brazil Design Patent Application No. 3020220036242, Mailed on Nov. 8, 2022.”
“Notification of Refusal Received for China International Design Registration Application No. DM/233363, mailed on Mar. 27, 2025”.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D1,091,745 S
APPLICATION NO. : 29/863719
DATED : September 2, 2025
INVENTOR(S) : Johnson et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

On Page 2, Column 2, in Item (56), under "FOREIGN PATENT DOCUMENTS", Line 1, delete
"EM" and insert -- EU --, therefor.

Signed and Sealed this
Twenty-eighth Day of October, 2025



John A. Squires
Director of the United States Patent and Trademark Office