

US0D1092397S

(12) **United States Design Patent** (10) **Patent No.: US D1,092,397 S**
Shen et al. (45) **Date of Patent: ** Sep. 9, 2025**

(54) **POWER SUPPLY**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Delta Electronics, Inc.**, Taoyuan (TW)

CN 100585841 C 1/2010
CN 102342193 A 2/2012

(72) Inventors: **Yu-Chieh Shen**, Taoyuan (TW);
Yung-Chun Lo, Taoyuan (TW);
Chen-Chiang Su, Taoyuan (TW)

(Continued)

(73) Assignee: **Delta Electronics, Inc.**, Taoyuan (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/891,955**

(22) Filed: **May 11, 2023**

(51) **LOC (15) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**

USPC ... D13/103, 107, 108, 110, 118, 123, 137.1,
D13/137.2, 147, 162, 177, 184; D14/313,
D14/433, 434, 445

CPC H05K 7/18; H05K 5/023; H01R 31/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D217,915 S *	6/1970	Brenner		D13/164
D419,533 S *	1/2000	Smith		D13/184
D467,227 S	12/2002	Lee		
D504,399 S *	4/2005	Peled		D13/110
D649,933 S *	12/2011	Wang		D13/110
D675,160 S *	1/2013	Tanaka		D13/110
D786,793 S	5/2017	Lin et al.		
D795,244 S *	8/2017	Zimmermann		D14/313
9,762,037 B1	9/2017	Lach		
D813,163 S *	3/2018	Stravets		D13/110
D839,826 S	2/2019	Dong et al.		
D865,671 S *	11/2019	Dong		D13/123
D877,074 S *	3/2020	Stravets		D13/110

(Continued)

OTHER PUBLICATIONS

Xu Yu-Zhen et al: "Inductor optimize design for BCM BUCK-PFC in LED driver", IEEE, Apr. 15, 2011, pp. 2264-2267.

(Continued)

Primary Examiner — Wendy L Arminio

Assistant Examiner — Mary Claire Nemeth

(74) *Attorney, Agent, or Firm* — KIRTON McCONKIE;
Evan R. Witt

(57) **CLAIM**

The ornamental design for a power supply, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a power supply showing our new design, wherein enlarged view of identified portion 9 is shown in FIG. 9;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;


FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof; and,

FIG. 9 is an enlarged detail view of the power supply as identified in portion 9 of FIG. 1.

The broken lines are for the purpose of illustrating portions of the power supply that form no part of the claimed design. The additional broken line encircling the area of the enlarged detail view shown in FIGS. 1 and 9 denotes the boundary of the enlarged detail view and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,624,223 B1 * 4/2020 Tsorng H05K 5/023
D886,752 S * 6/2020 Xiang D13/133
10,951,013 B2 3/2021 Huang
D928,081 S 8/2021 Hwang et al.
2004/0184292 A1 9/2004 Knox
2011/0315355 A1 12/2011 Campbell et al.
2014/0126129 A1 * 5/2014 Kyle H05K 5/30
361/752
2014/0216714 A1 8/2014 Dittmer et al.
2018/0338386 A1 11/2018 Chen
2019/0045661 A1 2/2019 Broderick et al.
2019/0281727 A1 9/2019 Fujiwara et al.
2022/0217845 A1 7/2022 Salmon
2022/0248564 A1 8/2022 Moon
2022/0312625 A1 9/2022 Antaran
2023/0189457 A1 * 6/2023 Tsorng H05K 5/0221
361/679.59
2024/0224459 A1 * 7/2024 Shen H05K 7/20236

FOREIGN PATENT DOCUMENTS


CN 106879222 A 6/2017
CN 207519013 U 6/2018
CN 305041627 S 2/2019
CN 109874275 A 6/2019
CN 109510445 B 2/2020
CN 210073558 U 2/2020
CN 111864305 A 10/2020
CN 110535338 B 11/2020
CN 112469242 A 3/2021
CN 113015417 A 6/2021
CN 213492911 U 6/2021
CN 213694613 U 7/2021
CN 110505783 B 11/2021

CN 306956066 S 11/2021
CN 114389569 A 4/2022
CN 307407783 S 6/2022
CN 307423649 S 6/2022
CN 115016611 A 9/2022
CN 115248623 A 10/2022
CN 218163398 U 12/2022
CN 115712327 A 2/2023
CN 308668853 * 6/2024
EM 015021152-0001 * 5/2023
EP 2465189 B1 6/2019
EP 3530896 B1 2/2020
IN 386018-001 * 2/2024
JP H07202377 A 8/1995
JP 2010103282 A 5/2010
KR 20160047575 A 5/2016
TW 200836615 A 9/2008
TW 201115102 A 5/2011
TW 201240301 A 10/2012
TW 201828798 A 8/2018
TW 201843917 A 12/2018
TW D195786 S 2/2019
TW 202102101 A 1/2021
TW 229808-0001 * 2/2024
WO 2015149317 A1 10/2015
WO 2022149525 A1 7/2022
WO 2023129225 A1 7/2023

OTHER PUBLICATIONS

Nielsen Alex Buus et al, Power Density and Loss Optimization Design Methodology of a 10 KW 2-Level 3-Phase Sic Inverter, IEEE, Nov. 9, 2020.
Chen Jianan et al, A Family of Spread-Spectrum Modulation Schemes Based on Distribution Characteristics to Reduce Conducted EMI for Power Electronics Converters, IEEE, Jun. 15, 2020, pp. 5142-5157.

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9