

US0D1092404S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,092,404 S**
Naito et al. (45) **Date of Patent:** **** Sep. 9, 2025**

(54) **CONNECTOR**

(71) Applicant: **Japan Aviation Electronics Industry, Limited, Tokyo (JP)**

(72) Inventors: **Takeharu Naito, Tokyo (JP); Junji Oosaka, Tokyo (JP); Kazuki Ishii, Tokyo (JP); Ryou Katou, Tokyo (JP)**

(73) Assignee: **Japan Aviation Electronics Industry, Limited, Tokyo (JP)**

(**) Term: **15 Years**

(21) Appl. No.: **29/929,456**

(22) Filed: **Feb. 22, 2024**

(30) **Foreign Application Priority Data**

Sep. 11, 2023 (JP) 2023-018547 D

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**

(58) **Field of Classification Search**
USPC ... D13/133, 101, 123, 146, 147, 153, 137.1, D13/149, 139.8, 182; D14/435.1, 433
CPC G02B 6/38; G02B 6/38875; G02B 6/4284; H01R 13/40; H01R 13/58; H01R 13/627; H01R 13/66; H01R 13/6335; H01R 13/6272; H01R 13/6397; H01R 13/639; H01R 13/6275; H01R 31/06; H01R 24/00; H01R 24/46; H01R 43/26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D434,004 S * 11/2000 Yang D13/146
D454,113 S * 3/2002 Ikeda D13/133
D479,197 S * 9/2003 Zhang D13/146

D508,894 S * 8/2005 Zhao D13/133
D541,220 S * 4/2007 Hamada D13/147
D552,550 S * 10/2007 Lin D13/133
D573,094 S * 7/2008 So D13/133
D625,269 S * 10/2010 So D13/147
D626,508 S * 11/2010 So D13/147
D643,841 S * 8/2011 Lyford D13/133
D676,385 S * 2/2013 Gassauer D13/133
D676,386 S * 2/2013 Gassauer D13/133
D701,492 S * 3/2014 Miyoshi D13/147
D742,322 S * 11/2015 Endo D13/147
D773,998 S * 12/2016 Endo D13/147

(Continued)

Primary Examiner — Amber R Stiles

Assistant Examiner — Leah E Hoeferkamp

(74) *Attorney, Agent, or Firm* — Kreative IP Management LLC; Fuiyeong Kim

(57) **CLAIM**

The ornamental design for a connector as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a connector showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front, top, and right side perspective view thereof;


FIG. 8 is a rear, bottom, and left side perspective view thereof;

FIG. 9 is a front, right, and bottom side perspective view thereof; and,

FIG. 10 is a rear, left, and top side perspective view thereof.

The broken line showing of the connector is for the purpose of illustrating portions of the article and forms no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D938,359	S	*	12/2021	Ito	D13/133
D982,518	S	*	4/2023	Tada	D13/133
D986,831	S	*	5/2023	Morishita	D13/147
D1,018,470	S	*	3/2024	Böcker	D13/133
D1,032,529	S	*	6/2024	Pan	D13/133
D1,032,533	S	*	6/2024	Obata	D13/133
D1,033,363	S	*	7/2024	Obata	D13/133
D1,053,147	S	*	12/2024	Joshi	D13/147
2015/0222043	A1	*	8/2015	Yagi	H01R 13/6456
					439/625
2016/0276780	A1	*	9/2016	Tanaka	H01R 13/6471
2018/0277990	A1	*	9/2018	Ho	H01R 12/58

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10