



US0D1093272S

(12)

United States Design Patent

Kindig

(10)

Patent No.:

US D1,093,272 S

(45)

Date of Patent:

** Sep. 16, 2025

(54) TIRE

(71) Applicant: Bridgestone Americas Tire Operations, LLC, Nashville, TN (US)

(72) Inventor: Michael A. Kindig, Aurora, OH (US)

(73) Assignee: Bridgestone Americas Tire Operations, LLC, Nashville, TN (US)

(**) Term: 15 Years

(21) Appl. No.: 29/933,095

(22) Filed: Mar. 18, 2024

(51) LOC (15) Cl. 12-15

(52) U.S. Cl. USPC D12/604

(58) Field of Classification Search USPC D12/568-604, 900, 901 CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D499,066 S	11/2004	Covey	
D597,022 S	7/2009	Pringiers	
D604,690 S	11/2009	Dixon	
D634,265 S	3/2011	Shan	
D636,330 S	4/2011	Pringiers	
D637,150 S *	5/2011	Koshio	D12/594
D642,116 S	7/2011	Pringiers	
D643,804 S *	8/2011	Dixon	D12/594
D647,041 S *	10/2011	Kojima	D12/604
D648,674 S	11/2011	Mayni	
D662,038 S	6/2012	Mayni	
D675,981 S *	2/2013	Kuwahara	D12/568
D730,273 S *	5/2015	Schimmoeller	D12/601

D759,584 S *	6/2016	Ono	D12/588
D763,784 S	8/2016	Mathonet	
D779,417 S *	2/2017	De Giacco	D12/559
D780,677 S	3/2017	Ropars	
D784,249 S	4/2017	Dixon	
D785,552 S *	5/2017	Shondel	D12/594
D785,556 S	5/2017	Dixon	
D788,692 S	6/2017	Spinnler	
D795,168 S	8/2017	Hixson	
D811,992 S *	3/2018	Di-Mauro	D12/594
D847,730 S	5/2019	Dixon	
D856,912 S *	8/2019	Schultz	D12/604
D861,585 S	10/2019	Ropars	
D862,376 S	10/2019	Falempin	
D870,027 S *	12/2019	Wang	D12/594
D870,029 S *	12/2019	Wang	D12/594
D886,041 S *	6/2020	Schultz	D12/604
D900,728 S	11/2020	Dixon	

(Continued)

Primary Examiner — John A Voytek

(74) Attorney, Agent, or Firm — Shaun J. Fox

(57) CLAIM

The ornamental design for a tire as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire showing my new design; it being understood that the pattern is repeated throughout the circumference of the tire;

FIG. 2 is a front elevational view thereof; it being understood that the pattern is repeated throughout the circumference of the tire;

FIG. 3 is a side elevational view of the left side thereof;


FIG. 4 is a side elevational view of the right side thereof;

and,

FIG. 5 is an enlarged fragmentary side elevational view thereof.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D973,013	S	12/2022	Dixon	
D985,481	S *	5/2023	Meier	D12/588
D994,588	S	8/2023	De Bruyn	
D1,042,307	S *	9/2024	Patil	D12/588
D1,053,796	S *	12/2024	Berry	D12/588
D1,056,814	S *	1/2025	Martin	D12/600
D1,067,858	S *	3/2025	Larregain	D12/588

* cited by examiner




FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 5