



US0D1097095S

(12)

United States Design Patent

Häussermann et al.

(10)

Patent No.:

US D1,097,095 S

(45)

Date of Patent:

** Oct. 7, 2025

(54) COMPONENT OF DISINFECTION DEVICE

(71) Applicant: Dürre Systems AG,
Bietigheim-Bissingen (DE)

(72) Inventors: Patrick Häussermann, Korb (DE);
Bernhard Seiz, Lauffen (DE); Kevin
Preuss, Mühlacker (DE)

(**) Term: 15 Years

(21) Appl. No.: 29/769,103

(22) Filed: Feb. 3, 2021

(30) Foreign Application Priority Data

Aug. 4, 2020 (EM) 008072318

(51) LOC (15) Cl. 23-04

(52) U.S. Cl.
USPC D23/364

(58) Field of Classification Search
USPC D23/355–366, 352, 369, 332, 333, 335,
D23/336, 342, 351, 269, 262
CPC .. A61L 9/16; A61L 9/22; B01D 47/00; B01D
47/027; B01D 2221/02; B01D 2259/4508;
B03C 3/155; B03C 3/368; F24F 3/16;
F24F 13/20; F24F 13/28
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D304,854 S	*	11/1989	Stackhouse		D23/365
D355,250 S	*	2/1995	Spengler		D23/355
D576,260 S	*	9/2008	Chan		D23/269
D607,549 S	*	1/2010	Shah		D23/262
D629,080 S	*	12/2010	Dole		D23/262
D651,290 S	*	12/2011	Shah		D23/262
D937,991 S	*	12/2021	Webb		D23/262
D938,063 S	*	12/2021	Williamson		D24/217
D973,728 S	*	12/2022	Uchida		D15/89
D984,598 S	*	4/2023	Lee		D23/269

D996,584 S	*	8/2023	Nakano		D23/269
D1,014,718 S	*	2/2024	Liu		D23/332
2006/0231770 A1	*	10/2006	Snowball		C02F 1/325 250/436
2020/0140291 A1	*	5/2020	Babaie		A61L 9/20
(Continued)					

FOREIGN PATENT DOCUMENTS

DE	102007030724 A1	1/2009
DE	102018114179 A1	12/2019

OTHER PUBLICATIONS

German Patent and Trademark Office—Office Action mailed Mar. 10, 2021 for Application No. 10 2020 119 714.4 (12 pages; with English translation).

Primary Examiner — David G Muller

(74) Attorney, Agent, or Firm — Taft Stettinius &
Hollister LLP; Thomas E. Bejin; John W. Carpenter


(57) CLAIM

The ornamental design for a component of disinfection device as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a component of disinfection device.
FIG. 2 is a front view of the component shown in FIG. 1.
FIG. 3 is a rear view of the component shown in FIG. 1.
FIG. 4 is a right-side view of the component shown in FIG. 1.
FIG. 5 is a left-side view of the component shown in FIG. 1.
FIG. 6 is a top view of the component shown in FIG. 1; and,
FIG. 7 is a bottom view of the component shown in FIG. 1.
The broken lines in the figures show portions of the component of a disinfection apparatus that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2022/0096689 A1* 3/2022 Lee H01M 50/264
2023/0286830 A1* 9/2023 Shafir A61L 2/26
2024/0173449 A1* 5/2024 Lepore A61L 2/18

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7