



US0D1097203S

(12)

United States Design Patent

Salojärvi et al.

(10)

Patent No.:

US D1,097,203 S

(45)

Date of Patent:

** Oct. 7, 2025

(54) BARRIER

FOREIGN PATENT DOCUMENTS

(71) Applicant: KONE Corporation, Helsinki (FI)

CN 306984248 9/2020
CN 307001517 9/2020

(72) Inventors: Jouni Salojärvi, Helsinki (FI); Visa Rauta, Helsinki (FI); Aapo Saari, Helsinki (FI); Mika Hautamäki, Helsinki (FI)

(Continued)

(73) Assignee: KONE Corporation, Helsinki (FI)

OTHER PUBLICATIONS

Escalator Barrier Cambrian Plastics <https://cambrianplastics.co.nz/product/escalator-barrier/> uploaded Feb. 2019 (Year: 2019).*

(**) Term: 15 Years

(Continued)

(21) Appl. No.: 29/847,070

Primary Examiner — Leanne Was-Englehart
(74) Attorney, Agent, or Firm — Leason Ellis LLP

(22) Filed: Jul. 21, 2022

(57) CLAIM

Related U.S. Application Data

The ornamental design for a barrier, as shown and described.

(62) Division of application No. 29/772,861, filed on Mar. 4, 2021, now Pat. No. Des. 989,347.

DESCRIPTION

(30) Foreign Application Priority Data

Sep. 15, 2020 (EM) 008170278

(51) LOC (15) Cl. 12-05

(52) U.S. Cl.
USPC D34/30

(58) Field of Classification Search
USPC D25/38.1, 62, 63, 199; D34/30, 35
CPC B65G 45/18; B65G 45/22; B65G 45/26;
B66B 23/00; B66B 23/02; B66B 23/028;
(Continued)

FIG. 1 is a rear perspective view of our barrier according to our new design;
FIG. 2 is a top perspective view thereof;
FIG. 3 is a bottom perspective view thereof;
FIG. 4 is a front perspective view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a left-side view thereof;
FIG. 8 is a right-side view thereof;
FIG. 9 is a top plan view thereof; and,
FIG. 10 is a bottom plan view thereof.


(56) References Cited

U.S. PATENT DOCUMENTS

D140,600 S * 3/1945 Hohnecker D25/63
3,144,118 A * 8/1964 Fabula B66B 29/02
198/332
D201,748 S * 7/1965 Grady D25/63
(Continued)

The illustrated design concerns a barrier, such as may be used on an escalator to prevent climbing. Conventional shading is illustrated for purposes of highlighting the line drawings, but forms no part of the claimed design. The broken lines showing of portions of the barrier are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(58) Field of Classification Search

CPC B66B 23/04; B66B 31/00; B66B 31/02;
B66B 31/003

See application file for complete search history.

FOREIGN PATENT DOCUMENTS

EM	003472174-0001	2/2019
JP	D1575353	5/2017

OTHER PUBLICATIONS

(56) References Cited

U.S. PATENT DOCUMENTS

5,349,792	A *	9/1994	Bayes		E04D 13/1478 52/412
D420,189	S *	2/2000	Kleewein		D34/30
D452,335	S *	12/2001	Brown		D25/199
6,533,098	B1 *	3/2003	Winkler		B66B 23/22 198/321
D776,298	S *	1/2017	Melin		D25/38.1
D918,521	S *	5/2021	Wang		D34/30
D989,347	S *	6/2023	Salojärvi et al.		D25/38.1
2018/0111800	A1 *	4/2018	Salojarvi		B66B 29/04
2022/0089413	A1 *	3/2022	Salojärvi		B66B 23/00

Kone Safety Manual chrome-extension://efaidnbmnn-nibpcajpcglclefindmkaj/https://www.kone.com.au/Images/Safety%20checks%20for%20escalators%20ramps%20and%20autowalks%20-%20May%202020_tcm46-91316.pdf dated May 2020 (Year: 2020).*

Anti-Creeping Device—Schritt Elevators and Escalators http://www.schritt.co/?attachment_id=797 May 19, 2019 (Year: 2019) Retrieved Apr. 27, 2022.

Safety checks for escalators ramps and autowalks—May 2020_tcm46-91316 https://www.kone.com.au/Images/Safety%20checks%20for%20escalators%20ramps%20and%20autowalks%20-%20May%202020_tcm46-91316.pdf (Year: 2020).

Restriction Requirement in U.S. Appl. No. 29/772,861, mailed May 3, 2022 (9 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10