

US0D1098301S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,098,301 S**
Heim (45) **Date of Patent:** **** Oct. 14, 2025**

(54) **UPSTANDING TOY BRICK**

(71) Applicant: **LEGO A/S**, Billund (DK)

(72) Inventor: **Robert Heim**, Billund (DK)

(73) Assignee: **LEGO A/S**, Billund (DK)

(**) Term: **15 Years**

(21) Appl. No.: **29/922,098**

(22) Filed: **Dec. 20, 2023**

(51) **LOC (15) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/501; D21/503**

(58) **Field of Classification Search**
USPC D21/468, 470, 478, 479, 484–505
CPC A63H 33/04; A63H 33/06; A63H 33/062;
A63H 33/08; A63H 33/086; A63H 33/088
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D344,301 S *	2/1994	Berggreen		D21/484
D409,684 S *	5/1999	Elling		D21/504
6,200,187 B1 *	3/2001	Olsen		A63H 33/08 446/124
7,625,261 B2 *	12/2009	Andersen		A63H 33/062 446/124
D617,397 S *	6/2010	Thorogood		D21/502
D641,052 S *	7/2011	Christensen		D21/497
D723,108 S *	2/2015	Schutt		D21/484
D754,260 S *	4/2016	Chen		D21/484
D810,837 S *	2/2018	Liu		A63H 33/084 D21/504
D895,025 S *	9/2020	Park		D21/502

(Continued)

Primary Examiner — Cynthia M. Chin

(74) *Attorney, Agent, or Firm* — Day Pitney LLP; George Chaclos; Anthony A. Kassas

(57) **CLAIM**

The ornamental design for an upstanding toy brick as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an upstanding toy brick. FIG. 2 is a bottom perspective view of the upstanding toy brick.

FIG. 3 is a second, top perspective view of the upstanding toy brick.

FIG. 4 is a front plan view of the upstanding toy brick.

FIG. 5 is a back plan view of the upstanding toy brick.

FIG. 6 is a side plan view of the upstanding toy brick.

FIG. 7 is a second, side plan view of the upstanding toy brick.

FIG. 8 is a top plan view of the upstanding toy brick.

FIG. 9 is a bottom plan view of the upstanding toy brick.

FIG. 10 is a top perspective view of a second embodiment of the upstanding toy brick.

FIG. 11 is a bottom perspective view of the second embodiment of the upstanding toy brick.

FIG. 12 is a second, top perspective view of the second embodiment of the upstanding toy brick.

FIG. 13 is a front plan view of the second embodiment of the upstanding toy brick.

FIG. 14 is a back plan view of the second embodiment of the upstanding toy brick.

FIG. 15 is a side plan view of the second embodiment of the upstanding toy brick.



FIG. 16 is a second, side plan view of the second embodiment of the upstanding toy brick.

FIG. 17 is a top plan view of the second embodiment of the upstanding toy brick; and,

FIG. 18 is a bottom plan view of the second embodiment of the upstanding toy brick.

The broken lines in the figures show features of the upstanding toy brick that form no part of the claimed design.

1 Claim, 18 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D965,698	S	*	10/2022	Strich	D21/495
D965,699	S	*	10/2022	Kristensen	D21/495
D980,337	S	*	3/2023	Hjort	D21/499
D1,062,907	S	*	2/2025	Cai	D21/495

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18