

US0D1098862S

(12) **United States Design Patent** (10) **Patent No.: US D1,098,862 S**
Lee et al. (45) **Date of Patent: ** Oct. 21, 2025**

(54) **CAULK GUN HANDLE AND TRIGGER
HAVING CAULK PLUG STOWAGE
RECEPTACLE**

(71) Applicant: **PATENT & INVESTMENT LLC,**
Hanover, MD (US)

(72) Inventors: **Albert Lee,** Clarksville, MD (US);
Brian Glass, West Friendship, MD
(US); **Tyler Hippen,** Crofton, MD (US)

(73) Assignee: **Patent & Investment LLC,** Hanover,
MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/911,390**

(22) Filed: **Sep. 1, 2023**

(51) LOC (15) Cl. **08-05**

(52) U.S. Cl.
USPC **D8/14.1**

(58) Field of Classification Search
USPC D8/14, 14.1, 51, 107
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D285,895 S * 9/1986 Cox D8/14.1
D354,208 S * 1/1995 Vega D8/14.1
(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Rosenberg, Klein & Lee

(57) **CLAIM**

The ornamental design for a “caulk gun handle and trigger having caulk plug stowage receptacle” as shown and described.


DESCRIPTION

FIG. 1 is a top front perspective view of a caulk gun handle and trigger having caulk plug stowage receptacle showing our new design;

FIG. 2 is a top rear perspective view thereof;
FIG. 3 is bottom rear perspective view thereof;
FIG. 4 is a bottom front perspective view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof;
FIG. 7 is a right side elevation view thereof;
FIG. 8 is a left side elevation view thereof;
FIG. 9 is a top plan view thereof;
FIG. 10 is a bottom plan view thereof;
FIG. 11 is a top perspective view thereof, wherein a caulk plug is shown in a position of stowage;
FIG. 12 is a cross-sectional view thereof, taken along line 12-12 of FIG. 5;
FIG. 13 is a cross-sectional view thereof, taken along line 13-13 of FIG. 7;
FIG. 14 is a cross-sectional view thereof, taken along line 14-14 of FIG. 7;
FIG. 15 is a cross-sectional view thereof, taken along line 15-15 of FIG. 7;
FIG. 16 is a cross-sectional view thereof, taken along line 16-16 of FIG. 7;
FIG. 17 is a cross-sectional view thereof, taken along line 17-17 of FIG. 7;
FIG. 18 is a cross-sectional view thereof, taken along line 18-18 of FIG. 7;
FIG. 19 is a cross-sectional view thereof, taken along line 19-19 of FIG. 7;
FIG. 20 is a cross-sectional view thereof, taken along line 20-20 of FIG. 7; and,
FIG. 21 is a cross-sectional view thereof, taken along line 21-21 of FIG. 7.

The aspects of the caulk gun handle and trigger illustrated in broken line form, are not part of the claimed design, The broken line showings of the caulk gun and the caulk gun plug are provided for purposes of environment and form no part of the claimed design. The dot-dash broken line along the perimeter of the trigger defines the boundaries of the claimed design.

1 Claim, 11 Drawing Sheets



(58) Field of Classification Search

CPC B05C 1/00; B05C 17/00; B05C 17/01; B05C 17/0016; B05C 17/0123; B05C 21/00; B05C 17/00583
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D369,285 S * 4/1996 Leech D8/14.1
D388,672 S * 1/1998 Kelders D8/14.1
D413,235 S * 8/1999 Hwang D8/14.1
6,364,580 B1 4/2002 Dils et al.
6,481,597 B1 11/2002 Cermak, III
6,902,356 B2 6/2005 Breitenmoser
D511,077 S * 11/2005 Huang D8/14.1
D511,445 S * 11/2005 Childs D8/14.1
D520,820 S * 5/2006 Chang D8/14.1

7,073,691 B2 * 7/2006 Rumrill B05C 17/0143
222/391
7,127,769 B2 10/2006 Chang et al.
7,398,899 B2 * 7/2008 Chang B05C 17/01
222/391
D640,517 S * 6/2011 Rumrill D8/14.1
D654,768 S * 2/2012 Rumrill D8/14.1
D762,431 S * 8/2016 Lee B05C 17/0116
D8/14.1
D793,826 S * 8/2017 Sichien D8/14.1
10,328,452 B2 * 6/2019 Levand B05C 17/0123
D863,002 S * 10/2019 Hung D8/14.1
D872,547 S * 1/2020 Skafdrup D8/14.1
D885,150 S * 5/2020 Childs D8/14.1
D885,151 S * 5/2020 Childs D8/14.1
D922,164 S * 6/2021 Hung D8/14.1
D1,013,471 S * 2/2024 Callens D8/14.1
D1,015,097 S * 2/2024 Callens D8/14.1
2022/0184655 A1 * 6/2022 Poppe B05C 17/0123
2024/0399411 A1 * 12/2024 Lee B05C 17/0103

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21