



US0D1100460S

(12)

United States Design Patent

De La Cruz-Williams

(10)

Patent No.:

US D1,100,460 S

(45)

Date of Patent:

** Nov. 4, 2025

(54) FOOTWEAR SOLE

(71) Applicant: Wolverine Outdoors, Inc., Rockford, MI (US)

(72) Inventor: Myra G. De La Cruz-Williams, Ada, MI (US)

(73) Assignee: Wolverine Outdoors, Inc., Rockford, MI (US)

(**) Term: 15 Years

(21) Appl. No.: 29/901,025

(22) Filed: Aug. 28, 2023

(51) LOC (15) Cl. 02-04

(52) U.S. Cl. USPC D2/957; D2/947; D2/951; D2/960

(58) Field of Classification Search USPC D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103 CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D377,109 S	*	1/1997	Manfredi	D2/957
D397,849 S	*	9/1998	Mitsui	D2/954
D429,551 S	*	8/2000	Wilson	D2/960
D433,790 S	*	11/2000	Oliver	D2/947
D436,432 S	*	1/2001	Gams	D2/947
D450,914 S	*	11/2001	Wilson	D2/959

D460,608 S	*	7/2002	Laberge	D2/953
D468,083 S	*	1/2003	Morais	D2/960
D476,799 S	*	7/2003	Fuerst	D2/952
D487,840 S	*	3/2004	Hillyer	D2/960
D490,596 S	*	6/2004	Belley	D2/959
D509,345 S	*	9/2005	Munns	D2/960
D518,280 S	*	4/2006	Matis	D2/954
D530,492 S	*	10/2006	McClaskie	D2/960
D530,891 S	*	10/2006	Matis	D2/954
D552,335 S	*	10/2007	Matis	D2/960

(Continued)

OTHER PUBLICATIONS

<https://www.wolverine.com/US/en/durashocks-slip-resistant-steel-toe-6-inch-work-boot/18119M.html>, at least as early as Aug. 27, 2023.

(Continued)

Primary Examiner — T Chase Nelson
(74) Attorney, Agent, or Firm — Warner Norcross + Judd LLP


(57) CLAIM

The ornamental design for a footwear sole as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the footwear sole embodying the new design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof; and,
FIG. 7 is a rear view thereof.
The figures show features in broken lines that do not form any part of the claimed design. The broken lines immediately adjacent the solid line portions of the design form the boundary of the design, with the broken lines forming no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D554,840 S * 11/2007 McClaskie D2/960
D564,192 S * 3/2008 Covatch D2/959
D569,595 S * 5/2008 Le D2/960
D588,791 S * 3/2009 Nelson D2/951
D593,290 S * 6/2009 Chen D2/954
D603,151 S * 11/2009 Roundhouse D2/951
D605,839 S * 12/2009 Horton D2/951
D608,537 S * 1/2010 Anderson D2/951
D655,902 S * 3/2012 Debiase D2/951
D662,695 S * 7/2012 McVicker D2/907
D671,718 S * 12/2012 McVicker D2/908
D683,529 S * 6/2013 Marshall D2/951
D688,035 S * 8/2013 Recchi D2/951
D695,505 S * 12/2013 Hansen D2/951
D712,128 S * 9/2014 Zaedow D2/951
D717,033 S * 11/2014 Law D2/951
D717,527 S * 11/2014 Truelsen D2/951
D724,296 S * 3/2015 Law D2/954
D725,880 S * 4/2015 Bramani D2/951
D759,359 S * 6/2016 Dombrow D2/951
D808,140 S * 1/2018 da Costa Pereira Machado
D2/951
D811,705 S * 3/2018 Hughes D2/951
D822,968 S * 7/2018 Moranges D2/947
D838,948 S * 1/2019 Sassi D2/912
D838,949 S * 1/2019 Sassi D2/944
D844,944 S * 4/2019 Theodorus van Oudvors
D2/910
D853,097 S * 7/2019 Cass D2/947
D861,307 S * 10/2019 Hatfield D2/951
D864,539 S * 10/2019 Fuerst, Sr. D2/947
D865,342 S * 11/2019 Owens D2/947
D866,146 S * 11/2019 Cass D2/947
D867,735 S * 11/2019 Owens D2/947
D882,216 S * 4/2020 Zhang D2/960
D882,911 S * 5/2020 Zhang D2/960
D882,920 S * 5/2020 Dean D2/947
D883,630 S * 5/2020 Cass D2/947
D889,797 S * 7/2020 Young D2/951
D895,248 S * 9/2020 Fracassi D2/947
D897,082 S * 9/2020 Belforti D2/947
D900,436 S * 11/2020 Sassi D2/908

D900,449 S * 11/2020 Da Costa Pereira Machado
D2/955
D932,164 S * 10/2021 Wang D2/947
D944,508 S * 3/2022 Portzline D2/947
D950,214 S * 5/2022 Cobb D2/947
D950,905 S * 5/2022 Dunham D2/947
D967,608 S * 10/2022 Lin D2/896
D968,787 S * 11/2022 Dunham D2/947
D974,009 S * 1/2023 Radabaugh D2/947
D988,644 S * 6/2023 Lin D2/902
D994,283 S * 8/2023 Viti D2/912
D1,019,095 S * 3/2024 Dowd D2/947
D1,020,207 S * 4/2024 Cobb D2/951
D1,032,166 S * 6/2024 Engel D2/954
D1,036,824 S * 7/2024 Sheng D2/951
D1,036,835 S * 7/2024 Dean D2/951
D1,052,868 S * 12/2024 Cai D2/947
D1,066,885 S * 3/2025 Silva D2/947
D1,072,431 S * 4/2025 Barsch D2/912
D1,073,281 S * 5/2025 Engel D2/954
D1,075,251 S * 5/2025 Mahoney D2/954
D1,081,093 S * 7/2025 Lin D2/947
2003/0172548 A1 * 9/2003 Fuerst A43B 13/026
36/28
2019/0008232 A1 * 1/2019 Chaney A43B 13/04
2019/0090585 A1 * 3/2019 Loveder A43B 13/223
2019/0104806 A1 * 4/2019 Cass B32B 27/12

OTHER PUBLICATIONS

<https://safetyshoedistributors.com/products/hytest-footrests-high-energy-k13811>, at least as early as Aug. 27, 2023.
<https://www.wolverine.com/US/en/raider-durashocks-heavy-duty-carbonmax-work-wellington/55626M.html>, at least as early as Aug. 27, 2023.
<https://clothesmentor.com/products/boots-snow-by-polo-ralph-lauren-size-7-217-217182-452749-6-2023-10-25-30-pm>, at least as early as Aug. 27, 2023.
<https://www.safgard.com/mens-shoes/products/WWW211130>, at least as early as Aug. 27, 2023.
<https://www.familyfootwearcenter.com/wolverine-w201175-hellcat-ultraspring-composite-toe-non-insulated-work-boots/>, at least as early as Aug. 27, 2023.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7