



US0D1100807S

(12)

United States Design Patent

Beegle et al.

(10) Patent No.: US D1,100,807 S

(45) Date of Patent: ** Nov. 4, 2025

(54) TIRE

(71) Applicant: Bridgestone Americas Tire Operations, LLC, Nashville, TN (US)

(72) Inventors: Peter J. Beegle, Hudson, OH (US); Kyle W. Reed, Hudson, OH (US); Keith A. Dumigan, Kent, OH (US)

(73) Assignee: Bridgestone Americas Tire Operations, LLC, Nashville, TN (US)

(**) Term: 15 Years

(21) Appl. No.: 29/955,131

(22) Filed: Jul. 31, 2024

(51) LOC (15) Cl. 12-15

(52) U.S. Cl. USPC D12/604

(58) Field of Classification Search USPC D12/568–604, 900, 901 CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D511,738 S	11/2005	Maxwell	
D544,830 S	6/2007	Umstot	
D601,080 S	9/2009	Umstot	
D641,314 S	7/2011	Strader	
D671,486 S	11/2012	Rooney	
D673,108 S	12/2012	Kiwaki	
D713,328 S *	9/2014	Umstot	D12/579
D806,006 S	12/2017	Ronan	
D841,568 S *	2/2019	Wada	D12/594
D845,220 S *	4/2019	Petr	D12/594
D847,085 S	4/2019	Wang	

D894,821 S *	9/2020	Petr	D12/594
D895,535 S	9/2020	Jiang	
D913,912 S	3/2021	Sgreccia	
D931,196 S	9/2021	Park	
D951,172 S	5/2022	Hokazono	
D955,324 S	6/2022	Li	
D959,358 S *	8/2022	Davenport	D12/512
D960,082 S	8/2022	Wu	
D962,154 S	8/2022	Veselinovic	
11,511,570 B2 *	11/2022	Wada	B60C 11/1369
D990,411 S	6/2023	Sahashi	
D993,900 S	8/2023	Davis	
D999,721 S	9/2023	Qi	
D1,002,512 S	10/2023	Zhang	
D1,004,538 S	11/2023	Davenport	
D1,005,931 S	11/2023	Sullivan	
D1,010,554 S *	1/2024	Binder	D12/604
D1,012,012 S	1/2024	Wang	

(Continued)

Primary Examiner — John A Voytek

(74) Attorney, Agent, or Firm — Shaun J. Fox

(57) CLAIM

The ornamental design for a tire as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire showing our new design; it being understood that the pattern is repeated throughout the circumference of the tire;

FIG. 2 is a front elevational view thereof; it being understood that the pattern is repeated throughout the circumference of the tire;


FIG. 3 is a side elevational view of the left side thereof;

FIG. 4 is a side elevational view of the right side thereof; and,

FIG. 5 is an enlarged fragmentary side elevational view thereof.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D1,016,727	S		3/2024	Geng	
D1,021,759	S	*	4/2024	Li	D12/579
D1,053,795	S	*	12/2024	Binder	D12/594
D1,065,021	S	*	3/2025	Endo	D12/604
D1,065,042	S	*	3/2025	Sakamoto	D12/604
D1,081,528	S	*	7/2025	Binder	D12/579
D1,084,971	S	*	7/2025	Digman	D12/595
D1,086,983	S	*	8/2025	Dupre'	D12/604

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5