



US0D1101634S

(12) **United States Design Patent** (10) **Patent No.: US D1,101,634 S**
Wisirenko et al. (45) **Date of Patent: ** Nov. 11, 2025**

(54) **TRAILER HITCH**

(71) Applicant: **ACPS Automotive GmbH**, Ingersheim
(DE)

(72) Inventors: **Pascal Wisirenko**, Eberdingen (DE);
Aleksej Kadnikov, Leonberg (DE);
Wolfgang Gentner, Steinheim (DE);
Michael Schymkowski, Fellbach (DE)

(73) Assignee: **ACPS Automotive GmbH**, Ingersheim
(DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/912,067**

(22) Filed: **Sep. 13, 2023**

(30) **Foreign Application Priority Data**

Mar. 16, 2023 (EM) 015014737

(51) **LOC (15) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/162**

(58) **Field of Classification Search**
USPC D12/159, 160, 161, 162, 400, 317;
D21/777, 810

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D394,068 S 5/1998 Pollrich et al.
D467,254 S 12/2002 Ullrich
(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/539,144, filed Sep. 11, 2015, Christensen.
(Continued)

Primary Examiner — Katrina A Betton

(74) *Attorney, Agent, or Firm* — Reinhart Boerner Van
Deuren P.C.

(57) **CLAIM**

The ornamental design for the trailer hitch, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view in a driving direction on the
front side and right hand side of the trailer hitch mounted on
a portion of a cross beam in an operative position according
to an embodiment;

FIG. 2 is a front view thereof;

FIG. 3 is a right hand side view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a left hand side view thereof;

FIG. 6 is top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view of the same trailer hitch as
shown in FIG. 1 in the same operative position, but not
mounted on a portion of a cross beam;

FIG. 9 is a front view of FIG. 8;

FIG. 10 is a right hand side view of FIG. 8;

FIG. 11 is a back view of FIG. 8;

FIG. 12 is a left hand side view of FIG. 8;

FIG. 13 is top view of FIG. 8;

FIG. 14 is a bottom view of FIG. 8;

FIG. 15 is a perspective view of the same trailer hitch as
shown in FIG. 1 mounted on a portion of a cross beam, but
in a rest position rather than the operative position shown in
FIG. 1;

FIG. 16 is a front view of FIG. 15;

FIG. 17 is a right hand side view of FIG. 15;

FIG. 18 is a back view of FIG. 15;

FIG. 19 is a left hand side view of FIG. 15;

FIG. 20 is top view of FIG. 15;

FIG. 21 is a bottom view of FIG. 15;

FIG. 22 is a perspective view of the same trailer hitch as
shown in FIG. 1, but shown in the same rest position as in
FIG. 15, and without being mounted on a portion of a cross
beam like FIG. 8;

FIG. 23 is a front view of FIG. 22;

FIG. 24 is a right hand side view of FIG. 22;

(Continued)




FIG. 25 is a back view of FIG. 22;
FIG. 26 is a left hand side view of FIG. 22;
FIG. 27 is top view of FIG. 22; and,
FIG. 28 is a bottom view of FIG. 22.
The dot-dashed break lines shown in FIGS. 1-7, and 15-21 indicate a symbolic break in length of a tubular cross beam support to which the trailer hitch is mounted. The break lines and the appearance of any portion of the article between the break lines forms no part of the claimed design.
The dashed broken lines in FIGS. 1-7, and 15-21 represent structures or features that form no part of the claim design.

1 Claim, 28 Drawing Sheets

(58) **Field of Classification Search**
CPC . B60D 1/60; B60D 1/065; B60D 1/00; B60D 1/06; B60D 1/36
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D479,247 S 9/2003 Ullrich
D531,194 S 10/2006 Hertenstein et al.
D538,826 S 3/2007 Kienzle
D595,748 S 7/2009 Kratschmer
D684,197 S 6/2013 Kienzle et al.
D690,324 S 9/2013 Kienzle et al.
D709,524 S 7/2014 Ohser et al.
D717,344 S 11/2014 Ohser et al.
D732,641 S 6/2015 Hermann
D733,764 S 7/2015 Ohser

D745,896 S 12/2015 Ohser et al.
D761,326 S 7/2016 Kienzle et al.
D763,323 S 8/2016 Mikulic
D777,213 S 1/2017 Ohser
D777,794 S 1/2017 Wipper et al.
D829,771 S 10/2018 Loerch et al.
D840,438 S 2/2019 Mikulic et al.
D892,174 S 8/2020 Wipper et al.
D892,978 S 8/2020 Mikesch et al.
D894,967 S 9/2020 Loerch et al.
D930,041 S 9/2021 Freiberg
D930,042 S 9/2021 Wipper
D930,044 S 9/2021 Wipper
D930,712 S 9/2021 Freiberg
D954,178 S 6/2022 Mikesch et al.
D964,223 S * 9/2022 Olaru D12/162
D1,015,226 S * 2/2024 Bangalore Srinivas D12/162
D1,030,565 S * 6/2024 Gammill D12/162
D1,043,311 S * 9/2024 Xu D12/162
D1,043,461 S * 9/2024 Ritchey D12/162
D1,047,787 S * 10/2024 Winters D12/162
D1,057,610 S * 1/2025 Ritchey D12/162
D1,060,144 S * 2/2025 Luo D12/162
D1,062,431 S * 2/2025 Pimlott D12/162
D1,063,725 S * 2/2025 McCall D12/162
D1,063,726 S * 2/2025 McCall D12/162
D1,068,517 S * 4/2025 Kuo D12/162
D1,070,670 S * 4/2025 Watson D12/162

OTHER PUBLICATIONS

U.S. Appl. No. 29/777,600, filed Apr. 7, 2021, Freiberg.
U.S. Appl. No. 29/777,602, filed Apr. 7, 2021, Mikulic et al.
U.S. Appl. No. 29/852,030, filed Sep. 2, 2022, Friedrich et al.
U.S. Appl. No. 29/869,514, filed Jan. 3, 2023, Mikulic et al.

* cited by examiner




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15




FIG 16




FIG 17




FIG 18




FIG 19




FIG 20




FIG 21




FIG 22




FIG 23




FIG 24




FIG 25




FIG 26




FIG 27




FIG 28