



US0D1102361S

(12)

United States Design Patent

Fujita et al.

(10) Patent No.: US D1,102,361 S

(45) Date of Patent: ** Nov. 18, 2025

(54) TIRE TREAD

(71) Applicant: BRIDGESTONE CORPORATION,
Tokyo (JP)

(72) Inventors: Shungo Fujita, Tokyo (JP); Keigo
Saito, Tokyo (JP); Takaaki Kojima,
Tokyo (JP)

(73) Assignee: BRIDGESTONE CORPORATION,
Tokyo (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/957,951

(22) Filed: Aug. 16, 2024

(30) Foreign Application Priority Data

Mar. 4, 2024 (JP) 2024-004481 D
(51) LOC (15) Cl. 12-15
(52) U.S. Cl.
USPC D12/579
(58) Field of Classification Search
USPC D12/568-604, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D700,133 S * 2/2014 Takahashi D12/900
D763,781 S * 8/2016 Ashton D12/579
D766,166 S * 9/2016 Uphouse D12/579
D802,523 S * 11/2017 Uphouse D12/579
D845,886 S * 4/2019 Shondel D12/594
D886,712 S * 6/2020 Davis D12/579
D912,610 S * 3/2021 Wada D12/579

D975,623 S * 1/2023 Fox D12/579
D990,411 S * 6/2023 Sahashi D12/579
D993,900 S * 8/2023 Davis D12/579
D1,001,722 S * 10/2023 Digman D12/579

(Continued)

Primary Examiner — John A Voytek
(74) Attorney, Agent, or Firm — KENJA IP LAW PC


(57) CLAIM

The ornamental design for a tire tread as shown and
described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire tread showing our
new design;
FIG. 2 is a front view thereof, the back view being identical;
FIG. 3 is a top view thereof, the bottom view being identical;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a fragmentary enlarged front view thereof taken
along line 6-6 in FIG. 2;
FIG. 7 is a cross sectional end view taken along line 7-7 in
FIG. 6;
FIG. 8 is a cross sectional end view taken along line 8-8 in
FIG. 6;
FIG. 9 is a cross sectional end view taken along line 9-9 in
FIG. 6;
FIG. 10 is a cross sectional end view taken along line 10-10
in FIG. 6; and,
FIG. 11 is a cross sectional end view taken along line 11-11
in FIG. 6.
The broken lines in the drawings illustrate features of a tire
tread that are not being claimed, and form no part of the
claimed design. The light stippled surface shading repre-
sents the surface of the tire tread, and the dark stippled
surface shading represents the recessed portion of the tread
grooves, having the depth as shown in FIGS. 7, 8, 9, 10 and
11.

1 Claim, 11 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

 D1,053,113 S * 12/2024 Wang D12/579
2024/0109374 A1 * 4/2024 Karasawa B60C 11/1204

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

