



US0D1102428S

(12)

United States Design Patent

Nishizawa

(10)

Patent No.:

US D1,102,428 S

(45)

Date of Patent:

** Nov. 18, 2025

(54) INPUT DEVICE

(71) Applicant: Wacom Co., Ltd., Kazo (JP)

(72) Inventor: Naoya Nishizawa, Tokyo (JP)

(73) Assignee: Wacom Co., Ltd., Kazo (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/962,871

(22) Filed: Sep. 13, 2024

(30) Foreign Application Priority Data

Mar. 14, 2024 (JP) 2024-005318 D

(51) LOC (15) Cl. 14-02

(52) U.S. Cl.

USPC D14/411

(58) Field of Classification Search

USPC D14/411, 480.3, 264; D19/115, 117,

D19/156, 163, 164, 168, 170, 173, 174;

178/18.01, 18.07, 19.04; 345/156, 157,

345/158, 173, 179

CPC B43K 21/08; B43K 29/02; B43K 29/0875;

B43K 7/005; F16B 11/006; F16B 2/22;

F16B 9/023

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D682,833 S * 5/2013 Paschke D14/411

D705,780 S * 5/2014 Nishizawa D14/411

D781,859 S * 3/2017 Magi D14/411

D799,487 S * 10/2017 Nishizawa D14/411

D799,488 S * 10/2017 Nishizawa D14/411

D811,401 S * 2/2018 Lehman D14/411

D812,060 S * 3/2018 Lehman D14/411

D826,940 S * 8/2018 Nishizawa D19/934

D848,425 S * 5/2019 Lam D14/411

D848,426 S * 5/2019 Nishizawa D14/411

D856,335 S * 8/2019 Lam D14/411

D879,098 S * 3/2020 Wu D14/411

D887,412 S * 6/2020 Nishizawa D14/411

D892,118 S * 8/2020 Yeo D14/411

D893,412 S * 8/2020 Steadman D13/103

D895,620 S * 9/2020 Vadenne D14/411

D896,811 S * 9/2020 Nishizawa D14/411

D896,812 S * 9/2020 Nishizawa D14/411

D911,341 S * 2/2021 Nishizawa D14/411

D911,342 S * 2/2021 Menendez D14/411

D917,481 S * 4/2021 Nishizawa D14/411

D917,484 S * 4/2021 Huebner D14/411

D918,207 S * 5/2021 Kim D14/411

D920,979 S * 6/2021 Lam D14/411

D940,142 S * 1/2022 Kanno D14/411

(Continued)

Primary Examiner — Austin Murphy

(74) Attorney, Agent, or Firm — CHRISTENSEN

O’CONNOR JOHNSON KINDNESS PLLC

(57) CLAIM

The ornamental design for an input device, as shown and described.

DESCRIPTION

FIG. 1 is a front-right-top perspective view of an input device according to my new design, wherein a top portion is attached to a base portion;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left-side elevational view thereof;


FIG. 7 is a right-side elevational view thereof;

FIG. 8 is an enlarged left-side elevational view thereof; and,

FIG. 9 is an enlarged right-side elevational view thereof.

The dashed broken lines in the drawings show portions of the input device that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D967,102	S	*	10/2022	Lee	D14/411
D1,003,897	S	*	11/2023	Guack	D14/411
D1,007,509	S	*	12/2023	Lee	D14/411
D1,066,341	S	*	3/2025	Tanaka	D14/411
D1,081,668	S	*	7/2025	Nishizawa	D14/411

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9