



US0D1103110S

(12)

United States Design Patent

Rupert

(10)

Patent No.:

US D1,103,110 S

(45)

Date of Patent:

** Nov. 25, 2025

(54) HERMAPHRODITIC ELECTRICAL
TERMINAL FOR AN ELECTRICAL
RECEPTACLE

6,036,517 A

3/2000

Byrne

6,406,314 B1

6/2002

Byrne

6,575,777 B2

6/2003

Henriott et al.

D478,315 S *

8/2003

Kondas D13/148

D478,317 S *

8/2003

Harper D13/148

(Continued)

(71) Applicant: Group Dekko, Inc., Fort Wayne, IN
(US)

(72) Inventor: Brian K. Rupert, Kendallville, IN (US)

(73) Assignee: Group Dekko, Inc., Fort Wayne, IN
(US)

(**) Term: 15 Years

(21) Appl. No.: 29/936,593

(22) Filed: Apr. 9, 2024

(51) LOC (15) Cl. 13-02

(52) U.S. Cl.
USPC D13/120

(58) Field of Classification Search
USPC D13/118–121, 133, 146–149, 154, 184,
D13/199
CPC H01R 31/02; H01R 25/162; H01R 13/11
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,551,577 A

11/1985

Byrne

4,959,021 A

9/1990

Byrne

4,990,110 A *

2/1991

Byrne H01R 13/11
439/861

5,035,639 A *

7/1991

Kilpatrick H01R 13/28
439/850

5,087,207 A

2/1992

Byrne

5,096,431 A

3/1992

Byrne

5,096,434 A

3/1992

Byrne

5,171,159 A

12/1992

Byrne

5,259,787 A

11/1993

Byrne

5,941,720 A

8/1999

Byrne

6,027,352 A

2/2000

Byrne

FOREIGN PATENT DOCUMENTS

CN

305113322

*

4/2019

KR

301056975.0000

*

5/2020

OTHER PUBLICATIONS

TE Connectivity P&B, posted May 23, 2011 [online], [retrieved Aug. 13, 2025]. Retrieved from internet, <https://www.mouser.com/ProductDetail/TE-Connectivity-PB/1971567-1?qs=kOrxwh0XC00nji%2F%252BNnGcjlw> (Year: 2011).*

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Denis Houyoux

(74) Attorney, Agent, or Firm — TAYLOR &
EDELSTEIN, PC


(57) CLAIM

The ornamental design for a hermaphroditic electrical terminal for an electrical receptacle as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hermaphroditic electrical terminal for an electrical receptacle showing my new design; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a side view thereof; FIG. 5 is an opposite side view thereof; FIG. 6 is an end view thereof; FIG. 7 is an opposite end view thereof; FIG. 8 is a perspective view of another embodiment of the hermaphroditic electrical terminal for an electrical receptacle showing my new design; and, FIG. 9 is a top view of the embodiment shown in FIG. 8.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D486,790 S * 2/2004 Kondas D13/133
D492,255 S * 6/2004 Kondas D13/148
6,835,081 B2 12/2004 Plattner et al.
6,991,485 B2 1/2006 Plattner et al.
7,465,178 B2 12/2008 Byrne
7,494,356 B2 2/2009 Byrne
D589,903 S * 4/2009 Duan D13/149
7,585,180 B2 9/2009 Riner et al.
7,688,564 B2 3/2010 Byrne
7,690,934 B2 4/2010 Riner
7,699,631 B2 4/2010 Knepper
7,926,231 B2 4/2011 Laukuf
8,262,401 B1 * 9/2012 Byrne H01R 25/162
439/215

8,444,425 B2 5/2013 Byrne
9,048,598 B2 6/2015 Byrne et al.
9,166,308 B2 10/2015 Byrne
D767,500 S * 9/2016 Byrne D13/154
9,438,023 B2 9/2016 Ty et al.
10,218,135 B2 2/2019 Byrne
10,910,780 B2 2/2021 Byrne
11,527,875 B2 12/2022 Riner
D1,004,555 S * 11/2023 Chapman D13/149
2007/0259548 A1 11/2007 Byrne
2009/0239402 A1 9/2009 Byrne
2019/0386441 A1 12/2019 Byrne

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9