



US0D1103605S

(12)

United States Design Patent

James

(10)

Patent No.:

US D1,103,605 S

(45)

Date of Patent:

** Dec. 2, 2025

(54) **SHOE UPPER**

(71) Applicant: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)

(72) Inventor: **Andrew James**, Santa Monica, CA (US)

(73) Assignee: **Skechers U.S.A., Inc. II**, Manhattan Beach, CA (US)

(**) Term: **15 Years**

D817,609	S	*	5/2018	Boys		D2/908
D878,729	S	*	3/2020	Van De Stouwe		D2/969
D880,835	S	*	4/2020	Lee		D2/972
D895,234	S	*	9/2020	Motoki		D2/907
D899,036	S	*	10/2020	Van De Stouwe		D2/907
D899,037	S	*	10/2020	Van De Stouwe		D2/907
D909,022	S	*	2/2021	Patt		D2/907
D912,386	S	*	3/2021	Murphy-Reinhertz		D2/969
D913,674	S	*	3/2021	Suh		D2/969
D922,039	S	*	6/2021	Xue		D2/908
D925,186	S	*	7/2021	Braithwaite		D2/969
D932,144	S	*	10/2021	Fu		D2/908
D941,562	S	*	1/2022	Fu		D2/908

(Continued)

(21) Appl. No.: **29/989,398**

(22) Filed: **Feb. 12, 2025**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/963,853, filed on Sep. 19, 2024.

(51) **LOC (15) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/969**

(58) **Field of Classification Search**
USPC D2/896, 900, 902, 904, 906–908, D2/916–924, 925–945, 969–979
CPC A43B 1/00; A43B 1/10; A43B 1/12; A43B 1/14; A43B 3/00; A43B 3/10; A43B 3/12; A43B 3/14; A43B 5/00; A43B 5/001; A43B 5/002; A43B 5/003; A43B 5/007; A43B 5/008; A43B 5/02; A43B 5/06; A43B 5/10; A43B 5/12; A43B 5/14; A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/14; A43B 13/141; A43B 13/18; A43B 13/181
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D811,701	S	*	3/2018	Tæstensen		D2/907
D816,308	S	*	5/2018	Boys		D2/908

Primary Examiner — Jonathan J Han

(74) Attorney, Agent, or Firm — Marshall A. Lerner; Steven J. Kim; Kleinberg & Lerner, LLP

(57) **CLAIM**


The ornamental design for a shoe upper as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the shoe upper in accordance with my new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The translucent and white-out portions form no part of the claimed design. A dot-dash broken line is provided to define the boundary between the midsole periphery and upper and the dot-dash broken line forms no part of the claimed design. The dash-dash broken lines shown in the drawings represent portions of the shoe and environmental structure that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D943,246	S	*	2/2022	Du	D2/897
D947,504	S	*	4/2022	Mazza	D2/908
D956,391	S	*	7/2022	Small	D2/907
D996,780	S	*	8/2023	Du	D2/908
D1,018,005	S	*	3/2024	Corcoran-Tadd	D2/969
D1,028,429	S	*	5/2024	Liu	D2/902
D1,032,152	S	*	6/2024	Du	D2/907
D1,032,153	S	*	6/2024	Piccioli	D2/907
D1,035,223	S	*	7/2024	Zhuang	D2/908
D1,041,130	S	*	9/2024	Wu	D2/902
D1,055,475	S	*	12/2024	Kim	D2/902
D1,062,180	S	*	2/2025	James	D2/947
D1,065,784	S	*	3/2025	Guarnier	D2/944
D1,066,883	S	*	3/2025	Chen	D2/907
D1,067,592	S	*	3/2025	Kim	D2/944
D1,067,604	S	*	3/2025	Kim	D2/972

* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7