



US0D1103898S

(12)

United States Design Patent

Schultz et al.

(10)

Patent No.:

US D1,103,898 S

(45)

Date of Patent:

** Dec. 2, 2025

(54) TIRE

(71) Applicant: Bridgestone Americas Tire Operations, LLC, Nashville, TN (US)

(72) Inventors: David E. Schultz, Stow, OH (US); Keith A. Dumigan, Kent, OH (US); Jason Sharratt, Seville, OH (US); Zachary A. Sterba, Akron, OH (US)

(73) Assignee: Bridgestone Americas Tire Operations, LLC, Nashville, TN (US)

(**) Term: 15 Years

(21) Appl. No.: 29/953,642

(22) Filed: Jul. 23, 2024

(51) LOC (15) Cl. 12-15

(52) U.S. Cl. USPC D12/604

(58) Field of Classification Search USPC D12/568-604, 900, 901 CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D379,952 S	6/1997	Morgan	
D399,799 S	10/1998	Dunlap	
D570,280 S	6/2008	Lo	
D601,948 S *	10/2009	Bonko	D12/579
D656,086 S *	3/2012	Herbeuval	D12/579
D713,328 S	9/2014	Umstot	
D728,457 S	5/2015	Reim	
D742,800 S	11/2015	Hutz	
D763,781 S *	8/2016	Ashton	D12/579
D766,166 S *	9/2016	Uphouse	D12/579

D802,523 S *	11/2017	Uphouse	D12/579
D818,424 S *	5/2018	Podlovits	D12/579
D843,927 S *	3/2019	Canankamp	D12/579
D845,887 S *	4/2019	Shondel	D12/580
D855,560 S *	8/2019	Scheifele	D12/604
D886,712 S	6/2020	Davis	
D974,998 S *	1/2023	Leocadio	D12/579
D975,623 S *	1/2023	Fox	D12/579
D993,900 S *	8/2023	Davis	D12/579
D1,001,722 S *	10/2023	Digman	D12/579
D1,034,424 S *	7/2024	Lamb	D12/600
D1,045,766 S *	10/2024	Dag	D12/579

(Continued)

FOREIGN PATENT DOCUMENTS

CN	301530162	4/2011
CN	303531078	12/2015

(Continued)

Primary Examiner — John A Voytek
(74) Attorney, Agent, or Firm — Shaun J. Fox


(57) CLAIM

The ornamental design for a tire as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire;
FIG. 2 is a front elevational view thereof; it being understood that the tread pattern is repeated throughout the circumference of the tire;
FIG. 3 is a side elevational view of the left side thereof;
FIG. 4 is a side elevational view of the right side thereof; and,
FIG. 5 is an enlarged fragmentary front elevational view thereof.
In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D1,053,113	S	*	12/2024	Wang		D12/579
D1,084,966	S	*	7/2025	Csepe		D12/579
D1,086,983	S	*	8/2025	Dupre'		D12/604

FOREIGN PATENT DOCUMENTS

CN	304605878		5/2018
CN	304742047		7/2018
CN	304772065		8/2018
CN	306140188	S	10/2020
CN	306839144	S	9/2021

* cited by examiner




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5