US0D1107628S

(12) United States Design Patent

Chiang

(10) Patent No.: US D1,107,628 S
(45) Date of Patent: ** Dec. 30, 2025

(54) **SPOILER BRACKET SET**

(71) Applicant: **Man Kit Chiang**, Dublin, CA (US)

(72) Inventor: **Man Kit Chiang**, Dublin, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/880,717**

(22) Filed: **Jul. 26, 2023**

(51) **LOC (15) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/223**

(58) **Field of Classification Search**
USPC D8/382, 349, 354; D12/181, 223, 400
CPC B60R 2011/004; B60R 2011/0052; B60R 2011/0066; B62D 35/007; B62D 37/02; Y10S 180/903; Y02T 10/82
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D436,310	S	*	1/2001	Arnold	D8/354
D548,668	S	*	8/2007	Walton	D8/395
D712,816	S	*	9/2014	Maholick	D12/223
D727,810	S	*	4/2015	Beaven	D12/181
D773,372	S	*	12/2016	Badillo	D12/223
D789,564	S	*	6/2017	Lopez	D25/199
D855,439	S	*	8/2019	Schmonsees	D8/349
D870,005	S	*	12/2019	Yamashita	D12/181
D881,091	S	*	4/2020	Smith	D12/181
D920,863	S	*	6/2021	Lenglin	D12/181
D942,245	S	*	2/2022	Gualtieri	D8/354
D945,857	S	*	3/2022	Smith	D8/354
D956,639	S	*	7/2022	Li	D12/181
D997,692	S	*	9/2023	Hamel	D8/349
D1,003,691	S	*	11/2023	Smith	D8/354
D1,020,575	S	*	4/2024	Willis	D12/181
D1,037,087	S	*	7/2024	Smith	D8/382
D1,040,048	S	*	8/2024	Liu	D12/181
D1,040,718	S	*	9/2024	Liu	D12/181
D1,049,970	S	*	11/2024	Yamashita	D12/181
D1,052,391	S	*	11/2024	Muertter	D8/382
D1,055,183	S	*	12/2024	Pritchett	D8/381
D1,068,448	S	*	4/2025	Smith	D8/354
D1,068,449	S	*	4/2025	Myers	D8/354

(Continued)

FOREIGN PATENT DOCUMENTS

CN	302340759	*	3/2013
CN	302403285	*	4/2013

(Continued)

Primary Examiner — Justin M Jonaitis

(57) **CLAIM**

The ornamental design for a spoiler bracket set, as shown and described.

DESCRIPTION

FIG. **1** is a top-front-left perspective view of a spoiler bracket set showing my new design;
FIG. **2** is a bottom-front-left perspective view thereof;
FIG. **3** is a top-rear-right perspective view thereof;
FIG. **4** is a bottom-rear-right perspective view thereof;
FIG. **5** is a front elevational view thereof;
FIG. **6** is a rear elevational view thereof;
FIG. **7** is a top plan view thereof;
FIG. **8** is a bottom plan view thereof;
FIG. **9** is a right elevational view thereof;
FIG. **10** is a left elevational view thereof;
FIG. **11** is a top-front-left perspective view thereof, wherein the spoiler bracket set is shown with two attachment portions; and,
FIG. **12** is a bottom-rear-right perspective view thereof.

The broken lines showing of the attachment elements, in FIGS. **11** and **12**, illustrates the environment of the claimed design and forms no part thereof. The remaining broken lines in the drawings illustrate portions of the spoiler bracket set and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2017/0297636	A1*	10/2017	Shinedling	B62D 35/007
2018/0093717	A1*	4/2018	Charpentier	B62D 37/02
2020/0391666	A1*	12/2020	Weyrauch	B60R 21/026
2022/0041228	A1*	2/2022	Cunningham	B62D 35/007

FOREIGN PATENT DOCUMENTS

CN	308943368	*	11/2024
IN	404785-001	*	3/2024
IN	444691-001	*	5/2025
KR	301123043.0000	*	8/2021

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12