US0D1116013S

(12) United States Design Patent

Nall

(10) Patent No.: US D1,116,013 S
(45) Date of Patent: ** Mar. 3, 2026

(54) **SHOWER NOZZLE**

(71) Applicant: **Casey Jay Nall**, Texas City, TX (US)

(72) Inventor: **Casey Jay Nall**, Texas City, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/831,149**

(22) Filed: **Mar. 17, 2022**

(51) **LOC (15) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/263**

(58) **Field of Classification Search**
USPC D23/213, 223, 224, 225, 226, 227, 228, D23/229, 230, 259, 262, 263, 266
CPC A61H 33/6036; B05B 15/63; B05B 15/65; B05B 15/652; B05B 1/18; B05B 1/185
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,844,586	A *	10/1974	Olen	E03C 1/086	285/8
D263,865	S *	4/1982	Yamin	D23/230	
4,360,159	A	11/1982	Haynes		
5,220,697	A *	6/1993	Birchfield	A47K 3/281	74/544
5,230,106	A *	7/1993	Henkin	B05B 3/04	4/615
D434,834	S *	12/2000	Goto	D23/262	
6,164,570	A *	12/2000	Smeltzer	F16L 11/18	138/120
D438,938	S *	3/2001	Cleek	D23/263	
6,511,001	B1 *	1/2003	Huang	B05B 15/652	285/272
6,629,651	B1	10/2003	Male		
D590,915	S *	4/2009	Saxon	D23/213	
D598,985	S *	8/2009	Smith	D23/259	
D666,278	S *	8/2012	Mitchell	D23/263	
D686,306	S *	7/2013	Grether	D23/264	
D705,402	S *	5/2014	Yu	D23/262	
D799,000	S *	10/2017	Chen	D23/259	
D802,102	S *	11/2017	Mursu	D32/31	
9,855,569	B2	1/2018	Honeyands		
D849,821	S *	5/2019	England	D16/242	
10,386,219	B2	8/2019	Joyer		
D908,849	S *	1/2021	Decaria	D23/263	
D937,972	S *	12/2021	Lu	D23/226	
D938,551	S *	12/2021	Lu	D23/226	
2012/0074687	A1 *	3/2012	Mitchell	F16L 43/002	285/179
2015/0345116	A1 *	12/2015	Chan	F16L 33/28	4/615
2016/0346889	A1 *	12/2016	Gong	B05B 15/62	

(Continued)

OTHER PUBLICATIONS

Ltwfitting Brass Pipe 45 Deg, May 21, 2015, Amazon, site visited Mar. 12, 2024: https://www.amazon.com/dp/B00XZWO2TU/ (Year: 2015).*

(Continued)

Primary Examiner — Jack Reickel
Assistant Examiner — Bobby W Jones, II

(57) **CLAIM**

The ornamental design for a shower nozzle, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a shower nozzle showing my new design;
FIG. **2** is a front view thereof;
FIG. **3** is a left side view thereof;
FIG. **4** is a right side view thereof;
FIG. **5** is a bottom plan view thereof;
FIG. **6** is a top plan view thereof; and,
FIG. **7** is a rear view thereof.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2017/0135529 A1 5/2017 Joyer

OTHER PUBLICATIONS

MaxLine Rapid Air Thread Brass Street Elbow Fitting, Apr. 23, 2019, Amazon, site visited Mar. 12, 2024: https://www.amazon.com/dp/B07QZZWWPN/ (Year: 2019).*
Handhold Shower Elbow Adapter, Nov. 29, 2019, Amazon, site visited Mar. 12, 2024: https://www.amazon.com/dp/B08245Q1BD/ (Year: 2019).*
135 Degree Shower Elbow Adapter, Dec. 28, 2021, Amazon, site visited Mar. 12, 2024: https://www.amazon.com/dp/B09P9SY9WX/ (Year: 2021).*
High Sierra's All Metal 1.5 Gpm High Efficiency Low Flow Showerhead, Retrieved from Internet, Retrieved on Nov. 30, 2021 <URL: https://www.amazon.com/High-Sierras-Efficiency-Showerhead-Available/dp/B001W2CEYA>.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7