



US0D1125015S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,125,015 S**
Christensen et al. (45) **Date of Patent:** **** May 5, 2026**

(54) **MODEL VEHICLE RIBBED TIRE**
(71) Applicant: **TRAXXAS, L.P.**, McKinney, TX (US)
(72) Inventors: **Casey Christen Jens Christensen**,
Trenton, TX (US); **Jory Sprowl**, Howe,
TX (US); **Skylar Hagler**, Anna, TX
(US); **Randy Perez**, McKinney, TX
(US); **Terry Soward**, Van Alstyne, TX
(US); **Otto Karl Allmendinger**,
Rowlett, TX (US); **Adam Cole Ewing**,
McKinney, TX (US); **Kent Poteet**,
Lucas, TX (US)

(73) Assignee: **TRAXXAS, L.P.**, McKinney, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/989,546**

(22) Filed: **Feb. 13, 2025**

(51) **LOC (15) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/506**

(58) **Field of Classification Search**
USPC D12/500-532, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D142,691 S	*	10/1945	Billingsley	D12/577
D149,663 S	*	5/1948	Nellen	D12/591
D208,685 S		9/1967	Evans, Jr.		
D213,752 S	*	4/1969	Hawkinson	D12/591
D223,015 S	*	2/1972	Beyers	152/209.8
D266,919 S		11/1982	Bennett		
D268,663 S		4/1983	Bennett		
D296,544 S		7/1988	Matsushita et al.		
D301,859 S		6/1989	Igarashi		
D301,999 S		7/1989	Fujiki		

D309,442 S	7/1990	Okada
D310,985 S	10/1990	Covert et al.
D329,413 S	9/1992	Chandler
D400,141 S	10/1998	Maxwell
D428,587 S	7/2000	Maxwell
D440,913 S	4/2001	McMannis
D467,223 S	12/2002	Baker et al.

(Continued)

OTHER PUBLICATIONS

Goodyear Tires, "Wrangler MT/R" web page; http://www.goodyear tires.com/goodyear tires selector/display_tire.jsp?prodline=Wrangler+MT%2FR&mrktarea=Light+Truck&treadwidth=&aspectratio=&rimdiameter=&sidewall.

(Continued)

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Daryl R. Wright; Greg Carr

(57) **CLAIM**


The ornamental design for a model vehicle ribbed tire as shown and described.

DESCRIPTION

FIG. 1 is a top, left, front perspective view of a model vehicle ribbed tire showing our new design; FIG. 2 is a bottom, left, front perspective view thereof; FIG. 3 is a top, right, rear perspective view thereof; FIG. 4 is a bottom, right, rear perspective view thereof; FIG. 5 is a front elevation view thereof; FIG. 6 is a rear elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a left-side elevation view thereof; and, FIG. 10 is a right-side elevation view of a model vehicle ribbed tire.

In the drawings, the broken lines illustrate portions of the model vehicle ribbed tire that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D505,108 S * 5/2005 Bonko D12/506
 D511,738 S 11/2005 Maxwell
 D512,369 S 12/2005 Lo
 D522,450 S 6/2006 Gerasimczuk
 D524,725 S 7/2006 Gerasimczuk
 D534,485 S 1/2007 Makamura
 D535,610 S 1/2007 Morito et al.
 D560,596 S 1/2008 Sakakibara et al.
 D578,956 S 10/2008 Dixon et al.
 D619,529 S 7/2010 Georges et al.
 D621,342 S 8/2010 Osaka
 D627,709 S 11/2010 Harvey et al.
 D634,265 S 3/2011 Shan et al.
 D668,204 S 10/2012 Leendertse et al.
 D709,436 S 7/2014 Ikeki
 D713,328 S 9/2014 Umstot et al.
 D720,683 S 1/2015 Boore et al.
 D743,874 S 11/2015 Philipot et al.
 D766,164 S * 9/2016 Chen D12/544
 D806,640 S 1/2018 Petr
 D810,663 S 2/2018 Chen
 D813,791 S 3/2018 Wang et al.
 D830,959 S 10/2018 Fontaine et al.
 D840,478 S 2/2019 Sprowl et al.
 D904,530 S 12/2020 Sprowl et al.
 D918,127 S 5/2021 Geng et al.

D950,478 S 5/2022 Carloni et al.
 D961,495 S 8/2022 Bonifas
 D972,491 S 12/2022 Wang et al.
 D973,576 S 12/2022 Kreitzman et al.
 D1,002,510 S * 10/2023 Geng D12/571
 D1,004,531 S 11/2023 Sejalon et al.
 D1,011,268 S * 1/2024 Geng D12/544
 D1,019,532 S 3/2024 Kleinschuster
 D1,030,615 S * 6/2024 Zhao D12/506
 D1,035,561 S 7/2024 Abbati et al.
 D1,045,763 S 10/2024 Thornburg
 D1,067,168 S 3/2025 Ewing et al.
 2008/0023116 A1 * 1/2008 Mayni B60C 11/24
 152/154.2

OTHER PUBLICATIONS

Kumho Tire; <http://www.kumhousa.com/tire/category/truck-suv/F8656BD8-0A87-4166-82B5-0DF52D4AC17E>; Sep. 2016.
 Traxxas Tires, Maxx AT; Traxxas Website; Available on the Internet, URL <https://traxxas.com/products/parts/7770X>; Sep. 2016.
 Screenshot and detail from Traxxas.com: Tires and wheels, assembled, glued (2.6" black, satin chrome-plated Mercedes-Benz G 500 4x42 wheels, 2.6" tires(2)/center caps (2) (requires #8255A extended stub axle). Undated; one page. Found online Nov. 6, 2019 at <https://traxxas.com/products/parts/8872> (Year: 2019).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10