US0D1136811S

(12) United States Design Patent

Owens et al.

(10) Patent No.: US D1,136,811 S
(45) Date of Patent: ** Jul. 28, 2026

(54) **PRODUCT TRANSPORT CONTAINER**

(71) Applicant: **VESTURE LLC**, Charlotte, NC (US)

(72) Inventors: **Byron C. Owens**, Asheboro, NC (US); **Glinda Goodson**, Asheboro, NC (US); **Miso Lim**, Asheboro, NC (US); **Henry Chad Brown**, Asheboro, NC (US)

(73) Assignee: **Vesture LLC**, Asheboro, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/845,878**

(22) Filed: **Jul. 11, 2022**

Related U.S. Application Data

(63) Continuation of application No. 29/737,859, filed on Jun. 12, 2020, now Pat. No. Des. 957,199.

(51) **LOC (15) Cl.** **07-10**

(52) **U.S. Cl.**
USPC **D7/605**

(58) **Field of Classification Search**
USPC D7/313, 600, 601, 602, 603, 605, 607, D7/608, 609, 703, 705
CPC A45C 11/20; A45C 5/00; A47G 23/0241; A47G 23/04; A45F 3/02; A45F 3/04; A45F 2003/006; A45F 2003/002; A61J 1/03; A61J 1/00; B65D 81/3886; B65D 81/00; B65D 81/02; B65D 81/18; B65D 81/38; B65D 81/3825; B65D 1/00; B65D 1/22; B65D 81/2015; B65D 81/2038; B65D 81/3806; B65D 81/3813; B65D 81/3818; B65D 81/383; F25D 2331/801; F25D 2331/8014; F25D 2331/809; F25D
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D191,089 S * 8/1961 Anderson D24/217
4,598,746 A * 7/1986 Rabinowitz A45C 3/00 383/110
D290,080 S * 6/1987 Carlson D7/605
(Continued)

Primary Examiner — Jae Liang
Assistant Examiner — Darryl J Dardenne
(74) *Attorney, Agent, or Firm* — TILLMAN WRIGHT, PLLC; Chad D. Tillman

(57) **CLAIM**


The ornamental design for a product transport container, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a product transport container according to a first embodiment;
FIG. **2** is a front view thereof;
FIG. **3** is a back view thereof, opposite the view of FIG. **2**;
FIG. **4** is a first side view thereof;
FIG. **5** is a second side view thereof, opposite the view of FIG. **4**;
FIG. **6** is a top plan view thereof;
FIG. **7** is a bottom plan view thereof, opposite the view of FIG. **6**;
FIG. **8** is a front perspective view of a product transport container according to a second embodiment;
FIG. **9** is a front view thereof;
FIG. **10** is a back view thereof, opposite the view of FIG. **9**;
FIG. **11** is a first side view thereof;
FIG. **12** is a second side view thereof, opposite the view of FIG. **11**;
FIG. **13** is a top plan view thereof; and,
FIG. **14** is a bottom plan view thereof, opposite the view of FIG. **13**.

The dashed broken lines are included for the purpose of illustrating the environment of the design only, and form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(58) **Field of Classification Search**
CPC . 2331/8041; F25D 2303/081; F25D 2331/804
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,805,776	A	*	2/1989	Namgyal	A45C 3/00 383/110
D307,092	S	*	4/1990	Ishimaru	D7/605
D328,550	S	*	8/1992	Mogil	D7/605
D340,387	S	*	10/1993	Melk	D3/289
D340,621	S	*	10/1993	Melk	D7/607
D340,840	S	*	11/1993	Melk	D7/607
5,472,279	A	*	12/1995	Lin	A45C 11/20 383/110
D371,942	S	*	7/1996	Lippincott	D7/607
D423,881	S	*	5/2000	Pratt	D7/605
D464,235	S	*	10/2002	Jeong	D7/607
D478,782	S	*	8/2003	Li	D7/607
D619,854	S	*	7/2010	Koehler	D7/607
D800,444	S	*	10/2017	Burton	D3/203.1
D817,106	S	*	5/2018	Larson	D7/607
D835,950	S	*	12/2018	Jacobsen	D7/607
D845,625	S	*	4/2019	Barlier	D7/607
D861,335	S	*	10/2019	Barlier	D7/607
D871,854	S	*	1/2020	Vickery	D7/607
D886,538	S	*	6/2020	Jacobsen	D7/605
D894,692	S	*	9/2020	Herold	D7/605
D899,865	S	*	10/2020	Shi	D7/605
D927,261	S	*	8/2021	Rong	D7/607
D957,199	S	*	7/2022	Owens	D7/605
D957,746	S	*	7/2022	Minier	D7/607
D962,022	S	*	8/2022	Haskins	D7/709
D966,822	S	*	10/2022	Yagi	D7/607
D966,823	S	*	10/2022	Yagi	D7/607
D974,129	S	*	1/2023	Haskins	D7/709
D1,047,610	S	*	10/2024	Seiders	D7/607
D1,066,432	S	*	3/2025	Liu	D7/605
2007/0261977	A1	*	11/2007	Sakai	A01K 97/06 206/315.11
2019/0382185	A1	*	12/2019	Mogil	A45C 13/008
2025/0176699	A1	*	6/2025	Whitworth	B65D 81/3897

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14