US0D1136869S

(12) United States Design Patent

Zhang et al.

(10) Patent No.: US D1,136,869 S
(45) Date of Patent: ** Jul. 28, 2026

(54) **COMBINATION LOCK**

(71) Applicant: **Security People, Inc.**, Petaluma, CA (US)

(72) Inventors: **An Zhang**, Shaoguan City (CN); **T. Asil Gokcebay**, Petaluma, CA (US)

(73) Assignee: **Security People, Inc.**, Houston, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/927,949**

(22) Filed: **Feb. 7, 2024**

Related U.S. Application Data

(63) Continuation-in-part of application No. 18/533,198, filed on Dec. 8, 2023, now Pat. No. 12,044,038.

(51) **LOC (15) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/331**

(58) **Field of Classification Search**
USPC D8/330, 331, 336, 338, 341, 346, 350, D8/352, 353, 400; D10/104.1, 106.1, D10/118, 118.2; D13/177; D14/141.2, D14/144, 150, 159; D99/28, 43; D3/318
CPC E05B 65/52; E05B 65/50; E05B 13/103
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D263,279	S	*	3/1982	Stolarz	D8/338
D270,425	S	*	9/1983	Stolarz	D8/341
D285,771	S	*	9/1986	Gehrie	D8/331
D359,222	S	*	6/1995	Gisiger	D8/331
D729,606	S	*	5/2015	Thomson	D8/330
D729,607	S	*	5/2015	Thomson	D8/330
D752,945	S	*	4/2016	Gokcebay	D8/330
D762,103	S	*	7/2016	Gokcebay	D8/330
D762,443	S	*	8/2016	Thomson	D8/343
D762,444	S	*	8/2016	Thomson	D8/331
D837,031	S	*	1/2019	Cavanna	D8/330
D837,629	S	*	1/2019	Cavanna	D8/330
D837,630	S	*	1/2019	Cavanna	D8/330
D937,560	S	*	12/2021	Lateef	D99/28
D937,563	S	*	12/2021	Lateef	D3/203.1
D942,242	S	*	2/2022	Gokcebay	D8/331
D1,000,250	S	*	10/2023	Huang	D8/330
D1,013,486	S	*	2/2024	Zhu	D8/330
D1,051,698	S	*	11/2024	Brandes	D8/331
2011/0041574	A1	*	2/2011	Yang	E05B 37/02 70/315

OTHER PUBLICATIONS

Digilock, first available Apr. 1, 2024 [online], [retrieved Feb. 16, 2026]. Retrieved from internet, https://www.youtube.com/watch?v=nDhp5bBvaXc (Year: 2024).*

* cited by examiner

Primary Examiner — Wendy L Arminio
Assistant Examiner — Christina Gabrielle Cosden


(57) **CLAIM**

The ornamental design for a combination lock as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a combination lock, showing the new design;
FIG. **2** is a top view of the combination lock;
FIG. **3** is a left side view of the combination lock;
FIG. **4** is a front view of the combination lock;
FIG. **5** is a right side view of the combination lock;
FIG. **6** is a bottom view of the combination lock; and,
FIG. **7** is a rear view of the combination lock.
The broken lines illustrate environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7