US0D1136873S

(12) United States Design Patent

Li et al.

(10) Patent No.: US D1,136,873 S
(45) Date of Patent: ** Jul. 28, 2026

(54) **LOCK**

(71) Applicant: **Ningbo Eudemon Child Protective Equipment Co., Ltd.**, Ningbo (CN)

(72) Inventors: **Binhui Li**, Ningbo (CN); **Zhen Zhang**, Ningbo (CN)

(73) Assignee: **Ningbo Eudemon Child Protective Equipment Co., Ltd.**, Ningbo (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/949,954**

(22) Filed: **Jun. 28, 2024**

Related U.S. Application Data

(62) Division of application No. 35/519,122, filed on Sep. 22, 2023 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Sep. 22, 2023, now Pat. No. Des. 1,043,316.

(30) **Foreign Application Priority Data**

May 24, 2023 (CN) 202330310198.3

(51) **LOC (15) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/339**

(58) **Field of Classification Search**
USPC D8/330, 331, 321, 336, 338, 339, 341, D8/343, 354, 355, 400, 401, 402, 404
CPC E05B 65/0014; E05B 65/46; E05B 13/002
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D391,140 S * 2/1998 Field D8/331
D780,554 S * 3/2017 Marsden D8/330
D803,026 S * 11/2017 Herskovitz D8/331
D836,419 S * 12/2018 Marsden D8/343
D890,596 S * 7/2020 Piggott D8/331
D899,891 S * 10/2020 Xie D8/330
D919,409 S * 5/2021 Zhu D8/343
D941,117 S * 1/2022 Rampen F16M 11/16 D8/339

(Continued)

OTHER PUBLICATIONS

Safenest, posted Feb. 25, 2025 [online], [retrieved Jun. 26, 2025]. Retrieved from the internet, https://www.amazon.com/SAFENEST-Adhesive-Cabinets-Proofing-Drilling/dp/B0DLTHLR8P (Year: 2025).*

(Continued)

Primary Examiner — Dana K Weiland
Assistant Examiner — Christina Gabrielle Cosden


(57) **CLAIM**

The ornamental design for a lock, as shown and described.

DESCRIPTION

FIG. **1** is a front elevational view of a lock, showing our new design;
FIG. **2** is a rear elevational view thereof;
FIG. **3** is a left side view thereof;
FIG. **4** is a top plan view thereof;
FIG. **5** is a front, bottom and left side perspective view thereof;
FIG. **6** is a perspective view of the lock thereof, shown in an alternative configuration of use;
FIG. **7** is a perspective view of the lock thereof, shown in an alternative configuration of use; and,
FIG. **8** is a bottom plan view thereof of the lock thereof.
The broken lines and the portions within the broken lines in FIG. **2** illustrate portions of the lock that form no part of the claimed design. The broken lines in FIG. **7** are for the purpose of illustrating environmental subject matter only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D944,635	S	*	3/2022	Wang	D8/400
D964,842	S	*	9/2022	Sun	D8/400
D1,007,997	S	*	12/2023	Li	D8/330
D1,008,778	S	*	12/2023	Li	D8/331
D1,013,481	S	*	2/2024	Zhang	D8/330
D1,013,486	S	*	2/2024	Zhu	D8/330
D1,020,430	S	*	4/2024	Xu	D8/330
D1,020,434	S	*	4/2024	Sun	D8/330
D1,031,414	S	*	6/2024	Zhang	D8/339
D1,043,316	S	*	9/2024	Li	D8/339
D1,064,787	S	*	3/2025	Li	D8/330
D1,076,663	S	*	5/2025	He	D8/330

OTHER PUBLICATIONS

Safety 1st, posted Oct. 24, 2013 [online], [retrieved Jun. 26, 2025]. Retrieved from the internet, https://www.amazon.com/Safety-1st-Multi-Purpose-Latch-Color/dp/B00G5UAA1I? (Year: 2013).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8