

United States Patent [19]

Cannon

[11] **Des. 242,741**

[45] ** **Dec. 14, 1976**

[54] **ELECTROLUMINESCENT CHARACTER D**

[75] Inventor: **Michael A. Cannon, Oakland, Calif.**

[73] Assignee: **Micon Industries**

[**] Term: **14 Years**

[21] Appl. No.: **503,034**

[22] Filed: **Sept. 3, 1974**

[51] Int. Cl. **D18-03**

[52] U.S. Cl. **D64/12 B**

[58] Field of Search **D26/5 C; D96/12 K; D64/12 B; 340/336, 378; 40/130 E, 130 M**

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,081,450 3/1963 Sinninger 40/130 E X

3,307,175	2/1967	Shill	340/336 X
3,715,744	2/1973	Ito et al.	340/336
3,803,589	4/1974	Hatsukano et al.	340/336
3,831,166	8/1974	De Nardo	340/336
D. 198,605	7/1964	Dickson, Jr.	D64/12 B


Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Manfred M. Warren

[57] CLAIM

The ornamental design of an electroluminescent character D, substantially as shown.

DESCRIPTION


The FIGURE is a face view of an electroluminescent character R showing my new design.



U.S. Patent

Dec. 14, 1976

Des. 242,741



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Design - 242741
DATED : December 14, 1976
INVENTOR(S) : Michael A. Cannon

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In the Description - second line "R" should be --D--.

Signed and Sealed this

Twenty-fourth **Day of** May 1977

[SEAL]

Attest:

RUTH C. MASON
Attesting Officer

C. MARSHALL DANN
Commissioner of Patents and Trademarks