

[54] SAFETY FLASHER
[76] Inventor: Dale T. Kelley, 2329 N. 39th Place,
Phoenix, Ariz. 85008
[**] Term: 14 Years
[21] Appl. No.: 574,867
[22] Filed: May 6, 1975
[51] Int. Cl. D10—06; D26—02
[52] U.S. Cl. D10/114
[58] Field of Search D10/109, 111, 114;
D48/24 R, 24 A; 240/10.6, 10.61, 10.63,
10.65, 10.67, 59, 60, 8.18; 340/134, 90, 321

[56] References Cited
U.S. PATENT DOCUMENTS

2,816,284 12/1957 Campanell 240/59 X
3,083,295 3/1963 Baker 240/59
D. 214,943 8/1969 Zapolski D48/24 A

FOREIGN PATENT DOCUMENTS

513,837 6/1955 Canada 240/8.18
770,926 7/1934 France 240/10.6 R


Primary Examiner—Susie J. Mercer
Attorney, Agent, or Firm—Dale T. Kelley

[57] CLAIM

The ornamental design for a safety flasher, substan-
tially as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a safety flasher
showing my design,
FIG. 2 is a side elevational view thereof,
FIG. 3 is a rear elevational view thereof, and
FIG. 4 is a side elevational view thereof of the side
opposite that shown in FIG. 2.






fig. 1




fig. 2




fig. 3




fig. 4