

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventor: James F. Newman, St. Clair Shores, Mich.

[73] Assignee: Uniroyal, Inc., New York, N.Y.

[\*\*] Term: 14 Years

[21] Appl. No.: 510,184

[44] Published under the second Trial Voluntary Protest Program on April 6, 1976 as document No. B 510,184.

[22] Filed: Sept. 30, 1974

[51] Int. Cl. .... D12-15

[52] U.S. Cl. .... D12/143

[58] Field of Search ..... D12/141-143, D12/146-151; 152/209

[56] References Cited

U.S. PATENT DOCUMENTS

D. 223,016	2/1972	Hawkinson .....	D12/146
D. 225,914	1/1973	Bertazzoli .....	D12/141
D. 228,889	10/1973	Boileau .....	D12/142
D. 231,978	7/1974	Neale .....	D12/141

Primary Examiner—Wallace R. Burke  
Assistant Examiner—James M. Gandy  
Attorney, Agent, or Firm—Charles A. Blank

[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, substantially as shown and described.

DESCRIPTION


FIG. 1 is a perspective view, partly schematic, of a pneumatic tire tread and buttress embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, as shown schematically by solid lines, and that the buttress pattern is repeated on the opposite side;

FIG. 2 is an enlarged, fragmentary developmental plan view of the tread and buttress of FIG. 1;

FIG. 3 is an enlarged sectional view of the tread and buttress, taken substantially as indicated by line 3—3 of FIG. 2;

FIG. 4 is an enlarged sectional view of the tread and buttress, taken substantially as indicated by line 4—4 of FIG. 2; and

FIG. 5 is an enlarged sectional view of the tread and buttress, taken substantially as indicated by line 5—5 of FIG. 2.






Fig. 1.

Fig. 4.




Fig. 5.




Fig. 6.

