

[54] **ELECTROPHOTOGRAPHIC
COPIER-DUPLICATOR**

[75] Inventor: **Richard J. Olson**, Pittsford, N.Y.

[73] Assignee: **Eastman Kodak Company**,
Rochester, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **565,926**

[22] Filed: **Apr. 7, 1975**

[51] Int. Cl. **D16-3**

[52] U.S. Cl. **D16/30**

[58] Field of Search **D16/27-33;**
D26/5 C; 355/131, 128, 3 R, 8, 78, 97, 82,
75-77

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 201,321	6/1965	Beck et al.	D16/30
D. 201,405	6/1965	Plantholt	D16/31
D. 230,602	3/1974	Kovacs et al.	D26/5 C

Primary Examiner—Joel Stearman
Assistant Examiner—C. A. Rademaker
Attorney, Agent, or Firm—Paul R. Holmes

[57] **CLAIM**

The ornamental design for an electrophotographic copier-duplicator, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the front, left corner of an electrophotographic copier-duplicator showing my new design;

FIG. 2 is a perspective view from the front, right corner thereof on a slightly reduced scale;


FIG. 3 is a front perspective view thereof with the platen cover raised and a work support tray in an upright position;

FIG. 4 is a right side elevational view thereof on a slightly enlarged scale with the platen cover and the work support tray in closed position;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a rear elevational view thereof with the work support tray in an upright position, it being understood that the grid pattern fragmentarily shown within the rectangular elements is an overall pattern within said elements; and,

FIG. 7 is a top plan view thereof with the work support tray in a closed position.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7