

[54] COMBINATION BATHTUB AND SHOWER STALL

[75] Inventors: Merritt W. Seymour, Sylvania; David D. Tompkins, Columbus, both of Ohio

[73] Assignee: Owens-Corning Fiberglas Corporation, Toledo, Ohio

[**] Term: 14 Years

[21] Appl. No.: 620,485

[22] Filed: Oct. 6, 1975

[51] Int. Cl. D23-02

[52] U.S. Cl. D23/49

[58] Field of Search D23/48-50, D23/55-57; 4/1-5, 10, 146, 148, 152-155, 173, 178, 180, 185 S, 185 AB, 185 L

[56] References Cited

U.S. PATENT DOCUMENTS

3,479,778	11/1969	Johnson	D23/49 UX
D. 207,096	3/1967	Osika	D23/49
D. 208,528	9/1967	Osika	D23/49
D. 213,624	3/1969	Seymour	D23/49
D. 217,865	6/1970	Meyers	D23/55

D. 223,607	5/1972	Lax	D23/49
D. 225,995	1/1973	Alexander	D23/49
D. 228,067	8/1973	Humphries	D23/49



Primary Examiner—James R. Largen
Attorney, Agent, or Firm—John W. Overman

[57] CLAIM

The ornamental design for combination bathtub and shower stall, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combination bathtub and shower stall embodying our new design. FIG. 2 is a front elevational view thereof. FIG. 3 is a top plan view thereof. FIG. 4 is a cross sectional view taken along line 4—4 of FIG. 2. FIG. 5 is a side elevational view thereof. FIG. 6 is a cross sectional view taken along line 6—6 of FIG. 2. FIG. 7 is a cross sectional view taken along line 7—7 of FIG. 5. The broken line representation of bathtub fittings and support structure in FIGS. 1, 3, 5, 6 and 7 are for purposes of illustration only.






FIG-1-




FIG- 2 -



FIG-3 -




FIG-4 -




FIG-5 -




FIG-6 -




FIG-7-