

[54] VEHICLE TIRE

[75] Inventors: **Muneyoshi Maeda,**
Higashi-Murayama; Hiroshi Kojima,
Hino; Toshio Hayakawa, Kodaira, all
of Japan

[73] Assignee: **Bridgestone Tire Company Limited,**
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **602,872**

[22] Filed: **Aug. 7, 1975**

[30] **Foreign Application Priority Data**
Mar. 6, 1975 Japan 50-8591

[51] Int. Cl. **D12-15**

[52] U.S. Cl. **D12/142**

[58] **Field of Search** **D12/141-143,**
D12/146-151; 152/209 R, 209 A, 209 D,
DIG. 3, DIG. 4

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 182,653 4/1958 Girdner D12/142
- D. 195,076 4/1963 Humphries D12/143

OTHER PUBLICATIONS

- Tire Review, July 1971, p. 29, Steel Radial Truck Tire VSRA, second tire in from left side of page.
- Modern Tire Dealer Annual Products Catalog, Mid-Apr. 1975, Hercules Honcho R. V. Tire, lower left side of page.
- 1971 Tread Design Guide, p. 119, General Power-Jet Tire, bottom left side of page.

Primary Examiner—Wallace R. Burke
Assistant Examiner—James M. Gandy
Attorney, Agent, or Firm—I. Irving Silverman

[57] **CLAIM**

The ornamental design for a vehicle tire, substantially as shown and described.

DESCRIPTION

- FIG. 1 is a perspective view of a vehicle tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire;
- FIG. 2 is a front elevational view thereof;
- FIG. 3 is a side elevational view thereof;
- FIG. 4 is an enlarged fragmentary plan view thereof; and
- FIG. 5 is an enlarged sectional view thereof taken along the line 5-5 in FIG. 4.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

