

[54] CAMERA CASE

[76] Inventors: **Yoshiro Takata**, 18-3-5075, 1-chome, Matsugaoka, Takatsuki, Osaka; **Keiji Takechi**, 25-12, Takeda-Okenoi, Fushimi, Kyoto, both of Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **638,007**

[22] Filed: **Dec. 5, 1975**

[30] Foreign Application Priority Data

June 24, 1975 Japan ..... 50-26781

[51] Int. Cl. .... **D3-02**

[52] U.S. Cl. .... **D87/5 E**

[58] Field of Search ..... **D87/5 E; D16/82; 150/52 R, 52 J; 206/5**

[56] References Cited

U.S. PATENT DOCUMENTS

2,308,003 1/1943 Gamrod ..... 150/52 J

3,072,166 1/1963 Buchholtz et al. .... 150/52 J  
3,813,017 5/1974 Pimsleur ..... 150/52 J X

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Catherine Kemper  
*Attorney, Agent, or Firm*—Meyer A. Gross

[57] CLAIM

The ornamental design for a camera case, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a camera case showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a front perspective view thereof;  
FIG. 7 is a front elevational view with the case in extended position for receipt of a camera and with the upper clasp member in the closed position;  
FIG. 8 is a right side elevational view thereof;  
FIG. 9 is a top plan view thereof; and  
FIG. 10 is a bottom plan view thereof.




Fig. 6.




Fig. 3.



Fig. 2.




Fig. 5.



Fig. 1.




Fig. 4.



Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.

